

Package ‘SEQTaRget’

September 15, 2025

Type Package

Title Sequential Trial Emulation

Version 0.13.1

Description Implementation of sequential trial emulation for the analysis of observational databases. The 'SEQTaRget' software accommodates time-varying treatments and confounders, as well as binary and failure time outcomes. 'SEQTaRget' allows to compare both static and dynamic strategies, can be used to estimate observational analogs of intention-to-treat and per-protocol effects, and can adjust for potential selection bias induced by losses-to-follow-up. (Paper to come).

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.3.2

Suggests rmarkdown, testthat (>= 3.0.0)

Imports data.table, doFuture, doRNG, fastglm, future, future.apply, ggplot2, knitr, methods, stringr, survival

Config/testthat/edition 3

Depends R (>= 4.1)

URL <https://causalinference.github.io/SEquential/>

VignetteBuilder knitr

NeedsCompilation no

Author Ryan O'Dea [aut, cre] (ORCID: <<https://orcid.org/0009-0000-0103-9546>>),
Alejandro Szmulewicz [aut] (ORCID:
<<https://orcid.org/0000-0002-2664-802X>>),
Miguel Hernan [aut] (ORCID: <<https://orcid.org/0000-0003-1619-8456>>),
The President and Fellows of Harvard College [cph] (ROR:
<<https://ror.org/03vek6s52>>)

Maintainer Ryan O'Dea <ryanodea@hsph.harvard.edu>

Repository CRAN

Date/Publication 2025-09-15 08:40:02 UTC

Contents

compevent	2
covariates	3
denominator	3
diagnostics	4
hazard_ratio	4
km_curve	5
km_data	5
numerator	6
outcome	6
risk_comparison	7
risk_data	7
SEQdata.LTFU	8
SEQdata.multitreatment	8
SEQestimate	9
SEQopts	10
SEQoutput-class	14
SEquential	14
SEQ_data	16
show,SEQoutput-method	16
Index	18

compevent	<i>Function to return competing event models from a SEquential object</i>
-----------	---

Description

Function to return competing event models from a SEquential object

Usage

compevent(object)

Arguments

object SEQoutput object

Value

list of fastglm objects

covariates	<i>Retrieves Outcome, Numerator, and Denominator Covariates</i>
------------	---

Description

Retrieves Outcome, Numerator, and Denominator Covariates

Usage

covariates(object)

Arguments

object object of class SEQoutput

Value

list of SEquential covariates

denominator	<i>Retrieves Denominator Models from SEquential object</i>
-------------	--

Description

Retrieves Denominator Models from SEquential object

Usage

denominator(object)

Arguments

object object of class SEQoutput

Value

List of both numerator models

`diagnostics`*Function to return diagnostic tables from a SEquential object*

Description

Function to return diagnostic tables from a SEquential object

Usage

```
diagnostics(object)
```

Arguments

`object` SEQoutput object

Value

list of diagnostic tables

`hazard_ratio`*Function to return hazard ratios from a SEquential object*

Description

Function to return hazard ratios from a SEquential object

Usage

```
hazard_ratio(object)
```

Arguments

`object` SEQoutput object

Value

list of hazard ratios

km_curve	<i>Function to print kaplan-meier curves</i>
----------	--

Description

Function to print kaplan-meier curves

Usage

```
km_curve(  
  object,  
  plot.type = "survival",  
  plot.title,  
  plot.subtitle,  
  plot.labels,  
  plot.colors  
)
```

Arguments

object	SEQoutput object to plot
plot.type	character: type of plot to print
plot.title	character: defines the title of the plot
plot.subtitle	character: plot subtitle
plot.labels	length 2 character: plot labels
plot.colors	length 2 character: plot colors

Value

ggplot object of plot plot.type

km_data	<i>Function to return survival data from a SEquential object</i>
---------	--

Description

Function to return survival data from a SEquential object

Usage

```
km_data(object)
```

Arguments

object	SEQoutput object
--------	------------------

Value

list of dataframes of survival values

numerator	<i>Retrieves Numerator Models from SEquential object</i>
-----------	--

Description

Retrieves Numerator Models from SEquential object

Usage

numerator(object)

Arguments

object object of class SEQoutput

Value

List of both numerator models

outcome	<i>Retrieves Outcome Models from SEquential object</i>
---------	--

Description

Retrieves Outcome Models from SEquential object

Usage

outcome(object)

Arguments

object object of class SEQoutput

Value

List of all outcome models

risk_comparison	<i>Function to return risk information from a SEquential object</i>
-----------------	---

Description

Function to return risk information from a SEquential object

Usage

```
risk_comparison(object)
```

Arguments

object	SEQoutput object
--------	------------------

Value

a data frame of risk information at end of followup (risk ratios, risk differences and confidence intervals, if bootstrapped)

risk_data	<i>Function to return risk information from a SEquential object</i>
-----------	---

Description

Function to return risk information from a SEquential object

Usage

```
risk_data(object)
```

Arguments

object	SEQoutput object
--------	------------------

Value

a data table of risk information at every followup

 SEQdata.LTFU

Simulated Lost-to-followup example data for SEquential

Description

Simulated Lost-to-followup example data for SEquential

Usage

SEQdata.LTFU

Format

A dataframe with 4,139 rows and 13 columns:

ID Integer: Unique ID emulating individual patients

time Integer: Time of observation, always begins at 0, max time of 59; however, if lost-to-followup, time is truncated at a random point

eligible Binary: eligibility criteria for timepoints

outcome Binary: If an outcome is observed at this time point

tx_init Binary: If treatment is observed at this time point

sex Binary: Sex of the emulated patient

N Numeric: Normal random variable from $N(10, 5)$

L Numeric: 4% continuously increase from $U(0, 1)$

P Numeric: 2% continuously decrease from $U(9, 10)$

excusedOne Binary: Once one, always one variable emulating an excuse for treatment switch

excusedZero Binary: Once zero, always zero variable emulating an excuse for treatment switch

LTFU Binary: Flag for losing a simulated ID to followup, if 1 there are no more records of the ID afterwards

 SEQdata.multitreatment

Simulated multitreatment example data for SEquential multinomial models

Description

Simulated multitreatment example data for SEquential multinomial models

Usage

SEQdata.multitreatment

Format

A dataframe with 5,976 rows and 11 columns:

ID Integer: Unique ID emulating individual patients

time Integer: Time of observation, always begins at 0, max time of 59; however, if lost-to-followup, time is truncated at a random point

eligible Binary: eligibility criteria for timepoints

outcome Binary: If an outcome is observed at this time point

tx_init Integer: Which treatment is observed at this time point

sex Binary: Sex of the emulated patient

N Numeric: Normal random variable from $N(10, 5)$

L Numeric: 4% continuously increase from $U(0, 1)$

P Numeric: 2% continuously decrease from $U(9, 10)$

excusedOne Binary: Once one, always one variable emulating an excuse for treatment switch

excusedZero Binary: Once zero, always zero variable emulating an excuse for treatment switch

SEQestimate	<i>Estimate the (very rough) time to run SEquential analysis on current machine</i>
-------------	---

Description

Estimate the (very rough) time to run SEquential analysis on current machine

Usage

```
SEQestimate(
  data,
  id.col,
  time.col,
  eligible.col,
  treatment.col,
  outcome.col,
  time_varying.cols = list(),
  fixed.cols = list(),
  method,
  options,
  verbose = TRUE
)
```

Arguments

<code>data</code>	data.frame or data.table, if not already expanded with SEQexpand, will preform expansion according to arguments passed to either params or . . .
<code>id.col</code>	String: column name of the id column
<code>time.col</code>	String: column name of the time column
<code>eligible.col</code>	String: column name of the eligibility column
<code>treatment.col</code>	String: column name of the treatment column
<code>outcome.col</code>	String: column name of the outcome column
<code>time_varying.cols</code>	List: column names for time varying columns
<code>fixed.cols</code>	List: column names for fixed columns
<code>method</code>	String: method of analysis to preform
<code>options</code>	List: optional list of parameters from SEQopts
<code>verbose</code>	Logical: if TRUE, cats progress to console

Value

A list of (very rough) estimates for the time required for SEQuential containing:

- `modelTime` estimated time used when running models
- `expansionTime` estimated time used when expanding data
- `totalTime` sum of model and expansion time

SEQopts

Parameter Builder for SEQuential Model and Estimates

Description

Parameter Builder for SEQuential Model and Estimates

Usage

```
SEQopts(
  bootstrap = FALSE,
  bootstrap.nboot = 100,
  bootstrap.sample = 0.8,
  cense = NA,
  cense.denominator = NA,
  cense.eligible = NA,
  cense.numerator = NA,
  compevent = NA,
  covariates = NA,
  data.return = FALSE,
```

```

denominator = NA,
deviation = FALSE,
deviation.col = NA,
deviation.conditions = c(NA, NA),
deviation.excused = FALSE,
deviation.excused_cols = c(NA, NA),
excused = FALSE,
excused.cols = c(NA, NA),
fastglm.method = 2L,
followup.class = FALSE,
followup.include = TRUE,
followup.max = Inf,
followup.min = -Inf,
followup.spline = FALSE,
hazard = FALSE,
indicator.baseline = "_bas",
indicator.squared = "_sq",
km.curves = FALSE,
multinomial = FALSE,
ncores = parallel::detectCores() - 1,
nthreads = data.table::getDTthreads(),
numerator = NA,
parallel = FALSE,
plot.colors = c("#F8766D", "#00BFC4", "#555555"),
plot.labels = NA,
plot.subtitle = NA,
plot.title = NA,
plot.type = "survival",
seed = NULL,
selection.first_trial = FALSE,
selection.prob = 0.8,
selection.random = FALSE,
subgroup = NA,
survival.max = Inf,
treat.level = c(0, 1),
trial.include = TRUE,
weight.eligible_cols = c(),
weight.lower = -Inf,
weight.lag_condition = TRUE,
weight.p99 = FALSE,
weight.preexpansion = TRUE,
weight.upper = Inf,
weighted = FALSE
)

```

Arguments

bootstrap Logical: defines if SEQuential should run bootstrapping, default is FALSE

<code>bootstrap.nboot</code>	Integer: number of bootstraps
<code>bootstrap.sample</code>	Numeric: percentage of data to use when bootstrapping, should in [0, 1], default is 0.8
<code>cense</code>	String: column name for additional censoring variable, e.g. loss-to-follow-up
<code>cense.denominator</code>	String: censoring denominator covariates to the right hand side of a formula object
<code>cense.eligible</code>	String: column name for indicator column defining which rows to use for censoring model
<code>cense.numerator</code>	String: censoring numerator covariates to the right hand side of a formula object
<code>compevent</code>	String: column name for competing event indicator
<code>covariates</code>	String: covariates to the right hand side of a formula object
<code>data.return</code>	Logical: whether to return the expanded dataframe with weighting information
<code>denominator</code>	String: denominator covariates to the right hand side of a to formula object
<code>deviation</code>	Logical: create switch based on deviation from column <code>deviation.col</code>
<code>deviation.col</code>	Character: column name for deviation
<code>deviation.conditions</code>	Character list: RHS evaluations of the same length as <code>treat.levels</code>
<code>deviation.excused</code>	Logical: whether deviations should be excused by <code>deviation.excused_cols</code>
<code>deviation.excused_cols</code>	Character list: excused columns for deviation switches
<code>excused</code>	Logical: in the case of censoring, whether there is an excused condition
<code>excused.cols</code>	List: list of column names for treatment switch excuses - should be the same length, and ordered the same as <code>treat.level</code>
<code>fastglm.method</code>	Integer: decomposition method for fastglm (1-QR, 2-Cholesky, 3-LDLT, 4-QR.FPIV)
<code>followup.class</code>	Logical: treat followup as a class, e.g. expands every time to it's own indicator column
<code>followup.include</code>	Logical: whether or not to include 'followup' and 'followup_squared' in the outcome model
<code>followup.max</code>	Numeric: maximum time to expand about, default is Inf (no maximum)
<code>followup.min</code>	Numeric: minimum time to expand about, default is -Inf (no minimum)
<code>followup.spline</code>	Logical: treat followup as a cubic spline
<code>hazard</code>	Logical: hazard error calculation instead of survival estimation
<code>indicator.baseline</code>	String: identifier for baseline variables in covariates, numerator, denominator - intended as an override

<code>indicator.squared</code>	String: identifier for squared variables in covariates, numerator, denominator - intended as an override
<code>km.curves</code>	Logical: Kaplan-Meier survival curve creation and data return
<code>multinomial</code>	Logical: whether to expect multilevel treatment values
<code>ncores</code>	Integer: number of cores to use in parallel processing, default is one less than system max
<code>nthreads</code>	Integer: number of threads to use for data.table processing
<code>numerator</code>	String: numerator covariates to the right hand side of a formula object
<code>parallel</code>	Logical: define if the SEQuential process is run in parallel, default is FALSE
<code>plot.colors</code>	Character: Colors for output plot if <code>km.curves = TRUE</code> , defaulted to ggplot2 defaults
<code>plot.labels</code>	Character: Color labels for output plot if <code>km.curves = TRUE</code> in order e.g. <code>c("risk.0", "risk.1")</code>
<code>plot.subtitle</code>	Character: Subtitle for output plot if <code>km.curves = TRUE</code>
<code>plot.title</code>	Character: Title for output plot if <code>km.curves = TRUE</code>
<code>plot.type</code>	Character: Type of plot to create if <code>km.curves = TRUE</code> , available options are 'survival', 'risk', and 'inc' (in the case of censoring)
<code>seed</code>	Integer: starting seed
<code>selection.first_trial</code>	Logical: selects only the first eligible trial in the expanded dataset
<code>selection.prob</code>	Numeric: percent of total IDs to select for <code>selection.random</code> , should be bound [0, 1]
<code>selection.random</code>	Logical: randomly selects IDs with replacement to run analysis
<code>subgroup</code>	Character: Column name to stratify outcome models on
<code>survival.max</code>	Numeric: maximum time for survival curves, default is Inf (no maximum)
<code>treat.level</code>	List: treatment levels to compare
<code>trial.include</code>	Logical: whether or not to include 'trial' and 'trial_squared' in the outcome model
<code>weight.eligible_cols</code>	List: list of column names for indicator columns defining which weights are eligible for weight models - in order of <code>treat.level</code>
<code>weight.lower</code>	Numeric: weights truncated at lower end at this weight
<code>weight.lag_condition</code>	Logical: whether weights should be conditioned on treatment lag value
<code>weight.p99</code>	Logical: forces weight truncation at 1st and 99th percentile weights, will override provided <code>weight.upper</code> and <code>weight.lower</code>
<code>weight.preexpansion</code>	Logical: whether weighting should be done on pre-expanded data
<code>weight.upper</code>	Numeric: weights truncated at upper end at this weight
<code>weighted</code>	Logical: whether or not to preform weighted analysis, default is FALSE

Value

An object of class 'SEQopts'

SEQoutput-class	<i>An S4 class used to hold the outputs for the SEquential process</i>
-----------------	--

Description

An S4 class used to hold the outputs for the SEquential process

Slots

params SEQparams object
 outcome outcome covariates
 numerator numerator covariates
 denominator denominator covariates
 outcome.model list of length bootstrap.nboot containing outcome coefficients
 hazard hazard ratio
 survival.curve ggplot object for the survival curves
 survival.data data.table of survival data
 risk.difference risk difference calculated from survival data
 risk.ratio risk ratio calculated from survival data
 time time in minutes used for the SEquential process
 weight.statistics information from the weighting process, containing weight coefficients and weight statistics
 info list of outcome and switch information (if applicable)
 ce.model list of competing event models if compevent is specified, NA otherwise

SEquential	<i>SEquential trial emulation</i>
------------	-----------------------------------

Description

'SEquential' is an all-in-one API to SEquential analysis, returning a SEQoutput object of results. More specific examples can be found on pages at <https://causalinference.github.io/SEquential/>

Usage

```
SEquential(  
  data,  
  id.col,  
  time.col,  
  eligible.col,  
  treatment.col,  
  outcome.col,  
  time_varying.cols = list(),  
  fixed.cols = list(),  
  method,  
  options,  
  verbose = TRUE  
)
```

Arguments

<code>data</code>	data.frame or data.table, if not already expanded with SEQexpand, will preform expansion according to arguments passed to either params or . . .
<code>id.col</code>	String: column name of the id column
<code>time.col</code>	String: column name of the time column
<code>eligible.col</code>	String: column name of the eligibility column
<code>treatment.col</code>	String: column name of the treatment column
<code>outcome.col</code>	String: column name of the outcome column
<code>time_varying.cols</code>	List: column names for time varying columns
<code>fixed.cols</code>	List: column names for fixed columns
<code>method</code>	String: method of analysis to preform
<code>options</code>	List: optional list of parameters from SEQopts
<code>verbose</code>	Logical: if TRUE, cats progress to console

Details

Implementation of sequential trial emulation for the analysis of observational databases. The SE-Quential software accommodates time-varying treatments and confounders, as well as binary and failure time outcomes. SEQ allows to compare both static and dynamic strategies, can be used to estimate observational analogs of intention-to-treat and per-protocol effects, and can adjust for potential selection bias induced by losses-to-follow-up.

Value

An S4 object of class SEQoutput

Examples

```
data <- SEQdata
model <- SEquential(data, id.col = "ID",
                    time.col = "time",
                    eligible.col = "eligible",
                    treatment.col = "tx_init",
                    outcome.col = "outcome",
                    time_varying.cols = c("N", "L", "P"),
                    fixed.cols = "sex",
                    method = "ITT",
                    options = SEQopts())
```

SEQ_data	<i>Function to return the internal data from a SEquential object</i>
----------	--

Description

Function to return the internal data from a SEquential object

Usage

```
SEQ_data(object)
```

Arguments

object SEQoutput object

Value

data.table

show,SEQoutput-method	<i>Show method for S4 object - SEQoutput.</i>
-----------------------	---

Description

Show method for S4 object - SEQoutput.

Usage

```
## S4 method for signature 'SEQoutput'
show(object)
```

Arguments

object A SEQoutput object - usually generated from SEquential

Value

No return value, sends information about SEQoutput to the console

Index

* datasets

SEQdata.LTFU, [8](#)

SEQdata.multitreatment, [8](#)

compevent, [2](#)

covariates, [3](#)

denominator, [3](#)

diagnostics, [4](#)

hazard_ratio, [4](#)

km_curve, [5](#)

km_data, [5](#)

numerator, [6](#)

outcome, [6](#)

risk_comparison, [7](#)

risk_data, [7](#)

SEQ_data, [16](#)

SEQdata.LTFU, [8](#)

SEQdata.multitreatment, [8](#)

SEQestimate, [9](#)

SEQopts, [10](#)

SEQoutput-class, [14](#)

SEquential, [14](#)

show, SEQoutput-method, [16](#)