

Package ‘friends’

October 13, 2022

Title The Entire Transcript from Friends in Tidy Format

Version 0.1.0

Description The complete scripts from the American sitcom Friends in tibble format. Use this package to practice data wrangling, text analysis and network analysis.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Depends R (>= 2.10)

Imports tibble

URL <https://github.com/EmilHvitfeldt/friends>

BugReports <https://github.com/EmilHvitfeldt/friends/issues>

NeedsCompilation no

Author Emil Hvitfeldt [aut, cre] (<<https://orcid.org/0000-0002-0679-1945>>)

Maintainer Emil Hvitfeldt <emilhhvitfeldt@gmail.com>

Repository CRAN

Date/Publication 2020-09-03 07:22:11 UTC

R topics documented:

| | |
|----------------------------|----------|
| friends | 2 |
| friends_emotions | 2 |
| friends_entities | 3 |
| friends_info | 3 |
| Index | 4 |

| | |
|---------|----------------------------------|
| friends | <i>The transcript of Friends</i> |
|---------|----------------------------------|

Description

Each season consists of episodes, each episode is divided into scenes, each scene comprises utterances. One utterance per row. Emotion annotation is included when available.

Usage

```
friends
```

Format

A [tibble](#) with 67,373 rows and 5 variables: text, speaker, season, episode, scene and utterance.

Source

<https://github.com/emorynlp/character-mining>

| | |
|------------------|---|
| friends_emotions | <i>Emotions for transcript of Friends</i> |
|------------------|---|

Description

This [tibble](#) contains the emotions for the utterances where it is available.

Usage

```
friends_emotions
```

Format

A [tibble](#) with 12,606 rows and 5 variables: season, episode, scene, utterance and entities.

Source

<https://github.com/emorynlp/character-mining>

<https://github.com/emorynlp/emotion-detection>

| | |
|------------------|---|
| friends_entities | <i>Character Entities for transcript of Friends</i> |
|------------------|---|

Description

This [tibble](#) contains the character entities for the utterances where it is available.

Usage

```
friends_entities
```

Format

A [tibble](#) with 10,557 rows and 5 variables: season, episode, scene, utterance and entities.

Source

<https://github.com/emorynlp/character-mining>

| | |
|--------------|----------------------------|
| friends_info | <i>Episode Information</i> |
|--------------|----------------------------|

Description

This [tibble](#) contains additional information about each of the episodes. Information was sourced from Wikipedia and IMDb on August 26th, 2020.

Usage

```
friends_info
```

Format

A [tibble](#) with 236 rows and 8 variables: season, episode, title, directed_by, written_by, air_date, us_views_millions and imdb_rating.

Source

<https://en.wikipedia.org/wiki/Friends>

<https://www.imdb.com/title/tt0108778/>

Index

* datasets

friends, [2](#)

friends_emotions, [2](#)

friends_entities, [3](#)

friends_info, [3](#)

friends, [2](#)

friends_emotions, [2](#)

friends_entities, [3](#)

friends_info, [3](#)

tibble, [2, 3](#)