

Package ‘inlabru’

October 29, 2023

Type Package

Title Bayesian Latent Gaussian Modelling using INLA and Extensions

Version 2.10.0

URL <http://www.inlabru.org>, <https://inlabru-org.github.io/inlabru/>,
<https://github.com/inlabru-org/inlabru>

BugReports <https://github.com/inlabru-org/inlabru/issues>

Description Facilitates spatial and general latent Gaussian modeling using integrated nested Laplace approximation via the INLA package (<<https://www.r-inla.org>>). Additionally, extends the GAM-like model class to more general nonlinear predictor expressions, and implements a log Gaussian Cox process likelihood for modeling univariate and spatial point processes based on ecological survey data. Model components are specified with general inputs and mapping methods to the latent variables, and the predictors are specified via general R expressions, with separate expressions for each observation likelihood model in multi-likelihood models. A prediction method based on fast Monte Carlo sampling allows posterior prediction of general expressions of the latent variables. Ecology-focused introduction in Bachl, Lindgren, Borchers, and Illian (2019) <[doi:10.1111/2041-210X.13168](https://doi.org/10.1111/2041-210X.13168)>.

License GPL (>= 2)

Additional_repositories <https://inla.r-inla-download.org/R/testing>

RoxygenNote 7.2.3

Encoding UTF-8

Depends fmesher (>= 0.1.2), methods, R (>= 3.6), stats

Imports dplyr, lifecycle, magrittr, MatrixModels, Matrix, plyr, rlang,
sf, sp (>= 1.4-5), terra, tibble, utils, withr

Suggests covr, ggmap, ggplot2, ggpolypath, graphics, INLA (>= 23.01.31), knitr, maps, mgcv, patchwork, raster, RColorBrewer, rgl, rmarkdown, scales, shiny, sn, spatstat.geom, spatstat.data, sphereplot, splancs, tidyterra, testthat, tidyr, DiagrammeR

Enhances stars

Config/testthat/parallel true

Config/testthat/edition 3

Collate '0_inlabru_envir.R' 'bru.gof.R' 'bru.inference.R'
 'bru.integration.R' 'bru.spatial.R' 'data.Poisson1_1D.R'
 'data.Poisson2_1D.R' 'data.Poisson3_1D.R' 'data.gorillas.R'
 'data.mexdolphins.R' 'data.mrsea.R' 'data.robins_subset.R'
 'data.seals.R' 'data.shrimp.R' 'data.toygroups.R' 'deltaIC.R'
 'deprecated.R' 'effect.R' 'environment.R' 'fmesher.R'
 'ggplot.R' 'inla.R' 'inlabru-package.R' 'integration.R'
 'local_testthat.R' 'mappers.R' 'mesh.R' 'model.R' 'nlinla.R'
 'plotsample.R' 'rgl.R' 'sampling.R' 'spatstat.R' 'spde.R'
 'stack.R' 'track_plotting.R' 'transformation.R' 'utils.R'

VignetteBuilder knitr

BuildVignettes true

LazyData true

LazyDataCompression xz

NeedsCompilation no

Author Finn Lindgren [aut, cre, cph] (<<https://orcid.org/0000-0002-5833-2011>>,
 Finn Lindgren continued development of the main code),
 Fabian E. Bachl [aut, cph] (Fabian Bachl wrote the main code),
 David L. Borchers [ctb, dtc, cph] (David Borchers wrote code for
 Gorilla data import and sampling, multiplot tool),
 Daniel Simpson [ctb, cph] (Daniel Simpson wrote the basic LGCP sampling
 method),
 Lindesay Scott-Howard [ctb, dtc, cph] (Lindesay Scott-Howard provided
 MRSea data import code),
 Seaton Andy [ctb] (Andy Seaton provided testing, bugfixes, and
 vignettes),
 Suen Man Ho [ctb, cph] (Man Ho Suen contributed features for aggregated
 responses and vignette updates),
 Roudier Pierre [ctb, cph] (Pierre Roudier contributed general quantile
 summaries),
 Meehan Tim [ctb, cph] (Tim Meehan contributed the SVC vignette and
 robins data),
 Reddy Peddinenikalva Niharika [ctb, cph] (Niharika Peddinenikalva
 contributed the LGCP residuals vignette),
 Perepolkin Dmytro [ctb, cph] (Dmytro Perepolkin contributed the ZIP/ZAP
 vignette)

Maintainer Finn Lindgren <finn.lindgren@gmail.com>

Repository CRAN

Date/Publication 2023-10-29 05:10:06 UTC

R topics documented:

inlabru-package 5

bincount	6
bm_list	7
bru	8
bru_call_options	10
bru_compute_linearisation	11
bru_convergence_plot	13
bru_fill_missing	13
bru_forward_transformation	14
bru_get_mapper	15
bru_log	17
bru_log_bookmark	19
bru_log_message	20
bru_log_new	21
bru_log_offset	22
bru_log_reset	23
bru_make_stack	24
bru_mapper	24
bru_mapper.fm_mesh_1d	26
bru_mapper.fm_mesh_2d	27
bru_mapper_aggregate	28
bru_mapper_collect	30
bru_mapper_const	33
bru_mapper_factor	34
bru_mapper_generics	35
bru_mapper_harmonics	39
bru_mapper_index	40
bru_mapper_linear	41
bru_mapper_logsumexp	42
bru_mapper_marginal	44
bru_mapper_matrix	46
bru_mapper_mesh_B	47
bru_mapper_multi	48
bru_mapper_pipe	50
bru_mapper_scale	52
bru_mapper_shift	53
bru_mapper_taylor	54
bru_options	56
bru_safe_inla	59
bru_safe_sp	60
bru_standardise_names	61
bru_summarise	62
bru_timings_plot	63
component	63
component_eval	67
component_list	69
deltaIC	70
devel.cvmeasure	71
evaluate_comp_lin	74

evaluate_index	75
evaluate_inputs	76
eval_spatial	76
expand_labels	77
generate	78
gg	81
gg.bru_prediction	82
gg.data.frame	84
gg.inla.mesh	86
gg.inla.mesh.1d	89
gg.matrix	90
gg.RasterLayer	91
gg.sf	92
gg.SpatialGridDataFrame	93
gg.SpatialLines	94
gg.SpatialPixels	96
gg.SpatialPixelsDataFrame	97
gg.SpatialPoints	99
gg.SpatialPolygons	100
gg.SpatRaster	102
globe	103
gplot	104
gm	106
gmap	107
gorillas	108
gorillas_sf	110
inla.stack.mjoin	112
ipoints	113
lgcp	115
like	117
mexdolphins	122
mexdolphins_sf	123
mrsea	125
multiplot	126
pixels	127
plot.bru	128
plot.bru_prediction	129
plotsample	131
point2count	132
Poisson1_1D	133
Poisson2_1D	134
Poisson3_1D	135
predict.bru	137
robins_subset	141
sample.lgcp	142
seals	144
shrimp	145
sline	146

spatial.to.ppp	147
spde.posterior	148
spoly	150
summary.bru	151
summary.bru_info	152
summary.bru_mapper	153
summary.bru_options	154
toygroups	155

Index	157
--------------	------------

inlabru-package	<i>inlabru</i>
-----------------	----------------

Description

Convenient model fitting using (iterated) INLA.

Details

inlabru facilitates Bayesian spatial modelling using integrated nested Laplace approximations. It is heavily based on R-inla (<https://www.r-inla.org>) but adds additional modelling abilities and simplified syntax for (in particular) spatial models. Tutorials and more information can be found at <https://inlabru-org.github.io/inlabru/> and <http://www.inlabru.org/>. The iterative method used for non-linear predictors is documented in the method vignette.

The main function for inference using inlabru is `bru()`. The general model specification details is documented in `component()` and `like()`. Posterior quantities beyond the basic summaries can be calculated with a `predict()` method, documented in `predict.bru()`. For point process inference `lgcp()` can be used as a shortcut to `bru(..., like(model="cp", ...))`.

The package comes with multiple real world data sets, namely `gorillas`, `mexdolphinsf`, `gorillas_sf`, `mexdolphinsf`, `seals_sp`. Plotting these data sets is straight forward using inlabru's extensions to `ggplot2`, e.g. the `gg()` function. For educational purposes some simulated data sets are available as well, e.g. `Poisson1_1D`, `Poisson2_1D`, `Poisson2_1D` and `toygroups`.

Author(s)

Fabian E. Bachl <bachlfab@gmail.com> and Finn Lindgren <finn.lindgren@gmail.com>

See Also

Useful links:

- <http://www.inlabru.org>
- <https://inlabru-org.github.io/inlabru/>
- <https://github.com/inlabru-org/inlabru>
- Report bugs at <https://github.com/inlabru-org/inlabru/issues>

bincount

*1D LGCP bin count simulation and comparison with data***Description**

A common procedure of analyzing the distribution of 1D points is to chose a binning and plot the data's histogram with respect to this binning. This function compares the counts that the histogram calculates to simulations from a 1D log Gaussian Cox process conditioned on the number of data samples. For each bin this results in a median number of counts as well as a confidence interval. If the LGCP is a plausible model for the observed points then most of the histogram counts (number of points within a bin) should be within the confidence intervals. Note that a proper comparison is a multiple testing problem which the function does not solve for you.

Usage

```
bincount(
  result,
  predictor,
  observations,
  breaks,
  nint = 20,
  probs = c(0.025, 0.5, 0.975),
  ...
)
```

Arguments

result	A result object from a <code>bru()</code> or <code>lgcp()</code> call
predictor	A formula describing the prediction of a 1D LGCP via <code>predict()</code> .
observations	A vector of observed values
breaks	A vector of bin boundaries
nint	Number of integration points per bin. Increase this if the bins are wide and
probs	numeric vector of probabilities with values in $[\emptyset, 1]$
...	arguments passed on to <code>predict.bru()</code>

Value

An `data.frame` with a `ggplot` attribute `ggp`

Examples

```
## Not run:
if (require(ggplot2) && require(fmesher)) {
  # Load a point pattern
  data(Poisson2_1D)
```

```

# Take a look at the point (and frequency) data

ggplot(pts2) +
  geom_histogram(
    aes(x = x),
    binwidth = 55 / 20,
    boundary = 0,
    fill = NA,
    color = "black"
  ) +
  geom_point(aes(x), y = 0, pch = "|", cex = 4) +
  coord_fixed(ratio = 1)

# Fit an LGCP model
x <- seq(0, 55, length.out = 50)
mesh1D <- fm_mesh_1d(x, boundary = "free")
mdl <- x ~ spde1D(x, model = inla.spde2.matern(mesh1D)) + Intercept(1)
fit.spde <- lgcp(mdl, pts2, domain = list(x = c(0, 55)))

# Calculate bin statistics
bc <- bincount(
  result = fit.spde,
  observations = pts2,
  breaks = seq(0, max(pts2), length.out = 12),
  predictor = x ~ exp(spde1D + Intercept)
)

# Plot them!
attributes(bc)$ggp
}

## End(Not run)

```

bm_list

Methods for mapper lists

Description

bru_mapper lists can be combined into bm_list lists.

Usage

```

## S3 method for class 'bru_mapper'
c(...)

## S3 method for class 'bm_list'
c(...)

```

```
## S3 method for class 'bm_list'
x[i]
```

Arguments

... Objects to be combined.
 x `bm_list` object from which to extract element(s)
 i indices specifying elements to extract

Value

A `bm_list` object

Methods (by generic)

- `c(bm_list)`: The ... arguments should be `bm_list` objects.
- `[:`: Extract sub-list

Functions

- `c(bru_mapper)`: The ... arguments should be `bru_mapper` objects.

Examples

```
m <- c(A = bru_mapper_const(), B = bru_mapper_scale())
str(m)
str(m[2])
```

bru

Convenient model fitting using (iterated) INLA

Description

This method is a wrapper for `INLA::inla` and provides multiple enhancements.

- Easy usage of spatial covariates and automatic construction of `inla` projection matrices for (spatial) SPDE models. This feature is accessible via the `components` parameter. Practical examples on how to use spatial data by means of the `components` parameter can also be found by looking at the `lgcp` function's documentation.
- Constructing multiple likelihoods is straight forward. See [like](#) for more information on how to provide additional likelihoods to `bru` using the ... parameter list.
- Support for non-linear predictors. See example below.
- Log Gaussian Cox process (LGCP) inference is available by using the `cp` family or (even easier) by using the `lgcp` function.

Usage

```
bru(components = ~Intercept(1), ..., options = list(), .envir = parent.frame())
```

```
bru_rerun(result, options = list())
```

Arguments

components	A formula-like specification of latent components. Also used to define a default linear additive predictor. See <code>component()</code> for details.
...	Likelihoods, each constructed by a calling <code>like()</code> , or named parameters that can be passed to a single <code>like()</code> call. Note that all the arguments will be evaluated before calling <code>like()</code> in order to detect if they are like objects. This means that special arguments that need to be evaluated in the context of <code>response_data</code> or <code>data</code> (such as <code>Ntrials</code>) may only work that way in direct calls to <code>like()</code> .
options	A <code>bru_options</code> options object or a list of options passed on to <code>bru_options()</code>
.envir	Environment for component evaluation (for when a non-formula specification is used)
result	A previous estimation object of class <code>bru</code>

Details

- `bru_rerun` Continue the optimisation from a previously computed estimate.

Value

`bru` returns an object of class "bru". A `bru` object inherits from `INLA::inla` (see the `inla` documentation for its properties) and adds additional information stored in the `bru_info` field.

Author(s)

Fabian E. Bachl <bachlfab@gmail.com>

Examples

```
if (bru_safe_inla(multicore = FALSE)) {
  # Simulate some covariates x and observations y
  input.df <- data.frame(x = cos(1:10))
  input.df <- within(input.df, y <- 5 + 2 * x + rnorm(10, mean = 0, sd = 0.1))

  # Fit a Gaussian likelihood model
  fit <- bru(y ~ x + Intercept, family = "gaussian", data = input.df)

  # Obtain summary
  fit$summary.fixed
}
```

```

if (bru_safe_inla(multicore = FALSE)) {
  # Alternatively, we can use the like() function to construct the likelihood:

  lik <- like(family = "gaussian", formula = y ~ x + Intercept, data = input.df)
  fit <- bru(~ x + Intercept(1), lik)
  fit$summary.fixed
}

# An important addition to the INLA methodology is bru's ability to use
# non-linear predictors. Such a predictor can be formulated via like()'s
# \code{formula} parameter. The z(1) notation is needed to ensure that
# the z component should be interpreted as single latent variable and not
# a covariate:

if (bru_safe_inla(multicore = FALSE)) {
  z <- 2
  input.df <- within(input.df, y <- 5 + exp(z) * x + rnorm(10, mean = 0, sd = 0.1))
  lik <- like(
    family = "gaussian", data = input.df,
    formula = y ~ exp(z) * x + Intercept
  )
  fit <- bru(~ z(1) + Intercept(1), lik)

  # Check the result (z posterior should be around 2)
  fit$summary.fixed
}

```

bru_call_options

Additional bru options

Description

Construct a `bru_options` object including the default and global options, and converting deprecated option names.

Usage

```
bru_call_options(...)
```

Arguments

... Options passed on to [as.bru_options\(\)](#)

Value

A `bru_options` object

Author(s)

Finn Lindgren <finn.lindgren@gmail.com>

Examples

```
opts <- bru_call_options()

# Print them:
opts
```

```
bru_compute_linearisation
      Compute inlabru model linearisation information
```

Description

Compute inlabru model linearisation information

Usage

```
bru_compute_linearisation(...)

## S3 method for class 'component'
bru_compute_linearisation(
  cmp,
  model,
  lhood_expr,
  data,
  input,
  state,
  comp_simple,
  effects,
  pred0,
  used,
  allow_latent,
  allow_combine,
  eps,
  ...
)

## S3 method for class 'bru_like'
bru_compute_linearisation(
  lhood,
```

```

    model,
    data,
    input,
    state,
    comp_simple,
    eps,
    ...
)

## S3 method for class 'bru_like_list'
bru_compute_linearisation(
  lhoods,
  model,
  input,
  state,
  comp_simple,
  eps = 1e-05,
  ...
)

## S3 method for class 'bru_model'
bru_compute_linearisation(model, lhoods, input, state, comp_simple, ...)

```

Arguments

...	Parameters passed on to other methods
cmp	A bru_component object
model	A <code>bru_model</code> object
lhood_expr	A predictor expression
data	Input data
input	Precomputed component inputs from <code>evaluate_inputs()</code>
state	The state information, as a list of named vectors
comp_simple	Component evaluation information <ul style="list-style-type: none"> • For <code>bru_component</code>: <code>bru_mapper_taylor</code> object • For <code>bru_like</code>: A <code>comp_simple_list</code> object for the components in the likelihood • For <code>bru_like_list</code>: A <code>comp_simple_list_list</code> object
effects	<ul style="list-style-type: none"> • For <code>bru_component</code>: Precomputed effect list for all components involved in the likelihood expression
pred0	Precomputed predictor for the given state
used	A bru_used() object for the predictor expression
allow_latent	logical. If TRUE, the latent state of each component is directly available to the predictor expression, with a <code>_latent</code> suffix.
allow_combine	logical; If TRUE, the predictor expression may involve several rows of the input data to influence the same row.

eps	The finite difference step size
lhood	A bru_like object
lhoods	A bru_like_list object

bru_convergence_plot *Plot inlabru convergence diagnostics*

Description

Draws four panels of convergence diagnostics for an iterated INLA method estimation

Usage

```
bru_convergence_plot(x)
```

Arguments

x a [bru](#) object, typically a result from [bru\(\)](#) for a nonlinear predictor model

Details

Requires the "dplyr", "ggplot2", "magrittr", and "patchwork" packages to be installed.

Examples

```
## Not run:
fit <- bru(...)
bru_convergence_plot(fit)

## End(Not run)
```

bru_fill_missing *Fill in missing values in Spatial grids*

Description

Computes nearest-available-value imputation for missing values in space

Usage

```
bru_fill_missing(
  data,
  where,
  values,
  layer = NULL,
  selector = NULL,
  batch_size = deprecated()
)
```

Arguments

data	A SpatialPointsDataFrame, SpatialPixelsDataFrame, SpatialGridDataFrame, SpatialRaster, Raster, or sf object containing data to use for filling
where	A, matrix, data.frame, or SpatialPoints or SpatialPointsDataFrame, or sf object, containing the locations of the evaluated values
values	A vector of values to be filled in where is.na(values) is TRUE
layer, selector	Specifies what data column or columns from which to extract data, see component() for details.
batch_size	[Deprecated] due to improved algorithm. Size of nearest-neighbour calculation blocks, to limit the memory and computational complexity.

Value

An infilled vector of values

Examples

```
## Not run:
if (bru_safe_inla()) {
  points <-
    sp::SpatialPointsDataFrame(
      matrix(1:6, 3, 2),
      data = data.frame(val = c(NA, NA, NA))
    )
  input_coord <- expand.grid(x = 0:7, y = 0:7)
  input <-
    sp::SpatialPixelsDataFrame(
      input_coord,
      data = data.frame(val = as.vector(input_coord$y))
    )
  points$val <- bru_fill_missing(input, points, points$val)
  print(points)

  # To fill in missing values in a grid:
  print(input$val[c(3, 30)])
  input$val[c(3, 30)] <- NA # Introduce missing values
  input$val <- bru_fill_missing(input, input, input$val)
  print(input$val[c(3, 30)])
}

## End(Not run)
```

Description

Tools for transforming between $N(0,1)$ variables and other distributions in predictor expressions

Usage

```
bru_forward_transformation(qfun, x, ..., tail.split. = 0)
```

```
bru_inverse_transformation(pfun, x, ..., tail.split. = NULL)
```

Arguments

qfun	A quantile function object, such as qexp
x	Values to be transformed
...	Distribution parameters passed on to the qfun and pfun functions
tail.split.	For x-values larger than tail.split., upper quantile calculations are used internally, and for smaller values lower quantile calculations are used. This can avoid lack of accuracy in the distribution tails. If NULL, forward calculations split at 0, and inverse calculations use lower tails only, potentially losing accuracy in the upper tails.
pfun	A CDF function object, such as pexp

Value

- For bru_forward_transformation, a numeric vector
- For bru_inverse_transformation, a numeric vector

Examples

```
u <- rnorm(5, 0, 1)
y <- bru_forward_transformation(qexp, u, rate = 2)
v <- bru_inverse_transformation(pexp, y, rate = 2)
rbind(u, y, v)
```

bru_get_mapper

Extract mapper information from INLA model component objects

Description

The component definitions will automatically attempt to extract mapper information from any model object by calling the generic bru_get_mapper. Any class method implementation should return a [bru_mapper](#) object suitable for the given latent model.

Usage

```
bru_get_mapper(model, ...)

## S3 method for class 'inla.spde'
bru_get_mapper(model, ...)

## S3 method for class 'inla.rgeneric'
bru_get_mapper(model, ...)

bru_get_mapper_safely(model, ...)
```

Arguments

model	A model component object
...	Arguments passed on to other methods

Details

- `bru_get_mapper.inla.spde` extract an indexed mapper for the `model$mesh` object contained in the model object. It returns NULL gives a warning if no known mesh type is found in the model object.
- `bru_get_mapper.inla.rgeneric` returns the mapper given by a call to `modelfrgeneric$definition("mapper")`. To support this for your own `inla.rgeneric` models, add a "mapper" option to the `cmd` argument of your `rgeneric` definition function. You will need to store the mapper in your object as well. Alternative, define your model using a subclass and define a corresponding `bru_get_mapper.subclass` method that should return the corresponding `bru_mapper` object.
- `bru_get_mapper_safely` tries to call the `bru_get_mapper`, and returns NULL if it fails (e.g. due to no available class method). If the call succeeds and returns non-NULL, it checks that the object inherits from the `bru_mapper` class, and gives an error if it does not.

Value

A [bru_mapper](#) object defined by the model component

See Also

[bru_mapper](#) for mapper constructor methods, and the individual mappers for specific implementation details.

Other mappers: [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper.aggregate\(\)](#), [bru_mapper.collect\(\)](#), [bru_mapper.const\(\)](#), [bru_mapper.factor\(\)](#), [bru_mapper.generics](#), [bru_mapper.harmonics\(\)](#), [bru_mapper.index\(\)](#), [bru_mapper.linear\(\)](#), [bru_mapper.logsumexp\(\)](#), [bru_mapper.marginal\(\)](#), [bru_mapper.matrix\(\)](#), [bru_mapper.mesh_B\(\)](#), [bru_mapper.multi\(\)](#), [bru_mapper.pipe\(\)](#), [bru_mapper.scale\(\)](#), [bru_mapper.shift\(\)](#), [bru_mapper.taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```

if (bru_safe_inla(quietly = TRUE)) {
  library(INLA)
  mesh <- fmesher::fm_rcdt_2d_inla(globe = 2)
  spde <- inla.spde2.pcmatern(mesh,
    prior.range = c(1, 0.5),
    prior.sigma = c(1, 0.5)
  )
  mapper <- bru_get_mapper(spde)
  ibm_n(mapper)
}

```

bru_log

*Access methods for bru_log objects***Description**

Access method for bru_log objects. Note: Up to version 2.8.0, bru_log() was a deprecated alias for bru_log_message(). When running on 2.8.0 or earlier, use bru_log_get() to access the global log, and cat(fit\$bru_iinla\$log, sep = "\n") to print a stored estimation object log. After version 2.8.0, use bru_log() to access the global log, and bru_log(fit) to access a stores estimation log.

Usage

```

bru_log(x = NULL)

## S3 method for class 'character'
bru_log(x)

## S3 method for class 'bru_log'
bru_log(x)

## S3 method for class 'iinla'
bru_log(x)

## S3 method for class 'bru'
bru_log(x)

## S3 method for class 'bru_log'
print(x, ...)

## S3 method for class 'bru_log'
as.character(x, ...)

## S3 method for class 'bru_log'
x[i]

```

```
## S3 method for class 'bru_log'
c(...)

## S3 method for class 'bru_log'
length(x)
```

Arguments

x	An object that is, contains, or can be converted to, a bru_log object. If NULL, refers to the global inlabru log.
...	further arguments passed to or from other methods.
i	indices specifying elements to extract. If character, denotes the sequence between bookmark i and the next bookmark (or the end of the log if i is the last bookmark)

Value

bru_log A bru_log object, containing a character vector of log messages, and potentially a vector of bookmarks.

Methods (by generic)

- `print(bru_log)`: Print a bru_log object with `cat(x, sep = "\n")`
- `as.character(bru_log)`: Convert bru_log object to a plain character vector
- `[]`: Extract a subset of a bru_log object
- `c(bru_log)`: Concatenate several bru_log or character objects into a bru_log object.
- `length(bru_log)`: Obtain the number of log entries into a bru_log object.

Functions

- `bru_log()`: Extract stored log messages

See Also

Other inlabru log methods: [bru_log_bookmark\(\)](#), [bru_log_message\(\)](#), [bru_log_new\(\)](#), [bru_log_offset\(\)](#), [bru_log_reset\(\)](#)

bru_log_bookmark *Methods for bru_log bookmarks*

Description

Methods for bru_log bookmarks.

Usage

```
bru_log_bookmark(bookmark = "", offset = NULL, x = NULL)
```

```
bru_log_bookmarks(x = NULL)
```

Arguments

bookmark	character; The label for a bookmark with a stored offset.
offset	integer; a position offset in the log, with 0L pointing at the start of the log. If negative, denotes the point $\text{abs}(\text{offset})$ elements from tail of the log. When bookmark is non-NULL, the offset applies a shift (forwards or backwards) to the bookmark list.
x	A bru_log object. If NULL, the global inlabru log is used.

Value

bru_log_bookmark(): Returns the modified bru_log object if x is non-NULL.

bru_log_bookmarks(): Returns the bookmark vector associated with x

Functions

- bru_log_bookmark(): Set a log bookmark. If offset is NULL (the default), the bookmark will point to the current end of the log.
- bru_log_bookmarks(): Return a integer vector with named elements being bookmarks into the global inlabru log with associated log position offsets.

See Also

Other inlabru log methods: [bru_log_message\(\)](#), [bru_log_new\(\)](#), [bru_log_offset\(\)](#), [bru_log_reset\(\)](#), [bru_log\(\)](#)

bru_log_message	<i>Add a log message</i>
-----------------	--------------------------

Description

Adds a log message.

Usage

```
bru_log_message(
    ...,
    domain = NULL,
    appendLF = TRUE,
    verbosity = 1,
    allow_verbose = TRUE,
    verbose = NULL,
    verbose_store = NULL,
    x = NULL
)
```

Arguments

...	For <code>bru_log_message()</code> , zero or more objects passed on to <code>base::makeMessage()</code>
domain	Domain for translations, passed on to <code>base::makeMessage()</code>
appendLF	logical; whether to add a newline to the message. Only used for verbose output.
verbosity	numeric value describing the verbosity level of the message
allow_verbose	Whether to allow verbose output. Must be set to <code>FALSE</code> until the options object has been initialised.
verbose	logical, numeric, or <code>NULL</code> ; local override for verbose output. If <code>NULL</code> , the global option <code>bru_verbose</code> or default value is used. If <code>FALSE</code> , no messages are printed. If <code>TRUE</code> , messages with <code>verbosity ≤ 1</code> are printed. If numeric, messages with <code>verbosity ≤ verbose</code> are printed.
verbose_store	Same as <code>verbose</code> , but controlling what messages are stored in the global log object. Can be controlled via the <code>bru_verbose_store</code> with <code>bru_options_set()</code> .
x	A <code>bru_log</code> object. If <code>NULL</code> , refers to the global <code>inlabru</code> log.

Value

`bru_log_message` returns `invisible(x)`, where `x` is the updated `bru_log` object, or `NULL`.

See Also

Other `inlabru` log methods: `bru_log_bookmark()`, `bru_log_new()`, `bru_log_offset()`, `bru_log_reset()`, `bru_log()`

Examples

```

if (interactive()) {
  code_runner <- function() {
    local_bru_options_set(
      # Show messages up to and including level 2 (default 0)
      bru_verbose = 2,
      # Store messages to an including level 3 (default Inf, storing all)
      bru_verbose_store = 3
    )

    bru_log_bookmark("bookmark 1")
    bru_log_message("Test message 1", verbosity = 1)
    bru_log_message("Test message 2", verbosity = 2)
    bru_log_bookmark("bookmark 2")
    bru_log_message("Test message 3", verbosity = 3)
    bru_log_message("Test message 4", verbosity = 4)

    invisible()
  }
  message("Run code")
  code_runner()
  message("Check log from bookmark 1")
  print(bru_log()["bookmark 1"])
  message("Check log from bookmark 2")
  print(bru_log()["bookmark 2"])
}

```

bru_log_new

Create a bru_log object

Description

Create a bru_log object, by default empty.

Usage

```
bru_log_new(x = NULL, bookmarks = NULL)
```

Arguments

x	An optional character vector of log messages
bookmarks	An optional integer vector of named bookmarks

See Also

Other inlabru log methods: [bru_log_bookmark\(\)](#), [bru_log_message\(\)](#), [bru_log_offset\(\)](#), [bru_log_reset\(\)](#), [bru_log\(\)](#)

Examples

```
x <- bru_log_new()
x <- bru_log_message("Test message", x = x)
print(x)
```

bru_log_offset

Position methods for bru_log objects

Description

Position methods for bru_log objects.

Usage

```
bru_log_offset(x = NULL, bookmark = NULL, offset = NULL)
```

```
bru_log_index(x = NULL, i)
```

Arguments

x	A bru_log object. If NULL, the global inlabru log is used.
bookmark	character; The label for a bookmark with a stored offset.
offset	integer; a position offset in the log, with 0L pointing at the start of the log. If negative, denotes the point abs(offset) elements from tail of the log. When bookmark is non-NULL, the offset applies a shift (forwards or backwards) to the bookmark list.
i	indices specifying elements to extract. If character, denotes the sequence between bookmark i and the next bookmark (or the end of the log if i is the last bookmark)

Functions

- bru_log_offset(): Utility function for computing log position offsets.
- bru_log_index(): Utility function for computing index vectors for bru_log objects.

See Also

Other inlabru log methods: [bru_log_bookmark\(\)](#), [bru_log_message\(\)](#), [bru_log_new\(\)](#), [bru_log_reset\(\)](#), [bru_log\(\)](#)

bru_log_reset	<i>Clear log contents</i>
---------------	---------------------------

Description

Clears the log contents up to a given offset or bookmark. Default: clear the entire log. When `x` is `NULL`, the global `inlabru` log is updated, and `invisible(NULL)` is returned. Otherwise the updated object is returned (invisibly).

Usage

```
bru_log_reset(x = NULL, bookmark = NULL, offset = NULL)
```

Arguments

<code>x</code>	A <code>bru_log</code> object, or in some cases, an object that can be converted/extracted to a <code>bru_log</code> object. <code>NULL</code> denotes the global <code>inlabru</code> log object.
<code>bookmark</code>	character; The label for a bookmark with a stored offset.
<code>offset</code>	integer; a position offset in the log, with <code>0L</code> pointing at the start of the log. If negative, denotes the point <code>abs(offset)</code> elements from tail of the log. When <code>bookmark</code> is non- <code>NULL</code> , the <code>offset</code> applies a shift (forwards or backwards) to the bookmark list.

Value

Returns (invisibly) the modified `bru_log` object, or `NULL` (when `x` is `NULL`)

See Also

Other `inlabru` log methods: [bru_log_bookmark\(\)](#), [bru_log_message\(\)](#), [bru_log_new\(\)](#), [bru_log_offset\(\)](#), [bru_log\(\)](#)

Examples

```
## Not run:
if (interactive()) {
  bru_log_reset()
}

## End(Not run)
```

bru_make_stack	<i>Build an inla data stack from linearisation information</i>
----------------	--

Description

Combine linearisation for multiple likelihoods

Usage

```
bru_make_stack(...)

## S3 method for class 'bru_like'
bru_make_stack(lhood, lin, idx, ...)

## S3 method for class 'bru_like_list'
bru_make_stack(lhoods, lin, idx, ...)
```

Arguments

...	Arguments passed on to other methods
lhood	A bru_like object
lin	Linearisation information <ul style="list-style-type: none"> • For .bru_like, a bru_mapper_taylor object • For .bru_like_list, a list of bru_mapper_taylor objects
idx	Output from evaluate_index(...)
lhoods	A bru_like_list object

bru_mapper	<i>Constructors for bru_mapper objects</i>
------------	--

Description

Constructors for bru_mapper objects

Usage

```
bru_mapper(...)

bru_mapper_define(mapper, new_class = NULL, ..., methods = deprecated())

## Default S3 method:
bru_mapper(...)
```


Arguments

...	Arguments passed on to sub-methods, or used for special purposes, see details for each function below.
mapper	For <code>bru_mapper_define</code> , a prototype mapper object, see Details. For <code>bru_mapper_scale</code> , a mapper to be scaled.
new_class	If non-NULL, this is added at the front of the class definition
methods	[Deprecated] Deprecated.

Value

- `bru_mapper()` returns a `bru_mapper` object

Methods (by class)

- `bru_mapper(default)`: Calls `bru_mapper_define`, passing all arguments along. Mapper implementations should call `bru_mapper_define()` instead, and supply at least a `new_class` class name. Use of the `bru_mapper.default` method will be deprecated from version 2.7.0.

Functions

- `bru_mapper()`: Generic mapper S3 constructor, used for constructing mappers for special objects. See below for details of the default constructor `bru_mapper_define()` that can be used to define new mappers in user code.
- `bru_mapper_define()`: Adds the `new_class` and "bru_mapper" class names to the inheritance list for the input mapper object, unless the object already inherits from these. To register mapper classes and methods in scripts, use `.S3method()` to register the methods, e.g. `.S3method("ibm_jacobian", "my_mapper_class", ibm_jacobian.my_mapper_class)`. In packages with Suggests: `inlabru`, add method information for delayed registration, e.g.:

```
#' @rawNamespace S3method(inlabru::bru_get_mapper, inla_rspde)
#' @rawNamespace S3method(inlabru::ibm_n, bru_mapper_inla_rspde)
#' @rawNamespace S3method(inlabru::ibm_values, bru_mapper_inla_rspde)
#' @rawNamespace S3method(inlabru::ibm_jacobian, bru_mapper_inla_rspde)
```

or before each method, use `@exportS3Method`:

```
#' @exportS3Method inlabru::bru_get_mapper
```

etc., which semi-automates it.

See Also

[bru_mapper_generics](#) for generic methods, the individual mapper pages for special method implementations, and [bru_get_mapper](#) for hooks to extract mappers from latent model object class objects.

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#)

Examples

```
mapper <- bru_mapper_index(5)
ibm_jacobian(mapper, input = c(1, 3, 4, 5, 2))
```

```
bru_mapper.fm_mesh_1d Mapper for fm_mesh_1d
```

Description

Create mapper for an fm_mesh_1d object

Usage

```
## S3 method for class 'fm_mesh_1d'
bru_mapper(mesh, indexed = NULL, ...)

## S3 method for class 'bru_mapper_fm_mesh_1d'
ibm_n(mapper, ...)

## S3 method for class 'bru_mapper_fm_mesh_1d'
ibm_values(mapper, ...)

## S3 method for class 'bru_mapper_fm_mesh_1d'
ibm_jacobian(mapper, input, ...)

## S3 method for class 'inla.mesh.1d'
bru_mapper(mesh, indexed = NULL, ...)

## S3 method for class 'bru_mapper_inla_mesh_1d'
ibm_n(mapper, ...)

## S3 method for class 'bru_mapper_inla_mesh_1d'
ibm_values(mapper, ...)

## S3 method for class 'bru_mapper_inla_mesh_1d'
ibm_jacobian(mapper, input, ...)
```

Arguments

mesh	An fm_mesh_1d or inla.mesh.1d object to use as a mapper
indexed	logical; If TRUE, the ibm_values() output will be the integer indexing sequence for the latent variables (needed for spde models). If FALSE, the knot locations are returned (useful as an interpolator for rw2 models and similar). Default: NULL, to force user specification of this parameter
...	Arguments passed on to other methods
mapper	A mapper S3 object, inheriting from bru_mapper.
input	Data input for the mapper.

Functions

- `bru_mapper(inla.mesh.1d)`: Create mapper for an `inla.mesh.1d` object; converts the mesh fo `fm_mesh_1d` first.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper(fm_mesh_1d(c(1:3, 5, 7)), indexed = FALSE)
ibm_values(m)
ibm_eval(m, 1:7, 1:5)
m <- bru_mapper(fm_mesh_1d(c(1:3, 5, 7)), indexed = TRUE)
ibm_values(m)
ibm_eval(m, 1:7, 1:5)
```

`bru_mapper.fm_mesh_2d` *Mapper for fm_mesh_2d*

Description

Creates a mapper for 2D `fm_mesh_2d` objects

Usage

```
## S3 method for class 'fm_mesh_2d'
bru_mapper(mesh, ...)

## S3 method for class 'bru_mapper_fm_mesh_2d'
ibm_n(mapper, ...)

## S3 method for class 'bru_mapper_fm_mesh_2d'
ibm_values(mapper, ...)

## S3 method for class 'bru_mapper_fm_mesh_2d'
ibm_jacobian(mapper, input, ...)

## S3 method for class 'inla.mesh'
bru_mapper(mesh, ...)
```

```
## S3 method for class 'bru_mapper_inla_mesh_2d'
ibm_n(mapper, ...)

## S3 method for class 'bru_mapper_inla_mesh_2d'
ibm_values(mapper, ...)

## S3 method for class 'bru_mapper_inla_mesh_2d'
ibm_jacobian(mapper, input, ...)
```

Arguments

mesh	An fm_mesh_2d or inla.mesh.2d object to use as a mapper
...	Arguments passed on to other methods
mapper	A mapper S3 object, inheriting from bru_mapper.
input	Data input for the mapper.

Functions

- bru_mapper(inla.mesh): Creates a mapper for 2D inla.mesh objects

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper_fm_mesh_1d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper(fmasher::fmexample$mesh)
ibm_n(m)
ibm_eval(m, as.matrix(expand.grid(-2:2, -2:2)), seq_len(ibm_n(m)))
```

bru_mapper_aggregate *Mapper for aggregation*

Description

Constructs a mapper that aggregates elements of the input state, so it can be used e.g. for weighted summation or integration over blocks of values.

Usage

```
bru_mapper_aggregate(rescale = FALSE, n_block = NULL)

## S3 method for class 'bru_mapper_aggregate'
ibm_n mapper, ..., input = NULL, state = NULL, n_state = NULL)

## S3 method for class 'bru_mapper_aggregate'
ibm_n_output mapper, input = NULL, ...)

## S3 method for class 'bru_mapper_aggregate'
ibm_values mapper, ..., state = NULL, n_state = NULL)

## S3 method for class 'bru_mapper_aggregate'
ibm_jacobian mapper, input, state = NULL, ...)

## S3 method for class 'bru_mapper_aggregate'
ibm_eval mapper, input, state = NULL, ..., sub_lin = NULL)
```

Arguments

rescale	logical; For <code>bru_mapper_aggregate</code> and <code>bru_mapper_logsumexp</code> , specifies if the blockwise sums should be normalised by the blockwise weight sums or not: <ul style="list-style-type: none"> • FALSE: (default) Straight weighted sum, no rescaling. • TRUE: Divide by the sum of the weight values within each block. This is useful for integration averages, when the given weights are plain integration weights. If the weights are NULL or all ones, this is the same as dividing by the number of entries in each block.
n_block	Predetermined number of output blocks. If NULL, overrides the maximum block index in the inputs.
mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
...	Arguments passed on to other methods
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>
n_state	integer giving the length of the state vector for mappers that have state dependent output size.
sub_lin	Internal, optional pre-computed sub-mapper information

Details

- For `bru_mapper_aggregate`, `input` should be a list with elements `block` and `weights`. `block` should be a vector of the same length as the `state`, or NULL, with NULL equivalent to all-1. If `weights` is NULL, it's interpreted as all-1.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_aggregate()
ibm_eval2(m, list(block = c(1, 2, 1, 2), weights = 1:4), 11:14)
```

<code>bru_mapper_collect</code>	<i>Mapper for concatenated variables</i>
---------------------------------	--

Description

Constructs a concatenated collection mapping

Usage

```
bru_mapper_collect(mappers, hidden = FALSE)

## S3 method for class 'bru_mapper_collect'
ibm_n(mapper, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_collect'
ibm_n_output(mapper, input, state = NULL, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_collect'
ibm_values(mapper, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_collect'
ibm_is_linear(mapper, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_collect'
ibm_jacobian(
  mapper,
  input,
  state = NULL,
  inla_f = FALSE,
  multi = FALSE,
  ...,
  sub_lin = NULL
```

```

)

## S3 method for class 'bru_mapper_collect'
ibm_eval(
  mapper,
  input,
  state,
  inla_f = FALSE,
  multi = FALSE,
  ...,
  sub_lin = NULL
)

## S3 method for class 'bru_mapper_collect'
ibm_linear(mapper, input, state, inla_f = FALSE, ...)

## S3 method for class 'bru_mapper_collect'
ibm_invalid_output(mapper, input, state, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_collect'
x[i, drop = TRUE]

## S3 method for class 'bru_mapper_collect'
ibm_names(mapper)

## S3 replacement method for class 'bru_mapper_collect'
ibm_names(mapper) <- value

```

Arguments

mappers	A list of <code>bru_mapper</code> objects
hidden	logical, set to TRUE to flag that the mapper is to be used as a first level input mapper for <code>INLA::f()</code> in a model that requires making only the first mapper visible to <code>INLA::f()</code> and <code>INLA::inla.stack()</code> , such as for "bym2" models, as activated by the <code>inla_f</code> argument to <code>ibm_n</code> , <code>ibm_values</code> , and <code>ibm_jacobian</code> . Set to FALSE to always access the full mapper, e.g. for rgeneric models
mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
inla_f	logical; when TRUE for <code>ibm_n()</code> and <code>ibm_values()</code> , the result must be compatible with the <code>INLA::f(...)</code> and corresponding <code>INLA::inla.stack(...)</code> constructions. For <code>ibm_{eval,jacobian,linear}</code> , the input interpretation may be different. Implementations do not normally need to do anything different, except for mappers of the type needed for hidden multicomponent models such as "bym2", which can be handled by <code>bru_mapper_collect</code> .
multi	logical; If TRUE (or positive), recurse one level into sub-mappers
...	Arguments passed on to other methods
input	Data input for the mapper.

state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>
sub_lin	Internal, optional pre-computed sub-mapper information
x	object from which to extract element(s)
i	indices specifying element(s) to extract
drop	logical; For <code>[.bru_mapper_collect</code> , whether to extract an individual mapper when <code>i</code> identifies a single element. If <code>FALSE</code> , a list of sub-mappers is returned (suitable e.g. for creating a new <code>bru_mapper_collect</code> object). Default: <code>TRUE</code>
value	a character vector of the same length as the number of sub-mappers in the mapper

Details

- `ibm_jacobian` for `bru_mapper_collect` accepts a list with named entries, or a list with unnamed but ordered elements. The names must match the sub-mappers, see `ibm_names.bru_mapper_collect()`. Each list element should take a format accepted by the corresponding sub-mapper. In case each element is a vector, the input can be given as a `data.frame` with named columns, a matrix with named columns, or a matrix with unnamed but ordered columns. When `inla_f=TRUE` and `hidden=TRUE` in the mapper definition, the input format should instead match that of the first, non-hidden, sub-mapper.
- `ibm_invalid_output` for `bru_mapper_collect` accepts a list with named entries, or a list with unnamed but ordered elements. The names must match the sub-mappers, see `ibm_names.bru_mapper_collect()`. Each list element should take a format accepted by the corresponding sub-mapper. In case each element is a vector, the input can be given as a `data.frame` with named columns, a matrix with named columns, or a matrix with unnamed but ordered columns.

Value

- `[`-indexing a `bru_mapper_collect` extracts a subset `bru_mapper_collect` object (for `drop FALSE`) or an individual sub-mapper (for `drop TRUE`, and `i` identifies a single element)
- The `names()` method for `bru_mapper_collect` returns the names from the sub-mappers list

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: `bru_get_mapper()`, `bru_mapper.fm_mesh_1d()`, `bru_mapper.fm_mesh_2d()`, `bru_mapper_aggregate()`, `bru_mapper_const()`, `bru_mapper_factor()`, `bru_mapper_generics`, `bru_mapper_harmonics()`, `bru_mapper_index()`, `bru_mapper_linear()`, `bru_mapper_logsumexp()`, `bru_mapper_marginal()`, `bru_mapper_matrix()`, `bru_mapper_mesh_B()`, `bru_mapper_multi()`, `bru_mapper_pipe()`, `bru_mapper_scale()`, `bru_mapper_shift()`, `bru_mapper_taylor()`, `bru_mapper()`

Examples

```
(m <- bru_mapper_collect(list(
  a = bru_mapper_index(2),
  b = bru_mapper_index(3)
```



```
), hidden = FALSE))
ibm_eval2(m, list(a = c(1, 2), b = c(1, 3, 2)), 1:5)
```

bru_mapper_const	<i>Constant mapper</i>
------------------	------------------------

Description

Create a constant mapper

Usage

```
bru_mapper_const()

## S3 method for class 'bru_mapper_const'
ibm_n(mapper, ...)

## S3 method for class 'bru_mapper_const'
ibm_values(mapper, ...)

## S3 method for class 'bru_mapper_const'
ibm_jacobian(mapper, input, ...)

## S3 method for class 'bru_mapper_const'
ibm_eval(mapper, input, state = NULL, ...)
```

Arguments

mapper	A mapper S3 object, inheriting from bru_mapper.
...	Arguments passed on to other methods
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_const()
ibm_eval2(m, input = 1:4)
```

bru_mapper_factor	<i>Mapper for factor variables</i>
-------------------	------------------------------------

Description

Create a factor mapper

Usage

```
bru_mapper_factor(values, factor_mapping, indexed = FALSE)
```

```
## S3 method for class 'bru_mapper_factor'
ibm_n(mapper, ...)
```

```
## S3 method for class 'bru_mapper_factor'
ibm_values(mapper, ...)
```

```
## S3 method for class 'bru_mapper_factor'
ibm_jacobian(mapper, input, ...)
```

Arguments

values	Input values calculated by input_eval.bru_input()
factor_mapping	character; selects the type of factor mapping. <ul style="list-style-type: none"> • 'contrast' for leaving out the first factor level. • 'full' for keeping all levels.
indexed	logical; if TRUE, the <code>ibm_values()</code> method will return an integer vector instead of the factor levels. This is needed e.g. for group and replicate mappers, since <code>INLA::f()</code> doesn't accept factor values. Default: FALSE, which works for the main input mappers. The default mapper constructions will set it the required setting.
mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
...	Arguments passed on to other methods
input	Data input for the mapper.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_factor(factor(c("a", "b")), "full")
ibm_eval2(m, input = c("b", "a", "a", "b"), state = c(1, 3))

m <- bru_mapper_factor(factor(c("a", "b")), "contrast")
ibm_eval2(m, input = factor(c("b", "a", "a", "b")), state = 2)
```

bru_mapper_generics *Generic methods for bru_mapper objects*

Description

A `bru_mapper` sub-class implementation must provide an `ibm_jacobian()` method. If the model size `'n'` and definition values `'values'` are stored in the object itself, default methods are available (see Details). Otherwise the `ibm_n()` and `ibm_values()` methods also need to be provided.

Usage

```
ibm_n(mapper, inla_f = FALSE, ...)

ibm_n_output(mapper, input, state = NULL, inla_f = FALSE, ...)

ibm_values(mapper, inla_f = FALSE, ...)

ibm_is_linear(mapper, ...)

ibm_jacobian(mapper, input, state = NULL, inla_f = FALSE, ...)

ibm_linear(mapper, input, state = NULL, ...)

ibm_simplify(mapper, input = NULL, state = NULL, ...)

ibm_eval(mapper, input, state = NULL, ...)

ibm_eval2(mapper, input, state = NULL, ...)

ibm_names(mapper)

ibm_names(mapper) <- value

ibm_inla_subset(mapper, ...)

ibm_invalid_output(mapper, input, state, ...)

## Default S3 method:
ibm_n(mapper, inla_f = FALSE, ...)
```

```

## Default S3 method:
ibm_n_output(mapper, input, state = NULL, inla_f = FALSE, ...)

## Default S3 method:
ibm_values(mapper, inla_f = FALSE, ...)

## Default S3 method:
ibm_is_linear(mapper, ...)

## Default S3 method:
ibm_jacobian(mapper, input, state, ...)

## Default S3 method:
ibm_linear(mapper, input, state, ...)

## Default S3 method:
ibm_simplify(mapper, input = NULL, state = NULL, ...)

## Default S3 method:
ibm_eval(mapper, input, state = NULL, ..., jacobian = NULL)

## Default S3 method:
ibm_eval2(mapper, input, state, ...)

## Default S3 method:
ibm_names(mapper, ...)

## Default S3 method:
ibm_inla_subset(mapper, ...)

## Default S3 method:
ibm_invalid_output(mapper, input, state, ...)

```

Arguments

mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
inla_f	logical; when TRUE for <code>ibm_n()</code> and <code>ibm_values()</code> , the result must be compatible with the <code>INLA::f(...)</code> and corresponding <code>INLA::inla.stack(...)</code> constructions. For <code>ibm_{eval,jacobian,linear}</code> , the input interpretation may be different. Implementations do not normally need to do anything different, except for mappers of the type needed for hidden multicomponent models such as "bym2", which can be handled by <code>bru_mapper_collect</code> .
...	Arguments passed on to other methods
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>

value	a character vector of the same length as the number of sub-mappers in the mapper
jacobian	For <code>ibm_eval()</code> methods, an optional pre-computed Jacobian, typically supplied by internal methods that already have the Jacobian.

Functions

- `ibm_n()`: Implementations must return the size of the latent vector being mapped to.
- `ibm_n_output()`: Implementations must return an integer denoting the mapper output length. The default implementation returns `NROW(input)`. Mappers such as `bru_mapper_multi` and `bru_mapper_collect`, that can accept `list()` inputs require their own methods implementations.
- `ibm_values()`: When `inla_f=TRUE`, implementations must return a vector that would be interpretable by an `INLA::f(..., values = ...)` specification. The exception is the method for `bru_mapper_multi`, that returns a multi-column data frame.
- `ibm_is_linear()`: Implementations must return `TRUE` or `FALSE`. If `TRUE` (returned by the default method unless the mapper contains an `is_linear` variable), users of the mapper may assume the mapper is linear.
- `ibm_jacobian()`: Implementations must return a (sparse) matrix of size `ibm_n_output(mapper, input, inla_f)` by `ibm_n(mapper, inla_f = FALSE)`. The `inla_f=TRUE` argument should only affect the allowed type of input format.
- `ibm_linear()`: Implementations must return a `bru_mapper_taylor` object. The linearisation information includes `offset`, `jacobian`, and `state0`. The state information indicates for which state the offset was evaluated, with `NULL` meaning all-zero. The linearised mapper output is defined as `effect(input, state) = offset(input, state0) + jacobian(input, state0) %*% (state - state0)`. The default method calls `ibm_eval()` and `ibm_jacobian()` to generate the needed information.
- `ibm_simplify()`: Implementations must return a `bru_mapper` object. The default method returns `ibm_linear(...)` for linear mappers, and the original mapper for non-linear mappers.
- `ibm_eval()`: Implementations must return a vector of length `ibm_n_output(...)`. The input contents must be in a format accepted by `ibm_jacobian(...)` for the mapper.
- `ibm_eval2()`: Implementations must return a list with elements `offset` and `jacobian`. The input contents must be in a format accepted by `ibm_jacobian(...)` for the mapper.
- `ibm_names()`: Implementations must return a character vector of sub-mapper names, or `NULL`. Intended for providing information about multi-mappers and mapper collections.
- `ibm_names(mapper) <- value`: Set mapper names.
- `ibm_inla_subset()`: Implementations must return a logical vector of `TRUE/FALSE` for the subset such that, given the full A matrix and values output, `A[, subset, drop = FALSE]` and `values[subset]` (or `values[subset, , drop = FALSE]` for data.frame values) are equal to the `inla_f = TRUE` version of A and values. The default method uses the `ibm_values` output to construct the subset indexing.
- `ibm_invalid_output()`: Implementations should return a logical vector of length `ibm_n_output(mapper, input, state, ...)` indicating which, if any, output elements of `ibm_eval(mapper, input, state, ...)` are known to be invalid. For for multi/collect mappers, a list, when given a `multi=TRUE` argument.

- `ibm_n(default)`: Returns a non-null element 'n' from the mapper object, and gives an error if it doesn't exist. If `inla_f=TRUE`, first checks for a 'n_inla' element.
- `ibm_n_output(default)`: Returns `NROW(input)`
- `ibm_values(default)`: Returns a non-null element 'values' from the mapper object, and `seq_len(ibm_n(mapper))` if it doesn't exist.
- `ibm_is_linear(default)`: Returns logical `is_linear` from the mapper object if it exists, and otherwise `TRUE`.
- `ibm_jacobian(default)`: Mapper classes must implement their own `ibm_jacobian` method.
- `ibm_linear(default)`: Calls `ibm_eval()` and `ibm_jacobian()` and returns a `bru_mapper_taylor` object. The `state0` information in the affine mapper indicates for which state the offset was evaluated; The affine mapper output is defined as $\text{effect}(\text{input}, \text{state}) = \text{offset}(\text{input}, \text{state0}) + \text{jacobian}(\text{input}, \text{state0}) \%*\% (\text{state} - \text{state0})$
- `ibm_simplify(default)`: Calls `ibm_linear()` for linear mappers, and returns the original mapper for non-linear mappers.
- `ibm_eval(default)`: Verifies that the mapper is linear with `ibm_is_linear()`, and then computes a linear mapping as `ibm_jacobian(...)` $\%*\%$ `state`. When `state` is `NULL`, a zero vector of length `ibm_n_output(...)` is returned.
- `ibm_eval2(default)`: Calls `jacobian <- ibm_jacobian(...)` and `offset <- ibm_eval(..., jacobian = jacobian)` and returns a list with elements `offset` and `jacobian`, as needed by `ibm_linear.default()` and similar methods. Mapper classes can implement their own `ibm_eval2` method if joint construction of evaluation and Jacobian is more efficient than separate or sequential construction.
- `ibm_names(default)`: Returns `NULL`
- `ibm_inla_subset(default)`: Uses the `ibm_values` output to construct the `inla` subset indexing, passing extra arguments such as `multi` on to the methods (this means it supports both regular vector values and `multi=1` `data.frame` values).
- `ibm_invalid_output(default)`: Returns an all-`FALSE` logical vector.

See Also

[bru_mapper](#) for constructor methods, and [bru_get_mapper](#) for hooks to extract mappers from latent model object class objects.

[bru_mapper](#), [bru_get_mapper\(\)](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper.aggregate\(\)](#), [bru_mapper.collect\(\)](#), [bru_mapper.const\(\)](#), [bru_mapper.factor\(\)](#), [bru_mapper.harmonics\(\)](#), [bru_mapper.index\(\)](#), [bru_mapper.linear\(\)](#), [bru_mapper.logsumexp\(\)](#), [bru_mapper.marginal\(\)](#), [bru_mapper.matrix\(\)](#), [bru_mapper.mesh_B\(\)](#), [bru_mapper.multi\(\)](#), [bru_mapper.pipe\(\)](#), [bru_mapper.scale\(\)](#), [bru_mapper.shift\(\)](#), [bru_mapper.taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
# ibm_names
mapper <- bru_mapper_multi(list(
  A = bru_mapper_index(2),
  B = bru_mapper_index(2)
```

```

))
ibm_names(mapper)
ibm_names(mapper) <- c("new", "names")
ibm_names(mapper)

```

bru_mapper_harmonics *Mapper for cos/sin functions*

Description

Constructs a mapper for cos/sin functions of orders 1 (if intercept is TRUE, otherwise 0) through order. The total number of basis functions is intercept + 2 * order.

Optionally, each order can be given a non-unit scaling, via the scaling vector, of length intercept + order. This can be used to give an effective spectral prior. For example, let

```

scaling = 1 / (1 + (0:4)^2)
x <- seq(0, 1, length.out = 11)
bmh1 = bru_mapper_harmonics(order = 4, interval = c(0, 1))
u1 <- ibm_eval(
  bmh1,
  input = x,
  state = rnorm(9, sd = rep(scaling, c(1, 2, 2, 2, 2)))
)

```

Then, with

```

bmh2 = bru_mapper_harmonics(order = 4, scaling = scaling)
u2 = ibm_eval(bmh2, input = x, state = rnorm(9))

```

the stochastic properties of u1 and u2 will be the same, with scaling² determining the variance for each frequency contribution.

The period for the first order harmonics is shifted and scaled to match interval.

Usage

```

bru_mapper_harmonics(
  order = 1,
  scaling = 1,
  intercept = TRUE,
  interval = c(0, 1)
)

## S3 method for class 'bru_mapper_harmonics'
ibm_n(mapper, inla_f = FALSE, ...)

## S3 method for class 'bru_mapper_harmonics'
ibm_jacobian(mapper, input, state = NULL, inla_f = FALSE, ...)

```

Arguments

order	For <code>bru_mapper_harmonics</code> , specifies the maximum cos/sin order. (Default 1)
scaling	For <code>bru_mapper_harmonics</code> , specifies an optional vector of scaling factors of length <code>intercept + order</code> , or a common single scalar.
intercept	logical; For <code>bru_mapper_harmonics</code> , if TRUE, the first basis function is a constant. (Default TRUE)
interval	numeric length-2 vector specifying a domain interval. Default <code>c(0, 1)</code> .
mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
inla_f	logical; when TRUE for <code>ibm_n()</code> and <code>ibm_values()</code> , the result must be compatible with the <code>INLA::f(...)</code> and corresponding <code>INLA::inla.stack(...)</code> constructions. For <code>ibm_{eval,jacobian,linear}</code> , the input interpretation may be different. Implementations do not normally need to do anything different, except for mappers of the type needed for hidden multicomponent models such as "bym2", which can be handled by <code>bru_mapper_collect</code> .
...	Arguments passed on to other methods
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: `bru_get_mapper()`, `bru_mapper_fm_mesh_1d()`, `bru_mapper_fm_mesh_2d()`, `bru_mapper_aggregate()`, `bru_mapper_collect()`, `bru_mapper_const()`, `bru_mapper_factor()`, `bru_mapper_generics`, `bru_mapper_index()`, `bru_mapper_linear()`, `bru_mapper_logsumexp()`, `bru_mapper_marginal()`, `bru_mapper_matrix()`, `bru_mapper_mesh_B()`, `bru_mapper_multi()`, `bru_mapper_pipe()`, `bru_mapper_scale()`, `bru_mapper_shift()`, `bru_mapper_taylor()`, `bru_mapper()`

Examples

```
m <- bru_mapper_harmonics(2)
ibm_eval2(m, input = c(0, pi / 4, pi / 2, 3 * pi / 4), 1:5)
```

<code>bru_mapper_index</code>	<i>Mapper for indexed variables</i>
-------------------------------	-------------------------------------

Description

Create a an indexing mapper

Usage

```
bru_mapper_index(n = 1L, ...)

## S3 method for class 'bru_mapper_index'
ibm_invalid_output(mapper, input, state, ...)

## S3 method for class 'bru_mapper_index'
ibm_jacobian(mapper, input, state, ...)
```

Arguments

n	Size of a model for bru_mapper_index
...	Arguments passed on to other methods
mapper	A mapper S3 object, inheriting from bru_mapper.
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper.aggregate\(\)](#), [bru_mapper.collect\(\)](#), [bru_mapper.const\(\)](#), [bru_mapper.factor\(\)](#), [bru_mapper.generics](#), [bru_mapper.harmonics\(\)](#), [bru_mapper.linear\(\)](#), [bru_mapper.logsumexp\(\)](#), [bru_mapper.marginal\(\)](#), [bru_mapper.matrix\(\)](#), [bru_mapper.mesh_B\(\)](#), [bru_mapper.multi\(\)](#), [bru_mapper.pipe\(\)](#), [bru_mapper.scale\(\)](#), [bru_mapper.shift\(\)](#), [bru_mapper.taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_index(4)
ibm_eval(m, -2:6, 1:4)
```

bru_mapper_linear	<i>Mapper for a linear effect</i>
-------------------	-----------------------------------

Description

Create a mapper for linear effects

Usage

```
bru_mapper_linear()

## S3 method for class 'bru_mapper_linear'
ibm_n(mapper, ...)
```

```
## S3 method for class 'bru_mapper_linear'
ibm_values(mapper, ...)

## S3 method for class 'bru_mapper_linear'
ibm_jacobian(mapper, input, ...)
```

Arguments

mapper	A mapper S3 object, inheriting from bru_mapper.
...	Arguments passed on to other methods
input	Data input for the mapper.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper_fm_mesh_1d\(\)](#), [bru_mapper_fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_linear()
ibm_eval(m, input = 1:4, state = 2)
```

bru_mapper_logsumexp *Mapper for log-sum-exp aggregation*

Description

Constructs a mapper that aggregates elements of $\exp(\text{state})$, with optional non-negative weighting, and then takes the $\log()$, so it can be used e.g. for $v_k = \log[\sum_{i \in I_k} w_i \exp(u_i)]$ and $v_k = \log[\sum_{i \in I_k} w_i \exp(u_i) / \sum_{i \in I_k} w_i]$ calculations. Relies on the input handling methods for [bru_mapper_aggregate](#), but also allows the weights to be supplied on a logarithmic scale as `log_weights`. To avoid numerical overflow, it uses the common method of internally shifting the state blockwise with $(\text{state} - \text{log_weights})[\text{block}] - \max((\text{state} - \text{log_weights})[\text{block}])$, and shifting the result back afterwards.

Usage

```
bru_mapper_logsumexp(rescale = FALSE, n_block = NULL)

## S3 method for class 'bru_mapper_logsumexp'
ibm_jacobian(mapper, input, state = NULL, ...)

## S3 method for class 'bru_mapper_logsumexp'
ibm_eval(mapper, input, state = NULL, log = TRUE, ..., sub_lin = NULL)
```

Arguments

rescale	logical; For <code>bru_mapper_aggregate</code> and <code>bru_mapper_logsumexp</code> , specifies if the blockwise sums should be normalised by the blockwise weight sums or not: <ul style="list-style-type: none"> • FALSE: (default) Straight weighted sum, no rescaling. • TRUE: Divide by the sum of the weight values within each block. This is useful for integration averages, when the given weights are plain integration weights. If the weights are NULL or all ones, this is the same as dividing by the number of entries in each block.
n_block	Predetermined number of output blocks. If NULL, overrides the maximum block index in the inputs.
mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>
...	Arguments passed on to other methods
log	logical; control log output. Default TRUE, see the <code>ibm_eval()</code> details for <code>logsumexp</code> mappers.
sub_lin	Internal, optional pre-computed sub-mapper information

Details

- For `bru_mapper_logsumexp`, `input` should be a list with elements `block` and `weights`. `block` should be a vector of the same length as the state, or NULL, with NULL equivalent to all-1. If `weights` is NULL, it's interpreted as all-1.

Methods (by generic)

- `ibm_eval(bru_mapper_logsumexp)`: When `log` is TRUE (default), `ibm_eval()` for `logsumexp` returns the log-sum-weight-exp value. If FALSE, the sum-weight-exp value is returned.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper_fm_mesh_1d\(\)](#), [bru_mapper_fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_logsumexp()
ibm_eval2(m, list(block = c(1, 2, 1, 2), weights = 1:4), 11:14)
```

bru_mapper_marginal *Mapper for marginal distribution transformation*

Description

Constructs a mapper that transforms the marginal distribution state from $N(0, 1)$ to the distribution of a given (continuous) quantile function. The ... arguments are used as parameter arguments to qfun, pfun, dfun, and dqfun.

Usage

```
bru_mapper_marginal(
  qfun,
  pfun = NULL,
  dfun = NULL,
  dqfun = NULL,
  ...,
  inverse = FALSE
)

## S3 method for class 'bru_mapper_marginal'
ibm_n(mapper, ..., state = NULL, n_state = NULL)

## S3 method for class 'bru_mapper_marginal'
ibm_n_output(mapper, input, state = NULL, ..., n_state = NULL)

## S3 method for class 'bru_mapper_marginal'
ibm_values(mapper, ..., state = NULL, n_state = NULL)

## S3 method for class 'bru_mapper_marginal'
ibm_jacobian(mapper, input, state = NULL, ..., reverse = FALSE)

## S3 method for class 'bru_mapper_marginal'
ibm_eval(mapper, input, state = NULL, ..., reverse = FALSE)
```

Arguments

qfun	A quantile function, supporting lower.tail and log.p arguments, like <code>stats::qnorm()</code> .
pfun	A CDF, supporting lower.tail and log.p arguments, like <code>stats::pnorm()</code> . Only needed and used when <code>xor(mapper[["inverse"]], reverse)</code> is TRUE in a method call. Default NULL
dfun	A pdf, supporting log argument, like <code>stats::dnorm()</code> . If NULL (default), uses finite differences on qfun or pfun instead.
dqfun	A function evaluating the reciprocal of the derivative of qfun. If NULL (default), uses <code>dfun(qfun(...), ...)</code> or finite differences on qfun or pfun instead.
...	Arguments passed on to other methods

inverse	logical; If FALSE (default), <code>bru_mapper_marginal()</code> defines a mapping from standard Normal to a specified distribution. If TRUE, it defines a mapping from the specified distribution to a standard Normal.
mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>
n_state	integer giving the length of the state vector for mappers that have state dependent output size.
input	Data input for the mapper.
reverse	logical; control <code>bru_mapper_marginal</code> evaluation. Default FALSE. When TRUE, reverses the direction of the mapping, see details for marginal mappers.

Details

For `bru_mapper_marginal`, non-NULL input values are interpreted as a parameter list for `qfun`, overriding that of the mapper itself.

Methods (by generic)

- `ibm_eval(bru_mapper_marginal)`: When `xor(mapper[["inverse"]], reverse)` is FALSE, `ibm_eval()` for marginal returns `qfun(pnorm(x), param)`, evaluated in a numerically stable way. Otherwise, evaluates the inverse `qnorm(pfun(x, param))` instead.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper_fm_mesh_1d\(\)](#), [bru_mapper_fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_marginal(qexp, pexp, rate = 1 / 8)
(val <- ibm_eval(m, state = -5:5))
ibm_eval(m, state = val, reverse = TRUE)
m <- bru_mapper_marginal(qexp, pexp, dexp, rate = 1 / 8)
ibm_eval2(m, state = -3:3)
```

bru_mapper_matrix *Mapper for matrix multiplication*

Description

Create a matrix mapper, for a given number of columns

Usage

```
bru_mapper_matrix(labels)

## S3 method for class 'bru_mapper_matrix'
ibm_n(mapper, ...)

## S3 method for class 'bru_mapper_matrix'
ibm_values(mapper, ...)

## S3 method for class 'bru_mapper_matrix'
ibm_jacobian(mapper, input, state = NULL, inla_f = FALSE, ...)
```

Arguments

labels	Column labels for matrix mappings; Can be factor, character, or a single integer specifying the number of columns for integer column indexing.
mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
...	Arguments passed on to other methods
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>
inla_f	logical; when TRUE for <code>ibm_n()</code> and <code>ibm_values()</code> , the result must be compatible with the <code>INLA::f(...)</code> and corresponding <code>INLA::inla.stack(...)</code> constructions. For <code>ibm_{eval,jacobian,linear}</code> , the input interpretation may be different. Implementations do not normally need to do anything different, except for mappers of the type needed for hidden multicomponent models such as "bym2", which can be handled by <code>bru_mapper_collect</code> .

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```

m <- bru_mapper_matrix(labels = c("a", "b"))
ibm_values(m)
ibm_eval2(m, input = matrix(1:6, 3, 2), state = 2:3)

m <- bru_mapper_matrix(labels = 2L)
ibm_values(m)
ibm_eval2(m, input = matrix(1:6, 3, 2), state = 2:3)

```

bru_mapper_mesh_B *Mapper for basis conversion*

Description

Creates a mapper for handling basis conversions

Usage

```

bru_mapper_mesh_B(mesh, B)

## S3 method for class 'bru_mapper_mesh_B'
ibm_n(mapper, ...)

## S3 method for class 'bru_mapper_mesh_B'
ibm_values(mapper, ...)

## S3 method for class 'bru_mapper_mesh_B'
ibm_jacobian(mapper, input, ...)

```

Arguments

mesh	object supported by bru_mapper, typically fm_mesh_2d or fm_mesh_1d
B	a square or tall basis conversion matrix
mapper	A mapper S3 object, inheriting from bru_mapper.
...	Arguments passed on to other methods
input	The values for which to produce a mapping matrix

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

```
bru_mapper_multi      Mapper for tensor product domains
```

Description

Constructs a rowwise Kronecker product mapping

Usage

```
bru_mapper_multi(mappers)

## S3 method for class 'bru_mapper_multi'
ibm_n(mapper, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_multi'
ibm_n_output(mapper, input, ...)

## S3 method for class 'bru_mapper_multi'
ibm_values(mapper, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_multi'
ibm_is_linear(mapper, multi = FALSE, ...)

## S3 method for class 'bru_mapper_multi'
ibm_jacobian(
  mapper,
  input,
  state = NULL,
  inla_f = FALSE,
  multi = FALSE,
  ...,
  sub_A = NULL
)

## S3 method for class 'bru_mapper_multi'
ibm_linear(mapper, input, state, inla_f = FALSE, ...)

## S3 method for class 'bru_mapper_multi'
ibm_eval(
  mapper,
  input,
  state = NULL,
  inla_f = FALSE,
  ...,
  jacobian = NULL,
  pre_A = deprecated()
)
```



```
## S3 method for class 'bru_mapper_multi'
ibm_invalid_output(mapper, input, state, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_multi'
x[i, drop = TRUE]

## S3 method for class 'bru_mapper_multi'
ibm_names(mapper)

## S3 replacement method for class 'bru_mapper_multi'
ibm_names(mapper) <- value
```

Arguments

mappers	A list of bru_mapper objects
mapper	A mapper S3 object, inheriting from bru_mapper.
inla_f	logical; when TRUE for <code>ibm_n()</code> and <code>ibm_values()</code> , the result must be compatible with the <code>INLA::f(...)</code> and corresponding <code>INLA::inla.stack(...)</code> constructions. For <code>ibm_{eval,jacobian,linear}</code> , the input interpretation may be different. Implementations do not normally need to do anything different, except for mappers of the type needed for hidden multicomponent models such as "bym2", which can be handled by <code>bru_mapper_collect</code> .
multi	logical; If TRUE (or positive), recurse one level into sub-mappers
...	Arguments passed on to other methods
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>
sub_A	Internal; precomputed Jacobian matrices.
jacobian	For <code>ibm_eval()</code> methods, an optional pre-computed Jacobian, typically supplied by internal methods that already have the Jacobian.
pre_A	[Deprecated] in favour of <code>jacobian</code> .
x	object from which to extract element(s)
i	indices specifying element(s) to extract
drop	logical; For <code>[.bru_mapper_multi</code> , whether to extract an individual mapper when <code>i</code> identifies a single element. If FALSE, a list of sub-mappers is returned (suitable e.g. for creating a new <code>bru_mapper_multi</code> object). Default: TRUE
value	a character vector of up to the same length as the number of mappers in the multi-mapper <code>x</code>

Details

- `ibm_jacobian` for `bru_mapper_multi` accepts a list with named entries, or a list with unnamed but ordered elements. The names must match the sub-mappers, see `ibm_names.bru_mapper_multi()`. Each list element should take a format accepted by the corresponding sub-mapper. In case

each element is a vector, the input can be given as a `data.frame` with named columns, a matrix with named columns, or a matrix with unnamed but ordered columns.

- `ibm_invalid_output` for `bru_mapper_multi` accepts a list with named entries, or a list with unnamed but ordered elements. The names must match the sub-mappers, see `ibm_names.bru_mapper_multi()`. Each list element should take a format accepted by the corresponding sub-mapper. In case each element is a vector, the input can be given as a `data.frame` with named columns, a matrix with named columns, or a matrix with unnamed but ordered columns.

Value

- `[]`-indexing a `bru_mapper_multi` extracts a subset `bru_mapper_multi` object (for `drop FALSE`) or an individual sub-mapper (for `drop TRUE`, and `i` identifies a single element)

Methods (by generic)

- `ibm_names(bru_mapper_multi)`: Returns the names from the sub-mappers list

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: `bru_get_mapper()`, `bru_mapper.fm_mesh_1d()`, `bru_mapper.fm_mesh_2d()`, `bru_mapper_aggregate()`, `bru_mapper_collect()`, `bru_mapper_const()`, `bru_mapper_factor()`, `bru_mapper_generics`, `bru_mapper_harmonics()`, `bru_mapper_index()`, `bru_mapper_linear()`, `bru_mapper_logsumexp()`, `bru_mapper_marginal()`, `bru_mapper_matrix()`, `bru_mapper_mesh_B()`, `bru_mapper_pipe()`, `bru_mapper_scale()`, `bru_mapper_shift()`, `bru_mapper_taylor()`, `bru_mapper()`

Examples

```
(m <- bru_mapper_multi(list(
  a = bru_mapper_index(2),
  b = bru_mapper_index(3)
)))
ibm_eval2(m, list(a = c(1, 2, 1), b = c(1, 3, 2)), 1:6)
```

`bru_mapper_pipe`

Mapper for linking several mappers in sequence

Description

Create a pipe mapper, where `mappers` is a list of mappers, and the evaluated output of each mapper is handed as the state to the next mapper. The input format for the `ibm_eval` and `ibm_jacobian` methods is a list of inputs, one for each mapper.

Usage

```

bru_mapper_pipe(mappers)

## S3 method for class 'bru_mapper_pipe'
ibm_n(mapper, ..., input = NULL, state = NULL)

## S3 method for class 'bru_mapper_pipe'
ibm_n_output(mapper, input, state = NULL, ..., n_state = NULL)

## S3 method for class 'bru_mapper_pipe'
ibm_values(mapper, ...)

## S3 method for class 'bru_mapper_pipe'
ibm_jacobian(mapper, input, state = NULL, ...)

## S3 method for class 'bru_mapper_pipe'
ibm_eval(mapper, input, state = NULL, ...)

## S3 method for class 'bru_mapper_pipe'
ibm_eval2(mapper, input, state = NULL, ...)

## S3 method for class 'bru_mapper_pipe'
ibm_simplify(mapper, input = NULL, state = NULL, ..., n_state = NULL)

```

Arguments

mappers	A list of bru_mapper objects
mapper	A mapper S3 object, inheriting from bru_mapper.
...	Arguments passed on to other methods
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>
n_state	integer giving the length of the state vector for mappers that have state dependent output size.

Methods (by generic)

- `ibm_simplify(bru_mapper_pipe)`: Constructs a simplified pipe mapper. For fully linear pipes, calls `ibm_linear()`. For partially non-linear pipes, replaces each sequence of linear mappers with a single `bru_mapper_taylor()` mapper, while keeping the full list of original mapper names, allowing the original input structure to be used also with the simplified mappers, since the `taylor` mappers are not dependent on inputs.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: `bru_get_mapper()`, `bru_mapper.fm_mesh_1d()`, `bru_mapper.fm_mesh_2d()`, `bru_mapper_aggregate()`, `bru_mapper_collect()`, `bru_mapper_const()`, `bru_mapper_factor()`, `bru_mapper_generics`, `bru_mapper_harmonics()`, `bru_mapper_index()`, `bru_mapper_linear()`, `bru_mapper_logsumexp()`, `bru_mapper_marginal()`, `bru_mapper_matrix()`, `bru_mapper_mesh_B()`, `bru_mapper_multi()`, `bru_mapper_scale()`, `bru_mapper_shift()`, `bru_mapper_taylor()`, `bru_mapper()`

Examples

```
m <- bru_mapper_pipe(list(
  scale = bru_mapper_scale(),
  shift = bru_mapper_shift()
))
ibm_eval2(m, input = list(scale = 2, shift = 1:4), state = 1:4)
```

bru_mapper_scale	<i>Mapper for element-wise scaling</i>
------------------	--

Description

Create a standalone scaling mapper that can be used as part of a `bru_mapper_pipe`. If `mapper` is non-null, the `bru_mapper_scale()` constructor returns `bru_mapper_pipe(list(mapper = mapper, scale = bru_mapper_scale()))`

Usage

```
bru_mapper_scale(mapper = NULL)

## S3 method for class 'bru_mapper_scale'
ibm_n(mapper, ..., state = NULL, n_state = NULL)

## S3 method for class 'bru_mapper_scale'
ibm_n_output(mapper, input, state = NULL, ..., n_state = NULL)

## S3 method for class 'bru_mapper_scale'
ibm_values(mapper, ..., state = NULL, n_state = NULL)

## S3 method for class 'bru_mapper_scale'
ibm_jacobian(mapper, input, state = NULL, ..., sub_lin = NULL)

## S3 method for class 'bru_mapper_scale'
ibm_eval(mapper, input, state = NULL, ..., sub_lin = NULL)
```

Arguments

mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
...	Arguments passed on to other methods

state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>
n_state	integer giving the length of the state vector for mappers that have state dependent output size.
input	Data input for the mapper.
sub_lin	Internal, optional pre-computed sub-mapper information

Details

For `bru_mapper_scale`, input `NULL` values are interpreted as no scaling.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_scale()
ibm_eval2(m, c(1, 2, 1, 2), 1:4)
```

<code>bru_mapper_shift</code>	<i>Mapper for element-wise shifting</i>
-------------------------------	---

Description

Create a standalone shift mapper that can be used as part of a `bru_mapper_pipe`. If `mapper` is non-null, the `bru_mapper_shift()` constructor returns `bru_mapper_pipe(list(mapper = mapper, shift = bru_mapper_shift()))`

Usage

```
bru_mapper_shift(mapper = NULL)

## S3 method for class 'bru_mapper_shift'
ibm_n(mapper, ..., state = NULL, n_state = NULL)

## S3 method for class 'bru_mapper_shift'
ibm_n_output(mapper, input, state = NULL, ..., n_state = NULL)

## S3 method for class 'bru_mapper_shift'
ibm_values(mapper, ..., state = NULL, n_state = NULL)
```

```
## S3 method for class 'bru_mapper_shift'
ibm_jacobian(mapper, input, state = NULL, ..., sub_lin = NULL)

## S3 method for class 'bru_mapper_shift'
ibm_eval(mapper, input, state = NULL, ..., sub_lin = NULL)
```

Arguments

mapper	A mapper S3 object, inheriting from bru_mapper.
...	Arguments passed on to other methods
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>
n_state	integer giving the length of the state vector for mappers that have state dependent output size.
input	Data input for the mapper.
sub_lin	Internal, optional pre-computed sub-mapper information

Details

For `bru_mapper_shift`, input NULL values are interpreted as no shift.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper_fm_mesh_1d\(\)](#), [bru_mapper_fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_taylor\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_shift()
ibm_eval2(m, c(1, 2, 1, 2), 1:4)
```

<code>bru_mapper_taylor</code>	<i>Mapper for linear Taylor approximations</i>
--------------------------------	--

Description

Provides a pre-computed affine mapping, internally used to represent and evaluate linearisation information. The `state0` information indicates for which state the offset was evaluated; The affine mapper output is defined as `effect(state) = offset + jacobian %*% (state - state0)`

Usage

```
bru_mapper_taylor(
  offset = NULL,
  jacobian = NULL,
  state0 = NULL,
  values_mapper = NULL
)

## S3 method for class 'bru_mapper_taylor'
ibm_n(mapper, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_taylor'
ibm_n_output(mapper, input, ...)

## S3 method for class 'bru_mapper_taylor'
ibm_values(mapper, inla_f = FALSE, multi = FALSE, ...)

## S3 method for class 'bru_mapper_taylor'
ibm_jacobian(mapper, ..., multi = FALSE)

## S3 method for class 'bru_mapper_taylor'
ibm_eval(mapper, input = NULL, state = NULL, ...)
```

Arguments

offset	For <code>bru_mapper_taylor</code> , an offset vector evaluated at <code>state0</code> . May be <code>NULL</code> , interpreted as an all-zero vector of length determined by a non-null Jacobian.
jacobian	For <code>bru_mapper_taylor()</code> , the Jacobian matrix, evaluated at <code>state0</code> , or, a named list of such matrices. May be <code>NULL</code> or an empty list, for a constant mapping.
state0	For <code>bru_mapper_taylor</code> , the state the linearisation was evaluated at, or a list of length matching the <code>jacobian</code> list. <code>NULL</code> is interpreted as 0.
values_mapper	mapper object to be used for <code>ibm_n</code> and <code>ibm_values</code> for <code>inla_f=TRUE</code> (experimental, currently unused)
mapper	A mapper S3 object, inheriting from <code>bru_mapper</code> .
inla_f	logical; when <code>TRUE</code> for <code>ibm_n()</code> and <code>ibm_values()</code> , the result must be compatible with the <code>INLA::f(...)</code> and corresponding <code>INLA::inla.stack(...)</code> constructions. For <code>ibm_{eval,jacobian,linear}</code> , the input interpretation may be different. Implementations do not normally need to do anything different, except for mappers of the type needed for hidden multicomponent models such as "bym2", which can be handled by <code>bru_mapper_collect</code> .
multi	logical; If <code>TRUE</code> (or positive), recurse one level into sub-mappers
...	Arguments passed on to other methods
input	Data input for the mapper.
state	A vector of latent state values for the mapping, of length <code>ibm_n(mapper, inla_f = FALSE)</code>

Details

- The `ibm_eval.bru_mapper_taylor()` evaluates linearised mapper information at the given state. The input argument is ignored, so that the usual argument order `ibm_eval(mapper, input, state)` syntax can be used, but also `ibm_eval(mapper, state = state)`. For a mapper with a named jacobian list, the state argument must also be a named list. If state is NULL, all-zero is assumed.

See Also

[bru_mapper](#), [bru_mapper_generics](#)

Other mappers: [bru_get_mapper\(\)](#), [bru_mapper.fm_mesh_1d\(\)](#), [bru_mapper.fm_mesh_2d\(\)](#), [bru_mapper_aggregate\(\)](#), [bru_mapper_collect\(\)](#), [bru_mapper_const\(\)](#), [bru_mapper_factor\(\)](#), [bru_mapper_generics](#), [bru_mapper_harmonics\(\)](#), [bru_mapper_index\(\)](#), [bru_mapper_linear\(\)](#), [bru_mapper_logsumexp\(\)](#), [bru_mapper_marginal\(\)](#), [bru_mapper_matrix\(\)](#), [bru_mapper_mesh_B\(\)](#), [bru_mapper_multi\(\)](#), [bru_mapper_pipe\(\)](#), [bru_mapper_scale\(\)](#), [bru_mapper_shift\(\)](#), [bru_mapper\(\)](#)

Examples

```
m <- bru_mapper_taylor(
  offset = rep(2, 3),
  jacobian = matrix(1:6, 3, 2),
  state0 = c(1, 2)
)
ibm_eval2(m, state = 2:3)
```

bru_options

Create or update an options objects

Description

Create a new options object, or merge information from several objects.

The `_get`, `_set`, and `_reset` functions operate on a global package options override object. In many cases, setting options in specific calls to [bru\(\)](#) is recommended instead.

Usage

```
bru_options(...)
```

```
as.bru_options(x = NULL)
```

```
bru_options_default()
```

```
bru_options_check(options, ignore_null = TRUE)
```

```
bru_options_get(name = NULL, include_default = TRUE)
```

```
bru_options_set(..., .reset = FALSE)
```


bru_options_reset()

Arguments

...	A collection of named options, optionally including one or more bru_options objects. Options specified later override the previous options.
x	An object to be converted to an <code>bru_options</code> object.
options	An <code>bru_options</code> object to be checked
ignore_null	Ignore missing or NULL options.
name	Either NULL, or single option name string, or character vector or list with option names, Default: NULL
include_default	logical; If TRUE, the default options are included together with the global override options. Default: TRUE
.reset	For <code>bru_options_set</code> , logical indicating if the global override options list should be emptied before setting the new option(s).

Value

`bru_options()` returns a `bru_options` object.

For `as.bru_options()`, NULL or no input returns an empty `bru_options` object, a list is converted via `bru_options(...)`, and `bru_options` input is passed through. Other types of input generates an error.

`bru_options_default()` returns an `bru_options` object containing default options.

`bru_options_check()` returns a logical; TRUE if the object contains valid options for use by other functions

`bru_options_get` returns either an [bru_options](#) object, for `name == NULL`, the contents of single option, if `name` is a options name string, or a named list of option contents, if `name` is a list of option name strings.

`bru_options_set()` returns a copy of the global override options, invisibly (as `bru_options_get(include_default = FALSE)`).

Functions

- `as.bru_options()`: Coerces inputs to a `bru_options` object.
- `bru_options_default()`: Returns the default options.
- `bru_options_check()`: Checks for valid contents of a `bru_options` object, and produces warnings for invalid options.
- `bru_options_get()`: Used to access global package options.
- `bru_options_set()`: Used to set global package options.
- `bru_options_reset()`: Clears the global option overrides.

Valid options

For `bru_options` and `bru_options_set`, recognised options are:

- bru_verbose** logical or numeric; if TRUE, log messages of verbosity ≤ 1 are printed by `bru_log_message()`. If numeric, log messages of verbosity \leq `bru_verbose` are printed. For line search details, set `bru_verbose=2` or `3`. Default: 0, to not print any messages
- bru_verbose_store** logical or numeric; if TRUE, log messages of verbosity ≤ 1 are stored by `bru_log_message()`. If numeric, log messages of verbosity \leq are stored. Default: Inf, to store all messages.
- bru_run** If TRUE, run inference. Otherwise only return configuration needed to run inference.
- bru_max_iter** maximum number of inla iterations, default 10. Also see the `bru_method$rel_tol` and related options below.
- bru_initial** An `inla` object returned from previous calls of `INLA::inla`, `bru()` or `lgcp()`, or a list of named vectors of starting values for the latent variables. This will be used as a starting point for further improvement of the approximate posterior.
- bru_int_args** List of arguments passed all the way to the integration method `ipoints` and `int.polygon` for 'cp' family models;
- method** "stable" or "direct". For "stable" (default) integration points are aggregated to mesh vertices.
- nsub1** Number of integration points per knot interval in 1D. Default 30.
- nsub2** Number of integration points along a triangle edge for 2D. Default 9.
- nsub** Deprecated parameter that overrides `nsub1` and `nsub2` if set. Default NULL.
- bru_method** List of arguments controlling the iterative `inlabru` method:
- taylor** 'pandemic' (default, from version 2.1.15).
- search** Either 'all' (default), to use all available line search methods, or one or more of
- 'finite' (reduce step size until predictor is finite)
 - 'contract' (decrease step size until trust hypersphere reached)
 - 'expand' (increase step size until no improvement)
 - 'optimise' (fast approximate error norm minimisation)
- To disable line search, set to an empty vector. Line search is not available for `taylor="legacy"`.
- factor** Numeric, > 1 determining the line search step scaling multiplier. Default $(1 + \sqrt{5})/2$.
- rel_tol** Stop the iterations when the largest change in linearisation point (the conditional latent state mode) in relation to the estimated posterior standard deviation is less than `rel_tol`. Default 0.1 (ten percent).
- max_step** The largest allowed line search step factor. Factor 1 is the full INLA step. Default is 2.
- line_opt_method** Which method to use for the line search optimisation step. Default "onestep", using a quadratic approximation based on the value and gradient at zero, and the value at the current best step length guess. The method "full" does line optimisation on the full nonlinear predictor; this is slow and intended for debugging purposes only.
- bru_compress_cp** logical; when TRUE, compress the $\sum_{i=1}^n \eta_i$ part of the Poisson process likelihood (family="cp") into a single term, with $y = n$, and predictor `mean(eta)`. Default: TRUE

bru_debug logical; when TRUE, activate temporary debug features for package development. Default: FALSE

inla() options All options not starting with `bru_` are passed on to `inla()`, sometimes after altering according to the needs of the `inlabru` method. Warning: Due to how `inlabru` currently constructs the `inla()` call, the `mean`, `prec`, `mean.intercept`, and `prec.intercept` settings in `control.fixed` will have no effect. Until a more elegant alternative has been implemented, use explicit `mean.linear` and `prec.linear` specifications in each `model="linear"` component instead.

See Also

[bru_options\(\)](#), [bru_options_default\(\)](#), [bru_options_get\(\)](#)

Examples

```
## Not run:
if (interactive()) {
  # Combine global and user options:
  options1 <- bru_options(bru_options_get(), bru_verbose = TRUE)
  # Create a proto-options object in two equivalent ways:
  options2 <- as.bru_options(bru_verbose = TRUE)
  options2 <- as.bru_options(list(bru_verbose = TRUE))
  # Combine options objects:
  options3 <- bru_options(options1, options2)
}

## End(Not run)
## Not run:
if (interactive()) {
  bru_options_check(bru_options(bru_max_iter = "text"))
}

## End(Not run)
bru_options_get("bru_verbose")
## Not run:
if (interactive()) {
  bru_options_set(
    bru_verbose = TRUE,
    verbose = TRUE
  )
}

## End(Not run)
```

Description

Loads the INLA package with `requireNamespace("INLA", quietly = TRUE)`, and optionally checks and sets the multicore `num.threads` INLA option.

Usage

```
bru_safe_inla(multicore = NULL, quietly = FALSE, minimum_version = "23.1.31")
```

Arguments

<code>multicore</code>	logical; if TRUE, multiple cores are allowed, and the INLA <code>num.threads</code> option is not checked or altered. If FALSE, forces <code>num.threads="1:1"</code> . Default: NULL, checks if running in <code>testthat</code> or non-interactively, in which case sets <code>multicore=FALSE</code> , otherwise TRUE.
<code>quietly</code>	logical; if TRUE, prints diagnostic messages. Default: FALSE.
<code>minimum_version</code>	character; the minimum required INLA version. Default 23.1.31 (should always match the requirement in the package DESCRIPTION)

Value

logical; TRUE if INLA was loaded safely, otherwise FALSE

Examples

```
## Not run:
if (bru_safe_inla()) {
  # Run inla dependent calculations
}

## End(Not run)
```

```
bru_safe_sp
```

```
Check for potential sp version compatibility issues
```

Description

Loads the `sp` package with `requireNamespace("sp", quietly = TRUE)`, and checks and optionally sets the `sp` evolution status flag if `rgdal` is unavailable.

Usage

```
bru_safe_sp(quietly = FALSE, force = FALSE, minimum_version = "1.4-5")
```

Arguments

quietly logical; if TRUE, prints diagnostic messages. Default FALSE

force logical; If rgdal is unavailable and evolution status is less than 2L, return FALSE if force is FALSE. If force is TRUE, return TRUE if the package configuration is safe, potentially after forcing the evolution status to 2L. Default FALSE

minimum_version character; the minimum required INLA version. Default 1.4-5 (should always match the requirement in the package DESCRIPTION)

Value

Returns (invisibly) FALSE if a potential issue is detected, and give a message if quietly is FALSE. Otherwise returns TRUE

Examples

```
## Not run:
if (bru_safe_sp() &&
    require("sp")) {
  # Run sp dependent calculations
}

## End(Not run)
```

bru_standardise_names *Standardise inla hyperparameter names*

Description

The inla hyperparameter output uses parameter names that can include whitespace and special characters. This function replaces those characters with underscores.

Usage

```
bru_standardise_names(x)
```

Arguments

x character vector; names to be standardised

Value

A character vector with standardised names

Examples

```
bru_standardise_names("Precision for the Gaussian observations")
```

bru_summarise	<i>Summarise and annotate data</i>
---------------	------------------------------------

Description

Summarise and annotate data

Usage

```
bru_summarise(
  data,
  probs = c(0.025, 0.5, 0.975),
  x = NULL,
  cbind.only = FALSE,
  max_moment = 2
)
```

Arguments

data	A list of samples, each either numeric or a data.frame
probs	A numeric vector of probabilities with values in $[0, 1]$, passed to <code>stats::quantile</code>
x	A data.frame of data columns that should be added to the summary data frame
cbind.only	If TRUE, only cbind the samples and return a matrix where each column is a sample
max_moment	integer, at least 2. Determines the largest moment order information to include in the output. If <code>max_moment > 2</code> , includes "skew" (skewness, $E[(x-m)^3/s^3]$), and if <code>max_moment > 3</code> , includes "ekurtosis" (excess kurtosis, $E[(x-m)^4/s^4] - 3$). Default 2. Note that the Monte Carlo variability of the ekurtosis estimate may be large.

Value

A data.frame or `Spatial[Points/Pixels]DataFrame` with summary statistics, "mean", "sd", `paste0("q", probs)`, "mean.mc_std_err", "sd.mc_std_err"

Examples

```
bru_summarise(matrix(rexp(10000), 10, 1000), max_moment = 4, probs = NULL)
```

bru_timings_plot	<i>Plot inlabru iteration timings</i>
------------------	---------------------------------------

Description

Draws the time per iteration for preprocessing (including linearisation), `inla()` calls, and line search. Iteration 0 is the time used for defining the model structure.

Usage

```
bru_timings_plot(x)
```

Arguments

`x` a `bru` object, typically a result from `bru()` for a nonlinear predictor model

Details

Requires the "ggplot2" package to be installed.

Examples

```
## Not run:
fit <- bru(...)
bru_timings_plot(fit)

## End(Not run)
```

component	<i>Latent model component construction</i>
-----------	--

Description

Similar to `glm()`, `gam()` and `inla()`, `bru()` models can be constructed via a formula-like syntax, where each latent effect is specified. However, in addition to the parts of the syntax compatible with `INLA::inla`, `bru` components offer additional functionality which facilitates modelling, and the predictor expression can be specified separately, allowing more complex and non-linear predictors to be defined. The formula syntax is just a way to allow all model components to be defined in a single line of code, but the definitions can optionally be split up into separate component definitions. See Details for more information.

The component methods all rely on the `component.character()` method, that defines a model component with a given label/name. The user usually doesn't need to call these methods directly, but can instead supply a formula expression that can be interpreted by the `component_list.formula()` method, called inside `bru()`.

Usage

```

component(...)

## S3 method for class 'character'
component(
  object,
  main = NULL,
  weights = NULL,
  ...,
  model = NULL,
  mapper = NULL,
  main_layer = NULL,
  main_selector = NULL,
  n = NULL,
  values = NULL,
  season.length = NULL,
  copy = NULL,
  weights_layer = NULL,
  weights_selector = NULL,
  group = 1L,
  group_mapper = NULL,
  group_layer = NULL,
  group_selector = NULL,
  ngroup = NULL,
  control.group = NULL,
  replicate = 1L,
  replicate_mapper = NULL,
  replicate_layer = NULL,
  replicate_selector = NULL,
  nrep = NULL,
  marginal = NULL,
  A.msk = deprecated(),
  .envir = parent.frame(),
  envir_extra = NULL
)

```

Arguments

...	Parameters passed on to other methods
object	A character label for the component
main	main takes an R expression that evaluates to where the latent variables should be evaluated (coordinates, indices, continuous scalar (for rw2 etc)). Arguments starting with weights, group, replicate behave similarly to main, but for the corresponding features of INLA::f().
weights, weights_layer, weights_selector	Optional specification of effect scaling weights. Same syntax as for main.
model	Either one of "const" (same as "offset"), "factor_full", "factor_contrast", "linear", "fixed", or a model name or object accepted by INLA's f function. If set

	to NULL, then "linear" is used for vector inputs, and "fixed" for matrix input (converted internally to an iid model with fixed precision)
mapper	Information about how to do the mapping from the values evaluated in main, and to the latent variables. Auto-detects spde model objects in model and extracts the mesh object to use as the mapper, and auto-generates mappers for indexed models. (Default: NULL, for auto-determination)
main_layer, main_selector	<p>The <code>_layer</code> input should evaluate to a numeric index or character name or vector of which layer/variable to extract from a covariate data object given in main. (Default: NULL if <code>_selector</code> is given. Otherwise the effect component name, if it exists in the covariate object, and otherwise the first column of the covariate data frame)</p> <p>The <code>_selector</code> value should be a character name of a variable whose contents determines which layer to extract from a covariate for each data point. (Default: NULL)</p>
n	The number of latent variables in the model. Should be auto-detected for most or all models (Default: NULL, for auto-detection). An error is given if it can't figure it out by itself.
values	Specifies for what covariate/index values INLA should build the latent model. Normally generated internally based on the mapping details. (Default: NULL, for auto-determination)
season.length	Passed on to INLA: :f() for model "seasonal" (TODO: check if this parameter is still fully handled)
copy	character; label of other component that this component should be a copy of. If the <code>fixed = FALSE</code> , a scaling constant is estimated, via a hyperparameter. If <code>fixed = TRUE</code> , the component scaling is fixed, by default to 1; for fixed scaling, it's more efficient to express the scaling in the predictor expression instead of making a copy component.
group, group_mapper, group_layer, group_selector, ngroup	Optional specification of kronecker/group model indexing.
control.group	list of kronecker/group model parameters, currently passed directly on to INLA: :f
replicate, replicate_mapper, replicate_layer, replicate_selector, nrep	Optional specification of indices for an independent replication model. Same syntax as for main
marginal	May specify a <code>bru_mapper_marginal()</code> mapper, that is applied before scaling by weights.
A.msk	[Deprecated] and has no effect.
.envir	Evaluation environment
envir_extra	TODO: check/fix this parameter.

Details

As shorthand, `bru()` will understand basic additive formulae describing fixed effect models. For instance, the components specification $y \sim x$ will define the linear combination of an effect named

x and an intercept to the response y with respect to the likelihood family stated when calling `bru()`. Mathematically, the linear predictor η would be written down as

$$\eta = \beta * x + c,$$

where:

c is the *intercept*

x is a *covariate*

β is a *latent variable* associated with x and

$\psi = \beta * x$ is called the *effect* of x

A problem that arises when using this kind of R formula is that it does not clearly reflect the mathematical formula. For instance, when providing the formula to `inla`, the resulting object will refer to the random effect $\psi = \beta * x$ as x . Hence, it is not clear when x refers to the covariate or the effect of the covariate.

The component `.character` method is `inlabru`'s equivalent to INLA's `f` function but adds functionality that is unique to `inlabru`.

Deprecated parameters:

- `map`: Use `main` instead.
- `mesh`: Use `mapper` instead.

Naming random effects

In INLA, the `f()` notation is used to define more complex models, but a simple linear effect model can also be expressed as

- `formula = y ~ f(x, model = "linear")`,

where `f()` is the `inla` specific function to set up random effects of all kinds. The underlying predictor would again be $\eta = \beta * x + c$ but the result of fitting the model would state x as the random effect's name. `bru` allows rewriting this formula in order to explicitly state the name of the random effect and the name of the associated covariate. This is achieved by replacing `f` with an arbitrary name that we wish to assign to the effect, e.g.

- `components = y ~ psi(x, model = "linear")`.

Being able to discriminate between x and ψ is relevant because of two functionalities `bru` offers. The formula parameters of both `bru()` and the prediction method `predict.bru` are interpreted in the mathematical sense. For instance, `predict` may be used to analyze the analytical combination of the covariate x and the intercept using

- `predict(fit, data.frame(x=2)), ~ exp(psi + Intercept)`.

which corresponds to the mathematical expression $e^{x\beta+c}$.

On the other hand, `predict` may be used to only look at a transformation of the latent variable β_ψ

- `predict(fit, NULL, ~ exp(psi_latent))`.

which corresponds to the mathematical expression e^β .

Author(s)

Fabian E. Bachl <bachlfab@gmail.com> and Finn Lindgren <Finn.Lindgren@gmail.com>

See Also

Other component constructors: [component_list\(\)](#)

Examples

```
# As an example, let us create a linear component. Here, the component is
# called "myLinearEffectOfX" while the covariate the component acts on is
# called "x". Note that a list of components is returned because the
# formula may define multiple components

cmp <- component_list(~ myLinearEffectOfX(main = x, model = "linear"))
summary(cmp)
# Equivalent shortcuts:
cmp <- component_list(~ myLinearEffectOfX(x, model = "linear"))
cmp <- component_list(~ myLinearEffectOfX(x))
# Individual component
cmp <- component("myLinearEffectOfX", main = x, model = "linear")
summary(cmp)

if (bru_safe_inla(quietly = TRUE)) {
  # As an example, let us create a linear component. Here, the component is
  # called "myEffectOfX" while the covariate the component acts on is called "x":

  cmp <- component("myEffectOfX", main = x, model = "linear")
  summary(cmp)

  # A more complicated component:
  cmp <- component("myEffectOfX",
    main = x,
    model = INLA::inla.spde2.matern(fm_mesh_1d(1:10))
  )

  # Compound fixed effect component, where x and z are in the input data.
  # The formula will be passed on to MatrixModels::model.Matrix:
  cmp <- component("eff", ~ -1 + x:z, model = "fixed")
  summary(cmp)
}
```

component_eval

Evaluate component values in predictor expressions

Description

In predictor expressions, `name_eval(...)` can be used to evaluate the effect of a component called "name".

Usage

```
component_eval(
  main,
  group = NULL,
  replicate = NULL,
  weights = NULL,
  .state = NULL
)
```

Arguments

`main`, `group`, `replicate`, `weights`
 Specification of where to evaluate a component. The four inputs are passed on to the joint `bru_mapper` for the component, as

```
list(mapper = list(
  main = main,
  group = group,
  replicate = replicate),
  scale = weights)
```

`.state`
 The internal component state. Normally supplied automatically by the internal methods for evaluating inlabru predictor expressions.

Value

A vector of values for a component

Examples

```
## Not run:
if (bru_safe_inla()) {
  mesh <- fmesher::fm_mesh_2d_inla(
    cbind(0, 0),
    offset = 2, max.edge = 0.25
  )
  spde <- INLA::inla.spde2.pcmatern(mesh,
    prior.range = c(0.1, 0.01),
    prior.sigma = c(2, 0.01)
  )
  data <- sp::SpatialPointsDataFrame(
    matrix(runif(10), 5, 2),
    data = data.frame(z = rnorm(5))
  )
  fit <- bru(z ~ -1 + field(coordinates, model = spde),
    family = "gaussian", data = data
  )
  pred <- predict(
    fit,
    data = data.frame(x = 0.5, y = 0.5),
    formula = ~ field_eval(cbind(x, y))
  )
}
```

```

    )
  }

  ## End(Not run)

```

component_list *Methods for inlabru component lists*

Description

Constructor methods for inlabru component lists. Syntax details are given in [component\(\)](#).

Usage

```

component_list(object, lhoods = NULL, .envir = parent.frame(), ...)

## S3 method for class 'formula'
component_list(object, lhoods = NULL, .envir = parent.frame(), ...)

## S3 method for class 'list'
component_list(object, lhoods = NULL, .envir = parent.frame(), ...)

## S3 method for class 'component_list'
c(...)

## S3 method for class 'component'
c(...)

## S3 method for class 'component_list'
x[i]

```

Arguments

object	The object to operate on
lhoods	A <code>bru_like_list</code> object
.envir	An evaluation environment for non-formula input
...	Parameters passed on to other methods. Also see Details .
x	<code>component_list</code> object from which to extract a sub-list
i	indices specifying elements to extract

Details

- `component_list.formula`: Convert a component formula into a `component_list` object
- `component_list.list`: Combine a list of components and/or component formulas into a `component_list` object

- `c.component_list`: The ... arguments should be `component_list` objects. The environment from the first argument will be applied to the resulting `component_list`.
- `c.component`: The ... arguments should be `component` objects. The environment from the first argument will be applied to the resulting “`component_list`”.

Author(s)

Fabian E. Bachl <bachlfab@gmail.com> and Finn Lindgren <finn.lindgren@gmail.com>

See Also

Other component constructors: [component\(\)](#)

Other component constructors: [component\(\)](#)

Examples

```
# As an example, let us create a linear component. Here, the component is
# called "myLinearEffectOfX" while the covariate the component acts on is
# called "x". Note that a list of components is returned because the
# formula may define multiple components

eff <- component_list(~ myLinearEffectOfX(main = x, model = "linear"))
summary(eff[[1]])
# Equivalent shortcuts:
eff <- component_list(~ myLinearEffectOfX(x, model = "linear"))
eff <- component_list(~ myLinearEffectOfX(x))
# Individual component
eff <- component("myLinearEffectOfX", main = x, model = "linear")
```

deltaIC

Summarise DIC and WAIC from lgcp objects.

Description

Calculates DIC and/or WAIC differences and produces an ordered summary.

Usage

```
deltaIC(..., criterion = "DIC")
```

Arguments

...	Comma-separated objects inheriting from class <code>inla</code> and obtained from a run of <code>INLA::inla()</code> , <code>bru()</code> or <code>lgcp()</code>
<code>criterion</code>	character vector. If it includes 'DIC', computes DIC differences; If it contains 'WAIC', computes WAIC differences. Default: 'DIC'

Value

A data frame with each row containing the Model name, DIC and Delta.DIC, and/or WAIC and Delta.WAIC.

Examples

```
if (bru_safe_inla(multicore = FALSE)) {
  # Generate some data
  input.df <- data.frame(idx = 1:10, x = cos(1:10))
  input.df <- within(
    input.df,
    y <- rpois(10, 5 + 2 * cos(1:10)) + rnorm(10, mean = 0, sd = 0.1)
  )

  # Fit two models
  fit1 <- bru(
    y ~ x,
    family = "poisson",
    data = input.df,
    options = list(control.compute = list(dic = TRUE))
  )
  fit2 <- bru(
    y ~ x + rand(idx, model = "iid"),
    family = "poisson",
    data = input.df,
    options = list(control.compute = list(dic = TRUE))
  )

  # Compare DIC

  deltaIC(fit1, fit2)
}
```

devel.cvmeasure

Variance and correlations measures for prediction components

Description

Calculates local and integrated variance and correlation measures as introduced by Yuan et al. (2017).

Usage

```
devel.cvmeasure(joint, prediction1, prediction2, samplers = NULL, mesh = NULL)
```

Arguments

joint	A joint prediction of two latent model components.
prediction1	A prediction of the first component.
prediction2	A prediction of the second component.
samplers	A SpatialPolygon object describing the area for which to compute the cumulative variance measure.
mesh	The inla.mesh for which the prediction was performed (required for cumulative Vmeasure).

Value

Variance and correlations measures.

References

Y. Yuan, F. E. Bachl, F. Lindgren, D. L. Brochers, J. B. Illian, S. T. Buckland, H. Rue, T. Gerrodette. 2017. Point process models for spatio-temporal distance sampling data from a large-scale survey of blue whales. <https://arxiv.org/abs/1604.06013>

Examples

```
if (bru_safe_inla() &&
    require(ggplot2, quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp")) {

  # Load Gorilla data

  data("gorillas", package = "inlabru")

  # Use RColorBrewer

  library(RColorBrewer)

  # Fit a model with two components:
  # 1) A spatial smooth SPDE
  # 2) A spatial covariate effect (vegetation)

  pcmatern <- INLA::inla.spde2.pcmatern(gorillas$mesh,
    prior.sigma = c(0.1, 0.01),
    prior.range = c(0.01, 0.01)
  )

  cmp <- coordinates ~ vegetation(gorillas$gcov$vegetation, model = "factor_contrast") +
    spde(coordinates, model = pcmatern) -
    Intercept(1)

  fit <- lgcp(cmp, gorillas$nested,
    samplers = gorillas$boundary,
```



```

    domain = list(coordinates = gorillas$mesh),
    options = list(control.inla = list(int.strategy = "eb"))
  )

# Predict SPDE and vegetation at the mesh vertex locations

vrt <- fm_vertices(gorillas$mesh, format = "sp")
pred <- predict(
  fit,
  vrt,
  ~ list(
    joint = spde + vegetation,
    field = spde,
    veg = vegetation
  )
)

# Plot component mean

multiplot(ggplot() +
  gg(gorillas$mesh, color = pred$joint$mean) +
  coord_equal() +
  theme(legend.position = "bottom"),
  ggplot() +
  gg(gorillas$mesh, color = pred$field$mean) +
  coord_equal() +
  theme(legend.position = "bottom"),
  ggplot() +
  gg(gorillas$mesh, color = pred$veg$mean) +
  coord_equal() +
  theme(legend.position = "bottom"),
  cols = 3
)

# Plot component variance

multiplot(ggplot() +
  gg(gorillas$mesh, color = pred$joint$var) +
  coord_equal() +
  theme(legend.position = "bottom"),
  ggplot() +
  gg(gorillas$mesh, color = pred$field$var) +
  coord_equal() +
  theme(legend.position = "bottom"),
  ggplot() +
  gg(gorillas$mesh, color = pred$veg$var) +
  coord_equal() +
  theme(legend.position = "bottom"),
  cols = 3
)

# Calculate variance and correlation measure

```

```

vm <- devel.cvmeasure(pred$joint, pred$field, pred$veg)
lprange <- range(vm$var.joint, vm$var1, vm$var2)

# Variance contribution of the components

csc <- scale_fill_gradientn(colours = brewer.pal(9, "YlOrRd"), limits = lprange)
boundary <- gorillas$boundary

plot.1 <- ggplot() +
  gg(gorillas$mesh, color = vm$var.joint, mask = boundary) +
  csc +
  coord_equal() +
  ggtitle("joint") +
  theme(legend.position = "bottom")
plot.2 <- ggplot() +
  gg(gorillas$mesh, color = vm$var1, mask = boundary) +
  csc +
  coord_equal() +
  ggtitle("SPDE") +
  theme(legend.position = "bottom")
plot.3 <- ggplot() +
  gg(gorillas$mesh, color = vm$var2, mask = boundary) +
  csc +
  coord_equal() +
  ggtitle("vegetation") +
  theme(legend.position = "bottom")

multiplot(plot.1, plot.2, plot.3, cols = 3)

# Covariance of SPDE field and vegetation

ggplot() +
  gg(gorillas$mesh, color = vm$cov)

# Correlation between field and vegetation

ggplot() +
  gg(gorillas$mesh, color = vm$cor)

# Variance and correlation integrated over space

vm.int <- devel.cvmeasure(pred$joint, pred$field, pred$veg,
  samplers = fm_int(gorillas$mesh, gorillas$boundary),
  mesh = gorillas$mesh
)
vm.int
}

```

Description

Computes individual `bru_mapper_taylor` objects for included components for each model likelihood

Usage

```
evaluate_comp_lin(model, input, state, inla_f = FALSE)
```

Arguments

<code>model</code>	A <code>bru_model</code> object
<code>input</code>	A list of named lists of component inputs
<code>state</code>	A named list of component states
<code>inla_f</code>	Controls the input data interpretations

Value

A list (class `'comp_simple'`) of named lists (class `'comp_simple_list'`) of `bru_mapper_taylor` objects, one for each included component

<code>evaluate_index</code>	<i>Compute all index values</i>
-----------------------------	---------------------------------

Description

Computes the index values matrices for included components

Usage

```
evaluate_index(model, lhoods)
```

Arguments

<code>model</code>	A <code>bru_model</code> object
<code>lhoods</code>	A <code>bru_like_list</code> object. Deprecated and ignored

Value

A named list of `idx_full` and `idx_inla`, named list of indices, and `inla_subset`, and `inla_subset`, a named list of logical subset specifications for extracting the `INLA::f()` compatible index subsets.

evaluate_inputs	<i>Compute all component inputs</i>
-----------------	-------------------------------------

Description

Computes the component inputs for included components for each model likelihood

Usage

```
evaluate_inputs(model, lhoods, inla_f)
```

Arguments

model	A bru_model object
lhoods	A bru_like_list object
inla_f	logical

eval_spatial	<i>Evaluate spatial covariates</i>
--------------	------------------------------------

Description

Evaluate spatial covariates

Usage

```
eval_spatial(data, where, layer = NULL, selector = NULL)

## S3 method for class 'SpatialPolygonsDataFrame'
eval_spatial(data, where, layer = NULL, selector = NULL)

## S3 method for class 'SpatialPixelsDataFrame'
eval_spatial(data, where, layer = NULL, selector = NULL)

## S3 method for class 'SpatialGridDataFrame'
eval_spatial(data, where, layer = NULL, selector = NULL)

## S3 method for class 'sf'
eval_spatial(data, where, layer = NULL, selector = NULL)

## S3 method for class 'SpatRaster'
eval_spatial(data, where, layer = NULL, selector = NULL)

## S3 method for class 'stars'
eval_spatial(data, where, layer = NULL, selector = NULL)
```

Arguments

data	Spatial data
where	Where to evaluate the data
layer	Which data layer to extract (as integer or character). May be a vector, specifying a separate layer for each where item.
selector	The name of a variable in where specifying the layer information.

Methods (by class)

- `eval_spatial(SpatialPolygonsDataFrame)`: Compatibility wrapper for `eval_spatial.sf`
- `eval_spatial(sf)`: Supports point-in-polygon information lookup. Other combinations are untested.

expand_labels	<i>Expand labels</i>
---------------	----------------------

Description

Expand labels

Usage

```
expand_labels(labels, expand, suffix)
```

Arguments

labels	character vector; original labels
expand	character vector; subset of labels to expand
suffix	character; the suffix to add to the labels selected by expand

Value

a vector of labels with suffix appended to the selected labels

generate

*Generate samples from fitted bru models***Description**

Generic function for sampling for fitted models. The function invokes particular methods which depend on the class of the first argument.

Takes a fitted bru object produced by the function `bru()` and produces samples given a new set of values for the model covariates or the original values used for the model fit. The samples can be based on any R expression that is valid given these values/covariates and the joint posterior of the estimated random effects.

Usage

```
generate(object, ...)

## S3 method for class 'bru'
generate(
  object,
  newdata = NULL,
  formula = NULL,
  n.samples = 100,
  seed = 0L,
  num.threads = NULL,
  include = NULL,
  exclude = NULL,
  used = NULL,
  ...,
  data = deprecated()
)
```

Arguments

<code>object</code>	A bru object obtained by calling <code>bru()</code> .
<code>...</code>	additional, unused arguments.
<code>newdata</code>	A data.frame or SpatialPointsDataFrame of covariates needed for sampling.
<code>formula</code>	A formula where the right hand side defines an R expression to evaluate for each generated sample. If NULL, the latent and hyperparameter states are returned as named list elements. See Details for more information.
<code>n.samples</code>	Integer setting the number of samples to draw in order to calculate the posterior statistics. The default, 100, is rather low but provides a quick approximate result.
<code>seed</code>	Random number generator seed passed on to <code>INLA::inla.posterior.sample</code>
<code>num.threads</code>	Specification of desired number of threads for parallel computations. Default NULL, leaves it up to INLA. When <code>seed != 0</code> , overridden to "1:1"

include	Character vector of component labels that are needed by the predictor expression; Default: NULL (include all components that are not explicitly excluded) if newdata is provided, otherwise <code>character(0)</code> .
exclude	Character vector of component labels that are not used by the predictor expression. The exclusion list is applied to the list as determined by the include parameter; Default: NULL (do not remove any components from the inclusion list)
used	Either NULL or a <code>bru_used()</code> object, overriding include and exclude.
data	Deprecated. Use newdata instead. sampling.

Details

In addition to the component names (that give the effect of each component evaluated for the input data), the suffix `_latent` variable name can be used to directly access the latent state for a component, and the suffix function `_eval` can be used to evaluate a component at other input values than the expressions defined in the component definition itself, e.g. `field_eval(cbind(x, y))` for a component that was defined with `field(coordinates, ...)` (see also `component_eval()`).

For "iid" models with `mapper = bru_mapper_index(n)`, `rnorm()` is used to generate new realisations for indices greater than `n`.

Value

The form of the value returned by `generate()` depends on the data class and prediction formula. Normally, a `data.frame` is returned, or a list of `data.frames` (if the prediction formula generates a list)

List of generated samples

See Also

[predict.bru](#)

Examples

```
if (bru_safe_inla(multicore = FALSE) &&
    require("sn", quietly = TRUE)) {

  # Generate data for a simple linear model

  input.df <- data.frame(x = cos(1:10))
  input.df <- within(input.df, y <- 5 + 2 * cos(1:10) + rnorm(10, mean = 0, sd = 0.1))

  # Fit the model

  fit <- bru(y ~ xeff(main = x, model = "linear"),
            family = "gaussian", data = input.df
            )
  summary(fit)
```

```

# Generate samples for some predefined x

df <- data.frame(x = seq(-4, 4, by = 0.1))
smp <- generate(fit, df, ~ xeff + Intercept, n.samples = 10)

# Plot the resulting realizations

plot(df$x, smp[, 1], type = "l")
for (k in 2:ncol(smp)) points(df$x, smp[, k], type = "l")

# We can also draw samples form the joint posterior

df <- data.frame(x = 1)
smp <- generate(fit, df, ~ data.frame(xeff, Intercept), n.samples = 10)
smp[[1]]

# ... and plot them
if (require(ggplot2, quietly = TRUE)) {
  plot(do.call(rbind, smp))
}
}

if (bru_safe_inla(multicore = FALSE) &&
    require("sn", quietly = TRUE)) {

# Generate data for a simple linear model

input.df <- data.frame(x = cos(1:10))
input.df <- within(input.df, y <- 5 + 2 * cos(1:10) + rnorm(10, mean = 0, sd = 0.1))

# Fit the model

fit <- bru(y ~ xeff(main = x, model = "linear"),
  family = "gaussian", data = input.df
)
summary(fit)

# Generate samples for some predefined x

df <- data.frame(x = seq(-4, 4, by = 0.1))
smp <- generate(fit, df, ~ xeff + Intercept, n.samples = 10)

# Plot the resulting realizations

plot(df$x, smp[, 1], type = "l")
for (k in 2:ncol(smp)) points(df$x, smp[, k], type = "l")

# We can also draw samples form the joint posterior

df <- data.frame(x = 1)
smp <- generate(fit, df, ~ data.frame(xeff, Intercept), n.samples = 10)
smp[[1]]

```



```
# ... and plot them
if (require(ggplot2, quietly = TRUE)) {
  plot(do.call(rbind, smp))
}
}
```

gg

ggplot2 geomes for inlabru related objects

Description

gg is a generic function for generating geomes from various kinds of spatial objects, e.g. Spatial* data, meshes, Raster objects and inla/inlabru predictions. The function invokes particular methods which depend on the [class](#) of the first argument.

Usage

```
gg(data, ...)
```

Arguments

data	an object for which to generate a geom.
...	Arguments passed on to the geom method.

Value

The form of the value returned by gg depends on the class of its argument. See the documentation of the particular methods for details of what is produced by that method.

See Also

Other geomes for inla and inlabru predictions: [gg.bru_prediction\(\)](#), [gg.data.frame\(\)](#), [gg.matrix\(\)](#), [gm\(\)](#)

Other geomes for spatial data: [gg.SpatRaster\(\)](#), [gg.SpatialGridDataFrame\(\)](#), [gg.SpatialLines\(\)](#), [gg.SpatialPixelsDataFrame\(\)](#), [gg.SpatialPixels\(\)](#), [gg.SpatialPoints\(\)](#), [gg.SpatialPolygons\(\)](#), [gg.sf\(\)](#), [gm\(\)](#)

Other geomes for meshes: [gg.inla.mesh.1d\(\)](#), [gg.inla.mesh\(\)](#), [gm\(\)](#)

Other geomes for Raster data: [gg.RasterLayer\(\)](#), [gm\(\)](#)

Examples

```

if (require("ggplot2", quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE)) {
  # Load Gorilla data

  data(gorillas, package = "inlabru")

  # Invoke ggplot and add geomes for the Gorilla nests and the survey boundary

  ggplot() +
    gg(gorillas$boundary) +
    gg(gorillas$nests)
}

```

gg.bru_prediction *Geom for predictions*

Description

This geom serves to visualize prediction objects which usually results from a call to `predict.bru()`. Predictions objects provide summary statistics (mean, median, sd, ...) for one or more random variables. For single variables (or if requested so by setting `bar = TRUE`), a boxplot-style geom is constructed to show the statistics. For multivariate predictions the mean of each variable (y-axis) is plotted against the row number of the variable in the prediction data frame (x-axis) using `geom_line`. In addition, a `geom_ribbon` is used to show the confidence interval.

Note: `gg.bru_prediction` also understands the format of INLA-style posterior summaries, e.g. `fit$summary.fixed` for an inla object `fit`

Requires the `ggplot2` package.

Usage

```

## S3 method for class 'bru_prediction'
gg(data, mapping = NULL, ribbon = TRUE, alpha = NULL, bar = FALSE, ...)

## S3 method for class 'prediction'
gg(data, ...)

```

Arguments

<code>data</code>	A prediction object, usually the result of a <code>predict.bru()</code> call.
<code>mapping</code>	a set of aesthetic mappings created by <code>aes</code> . These are passed on to <code>geom_line</code> .
<code>ribbon</code>	If <code>TRUE</code> , plot a ribbon around the line based on the smallest and largest quantiles present in the data, found by matching names starting with <code>q</code> and followed by a numerical value. <code>inla()</code> -style <code>numeric+"quant"</code> names are converted to <code>inlabru</code> style before matching.
<code>alpha</code>	The ribbons numeric alpha (transparency) level in $[0, 1]$.
<code>bar</code>	If <code>TRUE</code> plot boxplot-style summary for each variable.
<code>...</code>	Arguments passed on to <code>geom_line</code> .

Value

Concatenation of a `geom_line` value and optionally a `geom_ribbon` value.

See Also

Other geomes for inla and inlabru predictions: `gg.data.frame()`, `gg.matrix()`, `gg()`, `gm()`

Examples

```
if (bru_safe_inla() &&
    require(sn, quietly = TRUE) &&
    require(ggplot2, quietly = TRUE)) {
  # Generate some data

  input.df <- data.frame(x = cos(1:10))
  input.df <- within(input.df, y <- 5 + 2 * cos(1:10) + rnorm(10, mean = 0, sd = 0.1))

  # Fit a model with fixed effect 'x' and intercept 'Intercept'

  fit <- bru(y ~ x, family = "gaussian", data = input.df)

  # Predict posterior statistics of 'x'

  xpost <- predict(fit, NULL, formula = ~x_latent)

  # The statistics include mean, standard deviation, the 2.5% quantile, the median,
  # the 97.5% quantile, minimum and maximum sample drawn from the posterior as well as
  # the coefficient of variation and the variance.

  xpost

  # For a single variable like 'x' the default plotting method invoked by gg() will
  # show these statistics in a fashion similar to a box plot:
  ggplot() +
    gg(xpost)

  # The predict function can also be used to simultaneously estimate posteriors
  # of multiple variables:

  xipost <- predict(fit,
    newdata = NULL,
    formula = ~ c(
      Intercept = Intercept_latent,
      x = x_latent
    )
  )
  xipost

  # If we still want a plot in the previous style we have to set the bar parameter to TRUE
```

```

p1 <- ggplot() +
  gg(xipost, bar = TRUE)
p1

# Note that gg also understands the posterior estimates generated while running INLA

p2 <- ggplot() +
  gg(fit$summary.fixed, bar = TRUE)
multiplot(p1, p2)

# By default, if the prediction has more than one row, gg will plot the column 'mean' against
# the row index. This is for instance usefuul for predicting and plotting function
# but not very meaningful given the above example:

ggplot() +
  gg(xipost)

# For ease of use we can also type

plot(xipost)

# This type of plot will show a ribbon around the mean, which viszualizes the upper and lower
# quantiles mentioned above (2.5 and 97.5%). Plotting the ribbon can be turned of using the
# \code{ribbon} parameter

ggplot() +
  gg(xipost, ribbon = FALSE)

# Much like the other geomes produced by gg we can adjust the plot using ggplot2 style
# commands, for instance

ggplot() +
  gg(xipost) +
  gg(xipost, mapping = aes(y = median), ribbon = FALSE, color = "red")
}

```

 gg.data.frame

Geom for data.frame

Description

This geom constructor will simply call `gg.bru_prediction()` for the data provided.

Usage

```

## S3 method for class 'data.frame'
gg(...)

```

Arguments

... Arguments passed on to `gg.bru_prediction()`.

Details

Requires the `ggplot2` package.

Value

Concatenation of a `geom_line` value and optionally a `geom_ribbon` value.

See Also

Other geomes for `inla` and `inlabru` predictions: `gg.bru_prediction()`, `gg.matrix()`, `gg()`, `gm()`

Examples

```
if (bru_safe_inla() &&
    require(sn, quietly = TRUE) &&
    require(ggplot2, quietly = TRUE)) {
  # Generate some data

  input.df <- data.frame(x = cos(1:10))
  input.df <- within(input.df, y <- 5 + 2 * cos(1:10) + rnorm(10, mean = 0, sd = 0.1))

  # Fit a model with fixed effect 'x' and intercept 'Intercept'

  fit <- bru(y ~ x, family = "gaussian", data = input.df)

  # Predict posterior statistics of 'x'

  xpost <- predict(fit, NULL, formula = ~x_latent)

  # The statistics include mean, standard deviation, the 2.5% quantile, the median,
  # the 97.5% quantile, minimum and maximum sample drawn from the posterior as well as
  # the coefficient of variation and the variance.

  xpost

  # For a single variable like 'x' the default plotting method invoked by gg() will
  # show these statistics in a fashion similar to a box plot:
  ggplot() +
    gg(xpost)

  # The predict function can also be used to simultaneously estimate posteriors
  # of multiple variables:

  xipost <- predict(fit,
    newdata = NULL,
    formula = ~ c(
```

```

      Intercept = Intercept_latent,
      x = x_latent
    )
  )
  xipost

# If we still want a plot in the previous style we have to set the bar parameter to TRUE

p1 <- ggplot() +
  gg(xipost, bar = TRUE)
p1

# Note that gg also understands the posterior estimates generated while running INLA

p2 <- ggplot() +
  gg(fit$summary.fixed, bar = TRUE)
multiplot(p1, p2)

# By default, if the prediction has more than one row, gg will plot the column 'mean' against
# the row index. This is for instance usefull for predicting and plotting function
# but not very meaningful given the above example:

ggplot() +
  gg(xipost)

# For ease of use we can also type

plot(xipost)

# This type of plot will show a ribbon around the mean, which viszualizes the upper and lower
# quantiles mentioned above (2.5 and 97.5%). Plotting the ribbon can be turned of using the
# \code{ribbon} parameter

ggplot() +
  gg(xipost, ribbon = FALSE)

# Much like the other geomes produced by gg we can adjust the plot using ggplot2 style
# commands, for instance

ggplot() +
  gg(xipost) +
  gg(xipost, mapping = aes(y = median), ribbon = FALSE, color = "red")
}

```

Description

This function extracts the graph of an `inla.mesh` object and uses `geom_line` to visualize the graph's edges. Alternatively, if the `color` argument is provided, interpolates the colors across for a set of `SpatialPixels` covering the mesh area and calls `gg.SpatialPixelsDataFrame()` to plot the interpolation. Requires the `ggplot2` package.

Usage

```
## S3 method for class 'inla.mesh'
gg(
  data,
  color = NULL,
  alpha = NULL,
  edge.color = "grey",
  edge.linewidth = 0.25,
  interior = TRUE,
  int.color = "blue",
  int.linewidth = 0.5,
  exterior = TRUE,
  ext.color = "black",
  ext.linewidth = 1,
  crs = NULL,
  mask = NULL,
  nx = 500,
  ny = 500,
  ...
)
```

Arguments

<code>data</code>	An <code>inla.mesh</code> object.
<code>color</code>	A vector of scalar values to fill the mesh with colors. The length of the vector must correspond to the number of mesh vertices. The alternative name <code>colour</code> is also recognised.
<code>alpha</code>	A vector of scalar values setting the alpha value of the colors provided.
<code>edge.color</code>	Color of the regular mesh edges.
<code>edge.linewidth</code>	Line width for the regular mesh edges. Default 0.25
<code>interior</code>	If TRUE, plot the interior boundaries of the mesh.
<code>int.color</code>	Color used to plot the interior constraint edges.
<code>int.linewidth</code>	Line width for the interior constraint edges. Default 0.5
<code>exterior</code>	If TRUE, plot the exterior boundaries of the mesh.
<code>ext.color</code>	Color used to plot the exterior boundary edges.
<code>ext.linewidth</code>	Line width for the exterior boundary edges. Default 1
<code>crs</code>	A CRS object supported by <code>fm_transform()</code> defining the coordinate system to project the mesh to before plotting.

mask	A SpatialPolygon defining the region that is plotted.
nx	Number of pixels in x direction (when plotting using the color parameter).
ny	Number of pixels in y direction (when plotting using the color parameter).
...	ignored arguments (S3 generic compatibility).

Value

geom_line return values or, if the color argument is used, the values of `gg.SpatialPixelsDataFrame()`.

See Also

Other geomes for meshes: `gg.inla.mesh.1d()`, `gg()`, `gm()`

Examples

```
if (bru_safe_inla() &&
    require(ggplot2, quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE)) {

  # Load Gorilla data
  data("gorillas", package = "inlabru")

  # Plot mesh using default edge colors

  ggplot() +
    gg(gorillas$mesh)

  # Don't show interior and exterior boundaries

  ggplot() +
    gg(gorillas$mesh, interior = FALSE, exterior = FALSE)

  # Change the edge colors

  ggplot() +
    gg(gorillas$mesh,
       edge.color = "green",
       int.color = "black",
       ext.color = "blue"
    )

  # Use the x-coordinate of the vertices to colorize the triangles and
  # mask the plotted area by the survey boundary, i.e. only plot the inside

  xcoord <- gorillas$mesh$loc[, 1]
  ggplot() +
    gg(gorillas$mesh, color = (xcoord - 580), mask = gorillas$boundary) +
    gg(gorillas$boundary)
}
```

gg.inla.mesh.1d *Geom for inla.mesh.1d objects*

Description

This function generates a `geom_point` object showing the knots (vertices) of a 1D mesh. Requires the `ggplot2` package.

Usage

```
## S3 method for class 'inla.mesh.1d'
gg(
  data,
  mapping = ggplot2::aes(.data[["x"]], .data[["y"]]),
  y = 0,
  shape = 4,
  ...
)
```

Arguments

<code>data</code>	An <code>inla.mesh.1d</code> object.
<code>mapping</code>	aesthetic mappings created by <code>aes</code> . These are passed on to <code>geom_point</code> .
<code>y</code>	Single or vector numeric defining the y-coordinates of the mesh knots to plot.
<code>shape</code>	Shape of the knot markers.
<code>...</code>	parameters passed on to <code>geom_point</code> .

Value

An object generated by `geom_point`.

See Also

Other geomes for meshes: [gg.inla.mesh\(\)](#), [gg\(\)](#), [gm\(\)](#)

Examples

```
# Some features use the INLA package.
if (require("INLA", quietly = TRUE) &&
    require("ggplot2", quietly = TRUE)) {
  # Create a 1D mesh

  mesh <- inla.mesh.1d(seq(0, 10, by = 0.5))

  # Plot it
```

```
ggplot() +
  gg(mesh)

# Plot it using a different shape and size for the mesh nodes

ggplot() +
  gg(mesh, shape = "|", size = 5)
}
```

gg.matrix

Geom for matrix

Description

Creates a tile geom for plotting a matrix

Usage

```
## S3 method for class 'matrix'
gg(data, mapping = NULL, ...)
```

Arguments

data	A matrix object.
mapping	a set of aesthetic mappings created by aes. These are passed on to geom_tile.
...	Arguments passed on to geom_tile.

Details

Requires the ggplot2 package.

Value

A geom_tile with reversed y scale.

See Also

Other geomes for inla and inlabru predictions: [gg.bru_prediction\(\)](#), [gg.data.frame\(\)](#), [gg\(\)](#), [gm\(\)](#)

Examples

```
if (require("ggplot2", quietly = TRUE)) {
  A <- matrix(runif(100), nrow = 10)
  ggplot() +
    gg(A)
}
```

gg.RasterLayer *Geom for RasterLayer objects*

Description

This function takes a RasterLayer object, converts it into a SpatialPixelsDataFrame and uses geom_tile to plot the data.

Usage

```
## S3 method for class 'RasterLayer'
gg(
  data,
  mapping = ggplot2::aes(x = .data[["x"]], y = .data[["y"]], fill = .data[["layer"]]),
  ...
)
```

Arguments

data	A RasterLayer object.
mapping	aesthetic mappings created by aes. These are passed on to geom_tile.
...	Arguments passed on to geom_tile.

Details

This function requires the raster and ggplot2 packages.

Value

An object returned by geom_tile

See Also

Other geomes for Raster data: [gg\(\)](#), [gm\(\)](#)

Examples

```
## Not run:
# Some features require the raster and spatstat.data packages.
if (require("spatstat.data", quietly = TRUE) &&
    require("raster", quietly = TRUE) &&
    require("ggplot2", quietly = TRUE)) {
  # Load Gorilla data
  data("gorillas", package = "spatstat.data")

  # Convert elevation covariate to RasterLayer

  elev <- as(gorillas.extra$elevation, "RasterLayer")
}
```

```

# Plot the elevation

ggplot() +
  gg(elev)
}

## End(Not run)

```

gg.sf

Geom helper for sf objects

Description

This function uses `geom_sf()`, unless overridden by the `geom` argument. Requires the `ggplot2` package.

Usage

```

## S3 method for class 'sf'
gg(data, mapping = NULL, ..., geom = "sf")

```

Arguments

<code>data</code>	An <code>sf</code> object.
<code>mapping</code>	Default mapping is <code>ggplot2::aes(geometry = ...)</code> , where the geometry name is obtained from <code>attr(data, "sf_column")</code> . This is merged with the user supplied mapping.
<code>...</code>	Arguments passed on to <code>geom_sf</code> or <code>geom_tile</code> .
<code>geom</code>	Either "sf" (default) or "tile". For "tile", uses <code>geom_tile(..., stat = "sf_coordinates")</code> , intended for converting point data to grid tiles with the <code>fill</code> aesthetic, which is by default set to the first data column.

Value

A `ggplot` return value

See Also

Other geomes for spatial data: [gg.SpatRaster\(\)](#), [gg.SpatialGridDataFrame\(\)](#), [gg.SpatialLines\(\)](#), [gg.SpatialPixelsDataFrame\(\)](#), [gg.SpatialPixels\(\)](#), [gg.SpatialPoints\(\)](#), [gg.SpatialPolygons\(\)](#), [gg\(\)](#), [gm\(\)](#)

`gg.SpatialGridDataFrame`*Geom for SpatialGridDataFrame objects*

Description

Coerces input `SpatialGridDataFrame` to `SpatialPixelsDataFrame` and calls `gg.SpatialPixelsDataFrame()` to plot it. Requires the `ggplot2` package.

Usage

```
## S3 method for class 'SpatialGridDataFrame'  
gg(data, ...)
```

Arguments

<code>data</code>	A <code>SpatialGridDataFrame</code> object.
<code>...</code>	Arguments passed on to <code>gg.SpatialPixelsDataFrame()</code> .

Value

A `geom_tile` value.

See Also

Other geomes for spatial data: `gg.SpatRaster()`, `gg.SpatialLines()`, `gg.SpatialPixelsDataFrame()`, `gg.SpatialPixels()`, `gg.SpatialPoints()`, `gg.SpatialPolygons()`, `gg.sf()`, `gg()`, `gm()`

Examples

```
if (require(ggplot2, quietly = TRUE) &&  
    require(ggpolypath, quietly = TRUE) &&  
    bru_safe_sp() &&  
    require("sp")) {  
  # Load Gorilla data  
  
  data("gorillas", package = "inlabru")  
  
  # Plot Gorilla elevation covariate provided as SpatialPixelsDataFrame.  
  # The same syntax applies to SpatialGridDataFrame objects.  
  
  ggplot() +  
    gg(gorillas$gcov$elevation)  
  
  # Add Gorilla survey boundary and nest sightings  
  
  ggplot() +  
    gg(gorillas$gcov$elevation) +
```

```

    gg(gorillas$boundary) +
    gg(gorillas$nest)

# Load pantropical dolphin data

data("mexdolphins", package = "inlabru")

# Plot the pantropical survey boundary, ship transects and dolphin sightings

ggplot() +
  gg(mexdolphins$ppoly) + # survey boundary as SpatialPolygon
  gg(mexdolphins$samplers) + # ship transects as SpatialLines
  gg(mexdolphins$points) # dolphin sightings as SpatialPoints

# Change color

ggplot() +
  gg(mexdolphins$ppoly, color = "green") + # survey boundary as SpatialPolygon
  gg(mexdolphins$samplers, color = "red") + # ship transects as SpatialLines
  gg(mexdolphins$points, color = "blue") # dolphin sightings as SpatialPoints

# Visualize data annotations: line width by segment number

names(mexdolphins$samplers) # 'seg' holds the segment number
ggplot() +
  gg(mexdolphins$samplers, aes(color = seg))

# Visualize data annotations: point size by dolphin group size

names(mexdolphins$points) # 'size' holds the group size
ggplot() +
  gg(mexdolphins$points, aes(size = size))
}

```

 gg.SpatialLines

Geom for SpatialLines objects

Description

Extracts start and end points of the lines and calls `geom_segment` to plot lines between them. Requires the `ggplot2` package.

Usage

```
## S3 method for class 'SpatialLines'
gg(data, mapping = NULL, crs = NULL, ...)
```

Arguments

<code>data</code>	A <code>SpatialLines</code> or <code>SpatialLinesDataFrame</code> object.
<code>mapping</code>	Aesthetic mappings created by <code>ggplot2::aes</code> or <code>ggplot2::aes_</code> used to update the default mapping. The default mapping is <code>ggplot2::aes(x = .data[[coordnames(data)[1]]], y = .data[[coordnames(data)[2]]], xend = .data[[paste0("end.", coordnames(data)[1]]]], yend = .data[[paste0("end.", coordnames(data)[2]]]])</code> .
<code>crs</code>	A CRS object defining the coordinate system to project the data to before plotting.
<code>...</code>	Arguments passed on to <code>ggplot2::geom_segment</code> .

Value

A ‘geom_segment’ return value.

See Also

Other geomes for spatial data: [gg.SpatRaster\(\)](#), [gg.SpatialGridDataFrame\(\)](#), [gg.SpatialPixelsDataFrame\(\)](#), [gg.SpatialPixels\(\)](#), [gg.SpatialPoints\(\)](#), [gg.SpatialPolygons\(\)](#), [gg.sf\(\)](#), [gg\(\)](#), [gm\(\)](#)

Examples

```
if (require(ggplot2, quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp")) {
  # Load Gorilla data

  data("gorillas", package = "inlabru")

  # Plot Gorilla elevation covariate provided as SpatialPixelsDataFrame.
  # The same syntax applies to SpatialGridDataFrame objects.

  ggplot() +
    gg(gorillas$gcov$elevation)

  # Add Gorilla survey boundary and nest sightings

  ggplot() +
    gg(gorillas$gcov$elevation) +
    gg(gorillas$boundary) +
    gg(gorillas$nest)

  # Load pantropical dolphin data

  data("mexdolphins", package = "inlabru")

  # Plot the pantropical survey boundary, ship transects and dolphin sightings

  ggplot() +
    gg(mexdolphins$ppoly) + # survey boundary as SpatialPolygon
```

```

gg(mexdolphinsamplers) + # ship transects as SpatialLines
gg(mexdolphinspoints) # dolphin sightings as SpatialPoints

# Change color

ggplot() +
  gg(mexdolphinspoly, color = "green") + # survey boundary as SpatialPolygon
  gg(mexdolphinsamplers, color = "red") + # ship transects as SpatialLines
  gg(mexdolphinspoints, color = "blue") # dolphin sightings as SpatialPoints

# Visualize data annotations: line width by segment number

names(mexdolphinsamplers) # 'seg' holds the segment number
ggplot() +
  gg(mexdolphinsamplers, aes(color = seg))

# Visualize data annotations: point size by dolphin group size

names(mexdolphinspoints) # 'size' holds the group size
ggplot() +
  gg(mexdolphinspoints, aes(size = size))
}

```

gg.SpatialPixels *Geom for SpatialPixels objects*

Description

Uses `geom_point` to plot the pixel centers. Requires the `ggplot2` package.

Usage

```
## S3 method for class 'SpatialPixels'
gg(data, ...)
```

Arguments

`data` A [SpatialPixels](#) object.
`...` Arguments passed on to `geom_tile`.

Value

A `geom_tile` return value.

See Also

Other geomes for spatial data: [gg.SpatRaster\(\)](#), [gg.SpatialGridDataFrame\(\)](#), [gg.SpatialLines\(\)](#), [gg.SpatialPixelsDataFrame\(\)](#), [gg.SpatialPoints\(\)](#), [gg.SpatialPolygons\(\)](#), [gg.sf\(\)](#), [gg\(\)](#), [gm\(\)](#)

Examples

```

if (require("ggplot2", quietly = TRUE) &&
    bru_safe_sp()) {
  # Load Gorilla data

  data(gorillas, package = "inlabru")

  # Turn elevation covariate into SpatialPixels
  pxl <- sp::SpatialPixels(sp::SpatialPoints(gorillas$gcov$elevation))

  # Plot the pixel centers
  ggplot() +
    gg(pxl, size = 0.1)
}

```

gg.SpatialPixelsDataFrame

Geom for SpatialPixelsDataFrame objects

Description

Coerces input `SpatialPixelsDataFrame` to `data.frame` and uses `geom_tile` to plot it. Requires the `ggplot2` package.

Usage

```

## S3 method for class 'SpatialPixelsDataFrame'
gg(data, mapping = NULL, crs = NULL, mask = NULL, ...)

```

Arguments

<code>data</code>	A <code>SpatialPixelsDataFrame</code> object.
<code>mapping</code>	Aesthetic mappings created by <code>aes</code> used to update the default mapping. The default mapping is <code>ggplot2::aes(x = .data[[coordnames(data)[1]]], y = .data[[coordnames(data)[2]]], fill = .data[[names(data)[1]]])</code> .
<code>crs</code>	A CRS object defining the coordinate system to project the data to before plotting.
<code>mask</code>	A <code>SpatialPolygon</code> defining the region that is plotted.
<code>...</code>	Arguments passed on to <code>geom_tile</code> .

Value

A `geom_tile` return value.

See Also

Other geomes for spatial data: [gg.SpatRaster\(\)](#), [gg.SpatialGridDataFrame\(\)](#), [gg.SpatialLines\(\)](#), [gg.SpatialPixels\(\)](#), [gg.SpatialPoints\(\)](#), [gg.SpatialPolygons\(\)](#), [gg.sf\(\)](#), [gg\(\)](#), [gm\(\)](#)

Examples

```

if (require(ggplot2, quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp")) {
  # Load Gorilla data

  data("gorillas", package = "inlabru")

  # Plot Gorilla elevation covariate provided as SpatialPixelsDataFrame.
  # The same syntax applies to SpatialGridDataFrame objects.

  ggplot() +
    gg(gorillas$gcov$elevation)

  # Add Gorilla survey boundary and nest sightings

  ggplot() +
    gg(gorillas$gcov$elevation) +
    gg(gorillas$boundary) +
    gg(gorillas$neests)

  # Load pantropical dolphin data

  data("mexdolphins", package = "inlabru")

  # Plot the pantropical survey boundary, ship transects and dolphin sightings

  ggplot() +
    gg(mexdolphins$ppoly) + # survey boundary as SpatialPolygon
    gg(mexdolphins$samplers) + # ship transects as SpatialLines
    gg(mexdolphins$points) # dolphin sightings as SpatialPoints

  # Change color

  ggplot() +
    gg(mexdolphins$ppoly, color = "green") + # survey boundary as SpatialPolygon
    gg(mexdolphins$samplers, color = "red") + # ship transects as SpatialLines
    gg(mexdolphins$points, color = "blue") # dolphin sightings as SpatialPoints

  # Visualize data annotations: line width by segment number

  names(mexdolphins$samplers) # 'seg' holds the segment number
  ggplot() +
    gg(mexdolphins$samplers, aes(color = seg))

  # Visualize data annotations: point size by dolphin group size

  names(mexdolphins$points) # 'size' holds the group size
  ggplot() +

```

```

    gg(mexdolphins$points, aes(size = size))
  }

```

gg.SpatialPoints *Geom for SpatialPoints objects*

Description

This function coerces the `SpatialPoints` into a `data.frame` and uses `geom_point` to plot the points. Requires the `ggplot2` package.

Usage

```

## S3 method for class 'SpatialPoints'
gg(data, mapping = NULL, crs = NULL, ...)

```

Arguments

<code>data</code>	A <code>SpatialPoints</code> object.
<code>mapping</code>	Aesthetic mappings created by <code>aes</code> used to update the default mapping. The default mapping is <code>ggplot2::aes(x = .data[[coordnames(data)[1]], y = .data[[coordnames(data)[2]]])</code> .
<code>crs</code>	A CRS object defining the coordinate system to project the data to before plotting.
<code>...</code>	Arguments passed on to <code>geom_point</code> .

Value

A `geom_point` return value

See Also

Other geomes for spatial data: [gg.SpatRaster\(\)](#), [gg.SpatialGridDataFrame\(\)](#), [gg.SpatialLines\(\)](#), [gg.SpatialPixelsDataFrame\(\)](#), [gg.SpatialPixels\(\)](#), [gg.SpatialPolygons\(\)](#), [gg.sf\(\)](#), [gg\(\)](#), [gm\(\)](#)

Examples

```

if (require(ggplot2, quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp")) {
  # Load Gorilla data

  data("gorillas", package = "inlabru")

```

```

# Plot Gorilla elevation covariate provided as SpatialPixelsDataFrame.
# The same syntax applies to SpatialGridDataFrame objects.

ggplot() +
  gg(gorillas$gcov$elevation)

# Add Gorilla survey boundary and nest sightings

ggplot() +
  gg(gorillas$gcov$elevation) +
  gg(gorillas$boundary) +
  gg(gorillas$neests)

# Load pantropical dolphin data

data("mexdolphins", package = "inlabru")

# Plot the pantropical survey boundary, ship transects and dolphin sightings

ggplot() +
  gg(mexdolphins$ppoly) + # survey boundary as SpatialPolygon
  gg(mexdolphins$samplers) + # ship transects as SpatialLines
  gg(mexdolphins$points) # dolphin sightings as SpatialPoints

# Change color

ggplot() +
  gg(mexdolphins$ppoly, color = "green") + # survey boundary as SpatialPolygon
  gg(mexdolphins$samplers, color = "red") + # ship transects as SpatialLines
  gg(mexdolphins$points, color = "blue") # dolphin sightings as SpatialPoints

# Visualize data annotations: line width by segment number

names(mexdolphins$samplers) # 'seg' holds the segment number
ggplot() +
  gg(mexdolphins$samplers, aes(color = seg))

# Visualize data annotations: point size by dolphin group size

names(mexdolphins$points) # 'size' holds the group size
ggplot() +
  gg(mexdolphins$points, aes(size = size))
}

```

Description

Uses the `ggplot2::fortify()` function to turn the `SpatialPolygons` objects into a `data.frame`. Then calls `geom_polygon` to plot the polygons. Requires the `ggplot2` package.

Usage

```
## S3 method for class 'SpatialPolygons'
gg(data, mapping = NULL, crs = NULL, ...)
```

Arguments

<code>data</code>	A <code>SpatialPolygons</code> or <code>SpatialPolygonsDataFrame</code> object.
<code>mapping</code>	Aesthetic mappings created by <code>aes</code> used to update the default mapping. The default mapping is <code>ggplot2::aes(x = long, y = lat, group = group)</code> .
<code>crs</code>	A CRS object defining the coordinate system to project the data to before plotting.
<code>...</code>	Arguments passed on to <code>geom_polypath</code> . Unless specified by the user, the arguments <code>colour = "black"</code> (polygon colour) and <code>alpha = 0.2</code> (Alpha level for polygon filling).

Details

Requires the `ggpolypath` package to ensure proper plotting, since the `ggplot::geom_polygon` function doesn't always handle geometries with holes properly.

Value

A `ggpolypath::geom_polypath` object.

See Also

Other geomes for spatial data: [gg.SpatRaster\(\)](#), [gg.SpatialGridDataFrame\(\)](#), [gg.SpatialLines\(\)](#), [gg.SpatialPixelsDataFrame\(\)](#), [gg.SpatialPixels\(\)](#), [gg.SpatialPoints\(\)](#), [gg.sf\(\)](#), [gg\(\)](#), [gm\(\)](#)

Examples

```
if (require(ggplot2, quietly = TRUE) &&
    require(ggpolyth, quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp")) {
  # Load Gorilla data

  data("gorillas", package = "inlabru")

  # Plot Gorilla elevation covariate provided as SpatialPixelsDataFrame.
  # The same syntax applies to SpatialGridDataFrame objects.

  ggplot() +
```

```

    gg(gorillas$gcov$elevation)

# Add Gorilla survey boundary and nest sightings

ggplot() +
  gg(gorillas$gcov$elevation) +
  gg(gorillas$boundary) +
  gg(gorillas$neests)

# Load pantropical dolphin data

data("mexdolphins", package = "inlabru")

# Plot the pantropical survey boundary, ship transects and dolphin sightings

ggplot() +
  gg(mexdolphins$ppoly) + # survey boundary as SpatialPolygon
  gg(mexdolphins$samplers) + # ship transects as SpatialLines
  gg(mexdolphins$points) # dolphin sightings as SpatialPoints

# Change color

ggplot() +
  gg(mexdolphins$ppoly, color = "green") + # survey boundary as SpatialPolygon
  gg(mexdolphins$samplers, color = "red") + # ship transects as SpatialLines
  gg(mexdolphins$points, color = "blue") # dolphin sightings as SpatialPoints

# Visualize data annotations: line width by segment number

names(mexdolphins$samplers) # 'seg' holds the segment number
ggplot() +
  gg(mexdolphins$samplers, aes(color = seg))

# Visualize data annotations: point size by dolphin group size

names(mexdolphins$points) # 'size' holds the group size
ggplot() +
  gg(mexdolphins$points, aes(size = size))
}

```

 gg.SpatRaster

Geom wrapper for SpatRaster objects

Description

Convenience wrapper function for `tidyterra::geom_spatraster()`. Requires the `ggplot2` and `tidyterra` packages.

Usage

```
## S3 method for class 'SpatRaster'
gg(data, ...)
```

Arguments

`data` A `SpatRaster` object.
`...` Arguments passed on to `geom_spatraster`.

Value

The output from `'geom_spatraster'`.

See Also

Other geomes for spatial data: [gg.SpatialGridDataFrame\(\)](#), [gg.SpatialLines\(\)](#), [gg.SpatialPixelsDataFrame\(\)](#), [gg.SpatialPixels\(\)](#), [gg.SpatialPoints\(\)](#), [gg.SpatialPolygons\(\)](#), [gg.sf\(\)](#), [gg\(\)](#), [gm\(\)](#)

globe	<i>Visualize a globe using RGL</i>
-------	------------------------------------

Description

Creates a textured sphere and lon/lat coordinate annotations. This function requires the `rgl` and `sphereplot` packages.

Usage

```
globe(
  R = 1,
  R.grid = 1.05,
  specular = "black",
  axes = FALSE,
  box = FALSE,
  xlab = "",
  ylab = "",
  zlab = ""
)
```

Arguments

`R` Radius of the globe
`R.grid` Radius of the annotation sphere.
`specular` Light color of specular effect.
`axes` If TRUE, plot x, y and z axes.
`box` If TRUE, plot a box around the globe.
`xlab, ylab, zlab` Axes labels

Value

No value, used for plotting side effect.

See Also

Other inlabru RGL tools: [glplot\(\)](#)

Examples

```
if (interactive() &&
    require("rgl", quietly = TRUE) &&
    require("sphereplot", quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp")) {
  # Show the globe
  globe()

  # Load pantropoical dolphin data
  data("mexdolphins", package = "inlabru")

  # Add mesh, ship transects and dolphin sightings stored
  # as inla.mesh, SpatialLines and SpatialPoints objects, respectively

  glplot(mexdolphins$mesh, alpha = 0.2)
  glplot(mexdolphins$samplers, lwd = 5)
  glplot(mexdolphins$points, size = 10)
}
```

glplot

Render objects using RGL

Description

`glplot()` is a generic function for renders various kinds of spatial objects, i.e. `Spatial*` data and `fm_mesh_2d` objects. The function invokes particular methods which depend on the class of the first argument.

Usage

```
glplot(object, ...)
```

S3 method for class 'SpatialPoints'

```
glplot(object, add = TRUE, color = "red", ...)
```

S3 method for class 'SpatialLines'

```
glplot(object, add = TRUE, ...)
```



```
## S3 method for class 'fm_mesh_2d'
glplot(object, add = TRUE, col = NULL, ...)

## S3 method for class 'inla.mesh'
glplot(object, add = TRUE, col = NULL, ...)
```

Arguments

object	an object used to select a method.
...	Parameters passed on to <code>plot_rgl.fm_mesh_2d()</code>
add	If TRUE, add the points to an existing plot. If FALSE, create new plot.
color	vector of R color characters. See <code>material3d()</code> for details.
col	Color specification. A single named color, a vector of scalar values, or a matrix of RGB values.

Methods (by class)

- `glplot(SpatialPoints)`: This function will calculate the cartesian coordinates of the points provided and use `points3d()` in order to render them.
- `glplot(SpatialLines)`: This function will calculate a cartesian representation of the lines provided and use `lines3d()` in order to render them.
- `glplot(fm_mesh_2d)`: This function transforms the mesh to 3D cartesian coordinates and uses `inla.plot.mesh()` with `rgl=TRUE` to plot the result.

See Also

Other inlabru RGL tools: [globe\(\)](#)
 Other inlabru RGL tools: [globe\(\)](#)
 Other inlabru RGL tools: [globe\(\)](#)
 Other inlabru RGL tools: [globe\(\)](#)

Examples

```
if (interactive() &&
    require("rgl", quietly = TRUE) &&
    require("sphereplot", quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp")) {
  # Show the globe
  globe()

  # Load pantropoical dolphin data
  data("mexdolphins", package = "inlabru")

  # Add mesh, ship transects and dolphin sightings stored
  # as inla.mesh, SpatialLines and SpatialPoints objects, respectively
```

```
glplot(mexdolphins$mesh, alpha = 0.2)
glplot(mexdolphins$samplers, lwd = 5)
glplot(mexdolphins$points, size = 10)
}
```

gm

ggplot geom for spatial data

Description

gm is a wrapper for the [gg](#) method. It will take the first argument and transform its coordinate system to latitude and longitude. Thereafter, [gg](#) is called using the transformed data and the arguments provided via `...`. gm is intended to replace gg whenever the data is supposed to be plotted over a spatial map generated by [gmap](#), which only works if the coordinate system is latitude/longitude.

Usage

```
gm(data, ...)
```

Arguments

data	an object for which to generate a geom.
...	Arguments passed on to gg() .

Value

The form of the value returned by gm depends on the class of its argument. See the documentation of the particular methods for details of what is produced by that method.

See Also

Other geomes for inla and inlabru predictions: [gg.bru_prediction\(\)](#), [gg.data.frame\(\)](#), [gg.matrix\(\)](#), [gg\(\)](#)

Other geomes for spatial data: [gg.SpatRaster\(\)](#), [gg.SpatialGridDataFrame\(\)](#), [gg.SpatialLines\(\)](#), [gg.SpatialPixelsDataFrame\(\)](#), [gg.SpatialPixels\(\)](#), [gg.SpatialPoints\(\)](#), [gg.SpatialPolygons\(\)](#), [gg.sf\(\)](#), [gg\(\)](#)

Other geomes for meshes: [gg.inla.mesh.1d\(\)](#), [gg.inla.mesh\(\)](#), [gg\(\)](#)

Other geomes for Raster data: [gg.RasterLayer\(\)](#), [gg\(\)](#)

Examples

```
## Not run:
if (require("ggplot2", quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE)) {
  # Load the Gorilla data
  data(gorillas, package = "inlabru")

  # Create a base map centered around the nests and plot the boundary as well as the nests
  gmap(gorillas$nests, maptype = "satellite") +
    gm(gorillas$boundary) +
    gm(gorillas$nests, color = "white", size = 0.5)
}

## End(Not run)
```

gmap

Plot a map using extent of a spatial object

Description

Uses `get_map()` to query map services like Google Maps for a region centered around the spatial object provided. Then calls `ggmap()` to plot the map.

Usage

```
gmap(data, ...)
```

Arguments

data	A Spatial* object.
...	Arguments passed on to <code>get_map()</code> .

Details

This function requires the `ggmap` package.

Value

a `ggplot` object

Examples

```
## Not run:
if (require("ggplot2", quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE)) {
  # Load the Gorilla data
  data(gorillas, package = "inlabru")
```

```

# Create a base map centred around the nests and plot the boundary as well
# as the nests
ggplot() +
  gg(gorillas$boundary) +
  gg(gorillas$nests, color = "white", size = 0.5)
if (requireNamespace("ggmap", quietly = TRUE)) {
  gmap(gorillas$nests, matype = "satellite") +
  gm(gorillas$boundary) +
  gm(gorillas$nests, color = "white", size = 0.5)
}
}

## End(Not run)

```

gorillas

Gorilla nesting sites

Description

This is the gorillas dataset from the package `spatstat.data`, reformatted as point process data for use with `inlabru`.

Usage

```

gorillas
# To avoid the name clash with spatstat.data::gorillas, use
data(gorillas, package = "inlabru")

```

Format

The data are a list that contains these elements:

nests: A `SpatialPointsDataFrame` object containing the locations of the gorilla nests.

boundary: An `SpatialPolygonsDataFrame` object defining the boundary of the region that was searched for the nests.

mesh: An `inla.mesh` object containing a mesh that can be used with function `lgcp` to fit a LGCP to the nest data.

gcov: A list of `SpatialGridDataFrame` objects, one for each of these spatial covariates:

aspect Compass direction of the terrain slope. Categorical, with levels N, NE, E, SE, S, SW, W and NW, which are coded as integers 1 to 8.

elevation Digital elevation of terrain, in metres.

heat Heat Load Index at each point on the surface (Beer's aspect), discretised. Categorical with values Warmest (Beer's aspect between 0 and 0.999), Moderate (Beer's aspect between 1 and 1.999), Coolest (Beer's aspect equals 2). These are coded as integers 1, 2 and 3, in that order.

slopangle Terrain slope, in degrees.

sloptype Type of slope. Categorical, with values Valley, Toe (toe slope), Flat, Midslope, Upper and Ridge. These are coded as integers 1 to 6.

vegetation Vegetation type: a categorical variable with 6 levels coded as integers 1 to 6 (in order of increasing expected habitat suitability)

waterdist Euclidean distance from nearest water body, in metres.

plotsample Plot sample of gorilla nests, sampling 9x9 over the region, with 60\

counts A SpatialPointsDataFrame frame with elements x, y, count, exposure, being the x- and y-coordinates of the centre of each plot, the count in each plot and the area of each plot.

plots A SpatialPolygonsDataFrame defining the individual plot boundaries.

nests A SpatialPointsDataFrame giving the locations of each detected nest.

Source

Library spatstat.data.

References

Funwi-Gabga, N. (2008) A pastoralist survey and fire impact assessment in the Kagwene Gorilla Sanctuary, Cameroon. M.Sc. thesis, Geology and Environmental Science, University of Buea, Cameroon.

Funwi-Gabga, N. and Mateu, J. (2012) Understanding the nesting spatial behaviour of gorillas in the Kagwene Sanctuary, Cameroon. Stochastic Environmental Research and Risk Assessment 26 (6), 793-811.

Examples

```
if (bru_safe_inla() &&
    bru_safe_sp() &&
    require("sp") &&
    require(ggplot2, quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE)) {
  data(gorillas, package = "inlabru") # get the data

  # plot all the nests, mesh and boundary
  ggplot() +
    gg(gorillas$mesh) +
    gg(gorillas$boundary) +
    gg(gorillas$nests)

  # Plot the elevation covariate
  plot(gorillas$gcov$elevation)

  # Plot the plot sample
  ggplot() +
    gg(gorillas$plotsample$plots) +
    gg(gorillas$plotsample$nests)
}
```

gorillas_sf *Gorilla nesting sites in sf format*

Description

This is the gorillas dataset from the package spatstat.data, reformatted as point process data for use with inlabru.

Usage

```
gorillas_sf
data(gorillas_sf, package = "inlabru")

gorillas_sf_gcov()
```

Format

The data are a list that contains these elements:

nests: An sf object containing the locations of the gorilla nests.

boundary: An sf object defining the boundary of the region that was searched for the nests.

mesh: An fm_mesh_2d object containing a mesh that can be used with function lgcp to fit a LGCP to the nest data.

gcov_file: The in-package filename of a terra::SpatRaster object, with one layer for each of these spatial covariates:

aspect Compass direction of the terrain slope. Categorical, with levels N, NE, E, SE, S, SW, W and NW, which are coded as integers 1 to 8.

elevation Digital elevation of terrain, in metres.

heat Heat Load Index at each point on the surface (Beer's aspect), discretised. Categorical with values Warmest (Beer's aspect between 0 and 0.999), Moderate (Beer's aspect between 1 and 1.999), Coolest (Beer's aspect equals 2). These are coded as integers 1, 2 and 3, in that order.

slopangle Terrain slope, in degrees.

sloptype Type of slope. Categorical, with values Valley, Toe (toe slope), Flat, Midslope, Upper and Ridge. These are coded as integers 1 to 6.

vegetation Vegetation type: a categorical variable with 6 levels coded as integers 1 to 6 (in order of increasing expected habitat suitability)

waterdist Euclidean distance from nearest water body, in metres.

Loading of the covariates can be done with gorillas_sf_gcov() or

```
gorillas_sf$gcov <- terra::rast(
  system.file(gorillas_sf$gcov_file, package = "inlabru")
)
```

plotsample Plot sample of gorilla nests, sampling 9x9 over the region, with 60\

counts A SpatialPointsDataFrame frame with elements x, y, count, exposure, being the x- and y-coordinates of the centre of each plot, the count in each plot and the area of each plot.

plots A SpatialPolygonsDataFrame defining the individual plot boundaries.

nests A SpatialPointsDataFrame giving the locations of each detected nest.

Functions

- `gorillas_sf_gcov()`: Access the `gorillas_sf` covariates data as a `terra::rast()` object.

Source

Library `spatstat.data`.

References

Funwi-Gabga, N. (2008) A pastoralist survey and fire impact assessment in the Kagwene Gorilla Sanctuary, Cameroon. M.Sc. thesis, Geology and Environmental Science, University of Buea, Cameroon.

Funwi-Gabga, N. and Mateu, J. (2012) Understanding the nesting spatial behaviour of gorillas in the Kagwene Sanctuary, Cameroon. *Stochastic Environmental Research and Risk Assessment* 26 (6), 793-811.

Examples

```
if (interactive() &&
    bru_safe_inla() &&
    bru_safe_sp() &&
    require("sp") &&
    require(ggplot2, quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE) &&
    requireNamespace("terra")) {
  # plot all the nests, mesh and boundary
  ggplot() +
    gg(gorillas_sf$mesh) +
    geom_sf(
      data = gorillas_sf$boundary,
      alpha = 0.1, fill = "blue"
    ) +
    geom_sf(data = gorillas_sf$nests)

  # Plot the elevation covariate
  gorillas_sf$gcov <- terra::rast(
    system.file(gorillas_sf$gcov_file, package = "inlabru")
  )
  plot(gorillas_sf$gcov$elevation)

  # Plot the plot sample
  ggplot() +
    geom_sf(data = gorillas_sf$plotsample$plots) +
    geom_sf(data = gorillas_sf$plotsample$nests)
```

```

}
## Not run:
gorillas_sf$gcov <- gorillas_sf_gcov()

## End(Not run)

```

inla.stack.mjoin *Join stacks intended to be run with different likelihoods*

Description

Join stacks intended to be run with different likelihoods

Usage

```

inla.stack.mjoin(
  ...,
  compress = TRUE,
  remove.unused = TRUE,
  old.names = "BRU.response",
  new.name = "BRU.response"
)

```

Arguments

...	List of stacks that contain vector observations (existing multi-likelihood observation matrices are also permitted)
compress	If TRUE, compress the model by removing duplicated rows of effects, replacing the corresponding A-matrix columns with a single column containing the sum.
remove.unused	If TRUE, compress the model by removing rows of effects corresponding to all-zero columns in the A matrix (and removing those columns).
old.names	A vector of strings with the names of the observation vector/matrix for each stack. If a single string, this is assumed for all the stacks. (default "BRU.response")
new.name	The name to be used for the expanded observation matrix, possibly the same as an old name. (default "BRU.response")

ipoints

*Generate integration points***Description**

[Deprecated] in favour of `fmesher::fm_int()`

This function generates points in one or two dimensions with a weight attached to each point. The weighted sum of a function evaluated at these points is the integral of that function approximated by linear basis functions. The parameter `samplers` describes the area(s) integrated over.

In case of a single dimension `samplers` is supposed to be a two-column matrix where each row describes the start and end points of the interval to integrate over. In the two-dimensional case `samplers` can be either a `SpatialPolygon`, an `inla.mesh` or a `SpatialLinesDataFrame` describing the area to integrate over. If a `SpatialLineDataFrame` is provided, it has to have a column called 'weight' in order to indicate the width of the line.

The domain parameter is an `inla.mesh.1d` or `inla.mesh` object that can be employed to project the integration points to the vertices of the mesh. This reduces the final number of integration points and reduces the computational cost of the integration. The projection can also prevent numerical issues in spatial LGCP models where each observed point is ideally surrounded by three integration point sitting at the corresponding mesh vertices. This is controlled by `int.args$method="stable"` (default) or "direct", where the latter uses the integration points directly, without aggregating to the mesh vertices.

For convenience, the domain parameter can also be a single integer setting the number of equally spaced integration points in the one-dimensional case.

Usage

```
ipoints(
  samplers = NULL,
  domain = NULL,
  name = NULL,
  group = NULL,
  int.args = NULL,
  project = deprecated()
)
```

Arguments

<code>samplers</code>	Description of the integration region boundary. In 1D, a length 2 vector or two-column matrix where each row describes an interval, or NULL. In 2D either a <code>SpatialPolygon</code> or a <code>SpatialLinesDataFrame</code> with a weight column defining the width of the a transect line, and optionally further columns used by the <code>group</code> argument, or NULL. When <code>domain</code> is NULL, <code>samplers</code> may also be an <code>inla.mesh.1d</code> or <code>inla.mesh</code> object, that is then treated as a domain argument instead.
<code>domain</code>	Either

	<ul style="list-style-type: none"> • when <code>samplers</code> is a 1D interval(s) definition only, <code>domain</code> can be a single integer for the number of integration points to place in each 1D interval, overriding <code>int.args[["nsub1"]]</code>, and otherwise • when <code>samplers</code> is NULL, <code>domain</code> can be a numeric vector of points, each given integration weight 1 (and no additional points are added in between), • an <code>inla.mesh.1d</code> object for continuous 1D integration, or • an <code>inla.mesh.2d</code> object for continuous 2D integration.
<code>name</code>	Character array stating the name of the domains dimension(s). If NULL, the names are taken from coordinate names from <code>samplers</code> for <code>Spatial*</code> objects, otherwise "x", "y", "z" for 2D regions and "x" for 1D regions
<code>group</code>	Column names of the <code>samplers</code> object (if applicable) for which the integration points are calculated independently and not merged when aggregating to mesh nodes.
<code>int.args</code>	List of arguments passed to <code>bru_int_polygon</code> . <ul style="list-style-type: none"> • <code>method</code>: "stable" (to aggregate integration weights onto mesh nodes) or "direct" (to construct a within triangle/segment integration scheme without aggregating onto mesh nodes) • <code>nsub1</code>, <code>nsub2</code>: integers controlling the number of internal integration points before aggregation. Points per triangle: $(nsub2+1)^2$. Points per knot segment: <code>nsub1</code> • <code>poly_method</code>: if set to "legacy", selects an old polygon integration method that doesn't handle holes. No longer supported, and will generate an error.
<code>project</code>	[Deprecated] Deprecated in favour of <code>int.args(method=...)</code> . If TRUE, aggregate the integration points to mesh vertices. Default: <code>project = (identical(int.args\$method, "stable"))</code>

Value

A data.frame, tibble, sf, or `SpatialPointsDataFrame` of 1D and 2D integration points, including a weight column and `.block` column.

Author(s)

Fabian E. Bachl <bachlfab@gmail.com> and <finn.lindgren@gmail.com>

Examples

```
if (require("INLA", quietly = TRUE) &&
    require("ggplot2", quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp") &&
    require("fmesher")) {
  # Create 50 integration points covering the dimension 'myDim' between 0 and 10.

  ips <- ipoints(c(0, 10), 50, name = "myDim")
  plot(ips)
```

```

# Create integration points for the two intervals [0,3] and [5,10]

ips <- ipoints(matrix(c(0, 3, 5, 10), nrow = 2, byrow = TRUE), 50)
plot(ips)

# Convert a 1D mesh into integration points
mesh <- fm_mesh_1d(seq(0, 10, by = 1))
ips <- ipoints(mesh, name = "time")
plot(ips)

# Obtain 2D integration points from a SpatialPolygon

data(gorillas, package = "inlabru")
ips <- ipoints(gorillas$boundary)
ggplot() +
  gg(gorillas$boundary) +
  gg(ips, aes(size = weight))

#' Project integration points to mesh vertices

ips <- ipoints(gorillas$boundary, domain = gorillas$mesh)
ggplot() +
  gg(gorillas$mesh) +
  gg(gorillas$boundary) +
  gg(ips, aes(size = weight))

# Turn a 2D mesh into integration points

ips <- ipoints(gorillas$mesh)
ggplot() +
  gg(gorillas$boundary) +
  gg(ips, aes(size = weight))
}

```

Description

This function performs inference on a LGCP observed via points residing possibly multiple dimensions. These dimensions are defined via the left hand side of the formula provided via the model parameter. The left hand side determines the intensity function that is assumed to drive the LGCP.

This may include effects that lead to a thinning (filtering) of the point process. By default, the log intensity is assumed to be a linear combination of the effects defined by the formula's RHS.

More sophisticated models, e.g. non-linear thinning, can be achieved by using the predictor argument. The latter requires multiple runs of INLA for improving the required approximation of the predictor. In many applications the LGCP is only observed through subsets of the dimensions the process is living in. For example, spatial point realizations may only be known in sub-areas of the modelled space. These observed subsets of the LGCP domain are called samplers and can be provided via the respective parameter. If samplers is NULL it is assumed that all of the LGCP's dimensions have been observed completely.

Usage

```
lgcp(
  components,
  data,
  samplers = NULL,
  domain = NULL,
  ips = NULL,
  formula = . ~ .,
  ...,
  options = list(),
  .envir = parent.frame()
)
```

Arguments

components	A formula describing the latent components
data	A data frame or <code>SpatialPoints(DataFrame)</code> object
samplers	A data frame or <code>Spatial[Points/Lines/Polygons]DataFrame</code> objects
domain	Named list of domain definitions
ips	Integration points (overrides samplers)
formula	If NULL, the linear combination implied by the components is used as a predictor for the point location intensity. If a (possibly non-linear) expression is provided the respective Taylor approximation is used as a predictor. Multiple runs of INLA are then required for a better approximation of the posterior.
...	Further arguments passed on to <code>like()</code> . In particular, optional E, a single numeric used rescale all integration weights by a fixed factor.
options	See <code>bru_options_set()</code>
.envir	The evaluation environment to use for special arguments (E, Ntrials, and weights) if not found in <code>response_data</code> or <code>data</code> . Defaults to the calling environment.

Value

An `bru()` object

Examples

```

if (bru_safe_inla() &&
    require(ggplot2, quietly = TRUE) &&
    require(fmesher, quietly = TRUE)) {
  # Load the Gorilla data
  data <- gorillas_sf

  # Plot the Gorilla nests, the mesh and the survey boundary
  ggplot() +
    geom_fm(data = data$mesh) +
    gg(data$boundary, fill = "blue", alpha = 0.2) +
    gg(data$nests, col = "red", alpha = 0.2)

  # Define SPDE prior
  matern <- INLA::inla.spde2.pcmatern(
    data$mesh,
    prior.sigma = c(0.1, 0.01),
    prior.range = c(0.1, 0.01)
  )

  # Define domain of the LGCP as well as the model components (spatial SPDE
  # effect and Intercept)
  cmp <- geometry ~ field(geometry, model = matern) + Intercept(1)

  # Fit the model (with int.strategy="eb" to make the example take less time)
  fit <- lgcp(cmp, data$nests,
    samplers = data$boundary,
    domain = list(geometry = data$mesh),
    options = list(control.inla = list(int.strategy = "eb"))
  )

  # Predict the spatial intensity surface
  lambda <- predict(
    fit,
    fm_pixels(data$mesh, mask = data$boundary),
    ~ exp(field + Intercept)
  )

  # Plot the intensity
  ggplot() +
    gg(lambda, geom = "tile") +
    geom_fm(data = data$mesh, alpha = 0, linewidth = 0.05) +
    gg(data$nests, col = "red", alpha = 0.2)
}

```

Description

Observation model construction for usage with `bru()`

Usage

```
like(  
  formula = . ~ .,  
  family = "gaussian",  
  data = NULL,  
  response_data = NULL,  
  mesh = deprecated(),  
  E = NULL,  
  Ntrials = NULL,  
  weights = NULL,  
  samplers = NULL,  
  ips = NULL,  
  domain = NULL,  
  include = NULL,  
  exclude = NULL,  
  include_latent = NULL,  
  used = NULL,  
  allow_latent = deprecated(),  
  allow_combine = NULL,  
  control.family = NULL,  
  options = list(),  
  .envir = parent.frame()  
)  
  
like_list(...)  
  
## S3 method for class 'list'  
like_list(object, envir = NULL, ...)  
  
## S3 method for class 'bru_like'  
like_list(..., envir = NULL)  
  
## S3 method for class 'bru_like'  
c(..., envir = NULL)  
  
## S3 method for class 'bru_like_list'  
c(..., envir = NULL)  
  
## S3 method for class 'bru_like_list'  
x[i]
```

Arguments

formula	a formula where the right hand side is a general R expression defines the predictor used in the model.
family	A string identifying a valid INLA: : inla likelihood family. The default is gaussian with identity link. In addition to the likelihoods provided by inla (see <code>names(INLA::inla.models())\$lik</code>), inlabru supports fitting latent Gaussian Cox processes via <code>family = "cp"</code> . As an alternative to <code>bru()</code> , the <code>lgcp()</code> function provides a convenient interface to fitting Cox processes.
data	Likelihood-specific data, as a <code>data.frame</code> or <code>SpatialPoints[DataFrame]</code> object.
response_data	Likelihood-specific data for models that need different size/format for inputs and response variables, as a <code>data.frame</code> or <code>SpatialPoints[DataFrame]</code> object.
mesh	Deprecated.
E	Exposure parameter for family = 'poisson' passed on to <code>INLA::inla</code> . Special case if family is 'cp': rescale all integration weights by E. Default taken from <code>options\$E</code> , normally 1.
Ntrials	A vector containing the number of trials for the 'binomial' likelihood. Default taken from <code>options\$Ntrials</code> , normally 1.
weights	Fixed (optional) weights parameters of the likelihood, so the <code>log-likelihood[i]</code> is changed into <code>weights[i] * log-likelihood[i]</code> . Default value is 1. WARNING: The normalizing constant for the likelihood is NOT recomputed, so ALL marginals (and the marginal likelihood) must be interpreted with great care.
samplers	Integration domain for 'cp' family.
ips	Integration points for 'cp' family. Overrides <code>samplers</code> .
domain	Named list of domain definitions.
include	Character vector of component labels that are used as effects by the predictor expression; Default: the result of <code>[all.vars()]</code> on the predictor expression, unless the expression is not ".", in which case <code>include=NULL</code> , to include all components that are not explicitly excluded. The <code>bru_used()</code> methods are used to extract the variable names, followed by removal of non-component names when the components are available.
exclude	Character vector of component labels that are not used by the predictor expression. The exclusion list is applied to the list as determined by the <code>include</code> parameter; Default: <code>NULL</code> (do not remove any components from the inclusion list)
include_latent	character vector. Specifies which the latent state variables are directly available to the predictor expression, with a <code>_latent</code> suffix. This also makes evaluator functions with suffix <code>_eval</code> available, taking parameters <code>main</code> , <code>group</code> , and <code>replicate</code> , taking values for where to evaluate the component effect that are different than those defined in the component definition itself (see <code>component_eval()</code>). Default <code>NULL</code> auto-detects use of <code>_latent</code> and <code>_eval</code> in the predictor expression.
used	Either <code>NULL</code> or a <code>bru_used()</code> object, overriding <code>include</code> , <code>exclude</code> , and <code>include_latent</code> .
allow_latent	[Deprecated] logical, deprecated. Use <code>include_latent</code> instead.

<code>allow_combine</code>	logical; If TRUE, the predictor expression may involve several rows of the input data to influence the same row. Default FALSE, but forced to TRUE if <code>response_data</code> is non-NULL, <code>data</code> is a list, or the likelihood construction requires it.
<code>control.family</code>	A optional list of <code>INLA::control.family</code> options
<code>options</code>	A <code>bru_options</code> options object or a list of options passed on to <code>bru_options()</code>
<code>.envir</code>	The evaluation environment to use for special arguments (E, Ntrials, and weights) if not found in <code>response_data</code> or <code>data</code> . Defaults to the calling environment.
<code>...</code>	For <code>like_list.bru_like</code> , one or more <code>bru_like</code> objects
<code>object</code>	A list of <code>bru_like</code> objects
<code>envir</code>	An optional environment for the new <code>bru_like_list</code> object
<code>x</code>	<code>bru_like_list</code> object from which to extract element(s)
<code>i</code>	indices specifying elements to extract

Value

A likelihood configuration which can be used to parameterise `bru()`.

Functions

- `like_list()`: Combine `bru_like` likelihoods into a `bru_like_list` object
- `like_list(list)`: Combine a list of `bru_like` likelihoods into a `bru_like_list` object
- `like_list(bru_like)`: Combine several `bru_like` likelihoods into a `bru_like_list` object
- `c(bru_like)`: Combine several `bru_like` likelihoods and/or `bru_like_list` objects into a `bru_like_list` object
- `c(bru_like_list)`: Combine several `bru_like` likelihoods and/or `bru_like_list` objects into a `bru_like_list` object

Author(s)

Fabian E. Bachl <bachlfab@gmail.com>

Finn Lindgren <finn.lindgren@gmail.com>

Examples

```
if (bru_safe_inla() &&
    require(ggplot2, quietly = TRUE)) {

  # The like function's main purpose is to set up models with multiple likelihoods.
  # The following example generates some random covariates which are observed through
  # two different random effect models with different likelihoods

  # Generate the data

  set.seed(123)
```



```

n1 <- 200
n2 <- 10

x1 <- runif(n1)
x2 <- runif(n2)
z2 <- runif(n2)

y1 <- rnorm(n1, mean = 2 * x1 + 3)
y2 <- rpois(n2, lambda = exp(2 * x2 + z2 + 3))

df1 <- data.frame(y = y1, x = x1)
df2 <- data.frame(y = y2, x = x2, z = z2)

# Single likelihood models and inference using bru are done via

cmp1 <- y ~ -1 + Intercept(1) + x
fit1 <- bru(cmp1, family = "gaussian", data = df1)
summary(fit1)

cmp2 <- y ~ -1 + Intercept(1) + x + z
fit2 <- bru(cmp2, family = "poisson", data = df2)
summary(fit2)

# A joint model has two likelihoods, which are set up using the like function

lik1 <- like("gaussian", formula = y ~ x + Intercept, data = df1)
lik2 <- like("poisson", formula = y ~ x + z + Intercept, data = df2)

# The union of effects of both models gives the components needed to run bru

jcmp <- ~ x + z + Intercept(1)
jfit <- bru(jcmp, lik1, lik2)

# Compare the estimates

p1 <- ggplot() +
  gg(fit1$summary.fixed, bar = TRUE) +
  ylim(0, 4) +
  ggtitle("Model 1")
p2 <- ggplot() +
  gg(fit2$summary.fixed, bar = TRUE) +
  ylim(0, 4) +
  ggtitle("Model 2")
pj <- ggplot() +
  gg(jfit$summary.fixed, bar = TRUE) +
  ylim(0, 4) +
  ggtitle("Joint model")

multiplot(p1, p2, pj)
}

```

`mexdolphins`*Pan-tropical spotted dolphins in the Gulf of Mexico*

Description

This is a version of the `mexdolphins` dataset from the package `dsm`, reformatted as point process data for use with `inlabru`. The data are from a combination of several NOAA shipboard surveys conducted on pan-tropical spotted dolphins in the Gulf of Mexico. 47 observations of groups of dolphins were detected. The group size was recorded, as well as the Beaufort sea state at the time of the observation. Transect width is 16 km, i.e. maximal detection distance 8 km (transect half-width 8 km).

Usage

`mexdolphins`

Format

A list of objects:

`points`: A `SpatialPointsDataFrame` object containing the locations of detected dolphin groups, with their size as an attribute.

`samplers`: A `SpatialLinesDataFrame` object containing the transect lines that were surveyed.

`mesh`: An `inla.mesh` object containing a Delaunay triangulation mesh (a type of discretization of continuous space) covering the survey region.

`ppoly`: A `SpatialPolygonsDataFrame` object defining the boundary of the survey region.

`simulated`: A `SpatialPointsDataFrame` object containing the locations of a *simulated* population of dolphin groups. The population was simulated from a `inlabru` model fitted to the actual survey data. Note that the simulated data do not have any associated size information.

Source

Library `dsm`.

References

Halpin, P.N., A.J. Read, E. Fujioka, B.D. Best, B. Donnelly, L.J. Hazen, C. Kot, K. Urian, E. LaBrecque, A. Dimatteo, J. Cleary, C. Good, L.B. Crowder, and K.D. Hyrenbach. 2009. OBIS-SEAMAP: The world data center for marine mammal, sea bird, and sea turtle distributions. *Oceanography* 22(2):104-115

NOAA Southeast Fisheries Science Center. 1996. Report of a Cetacean Survey of Oceanic and Selected Continental Shelf Waters of the Northern Gulf of Mexico aboard NOAA Ship Oregon II (Cruise 220)

Examples

```

if (bru_safe_inla(quietly = TRUE) &&
  require("ggplot2", quietly = TRUE) &&
  require("ggpolypath", quietly = TRUE)) {
  data(mexdolphins, package = "inlabru")
  ggplot() +
    gg(mexdolphins$mesh) +
    gg(mexdolphins$ppoly, color = "blue") +
    gg(mexdolphins$samplers) +
    gg(mexdolphins$points, aes(size = size), color = "red") +
    coord_equal()

  ggplot() +
    gg(mexdolphins$mesh, col = mexdolphins$lambda, mask = mexdolphins$ppoly) +
    coord_equal()
}

## Not run:
if (requireNamespace("ggmap", quietly = TRUE) &&
  require("ggplot2", quietly = TRUE) &&
  require("ggpolypath", quietly = TRUE)) {
  gmap(mexdolphins$depth) +
    gm(mexdolphins$ppoly, color = "blue") +
    gm(mexdolphins$samplers) +
    gm(mexdolphins$points, aes(size = size), color = "red")

  gmap(mexdolphins$depth) +
    gm(mexdolphins$depth, aes(col = depth)) +
    gm(mexdolphins$ppoly)
}

## End(Not run)

```

mexdolphins_sf

Pan-tropical spotted dolphins in the Gulf of Mexico

Description

This is a version of the mexdolphins dataset from the package *dsm*, reformatted as point process data for use with *inlabru*, with the parts stored in *sf* format. The data are from a combination of several NOAA shipboard surveys conducted on pan-tropical spotted dolphins in the Gulf of Mexico. 47 observations of groups of dolphins were detected. The group size was recorded, as well as the Beaufort sea state at the time of the observation. Transect width is 16 km, i.e. maximal detection distance 8 km (transect half-width 8 km).

Usage

```
mexdolphins_sf
```

Format

A list of objects:

points: An *sf* object containing the locations of detected dolphin groups, with their size as an attribute.

samplers: An *sf* object containing the transect lines that were surveyed.

mesh: An *fm_mesh_2d* object containing a Delaunay triangulation mesh (a type of discretization of continuous space) covering the survey region.

ppoly: An *sf* object defining the boundary of the survey region.

simulated: A *sf* object containing the locations of a *simulated* population of dolphin groups. The population was simulated from a *inlabru* model fitted to the actual survey data. Note that the simulated data do not have any associated size information.

Source

Library *dsm*.

References

Halpin, P.N., A.J. Read, E. Fujioka, B.D. Best, B. Donnelly, L.J. Hazen, C. Kot, K. Urian, E. LaBrecque, A. Dimatteo, J. Cleary, C. Good, L.B. Crowder, and K.D. Hyrenbach. 2009. OBIS-SEAMAP: The world data center for marine mammal, sea bird, and sea turtle distributions. *Oceanography* 22(2):104-115

NOAA Southeast Fisheries Science Center. 1996. Report of a Cetacean Survey of Oceanic and Selected Continental Shelf Waters of the Northern Gulf of Mexico aboard NOAA Ship Oregon II (Cruise 220)

Examples

```
if (require("ggplot2", quietly = TRUE) &&
    require("ggpolypath", quietly = TRUE)) {
  data(mexdolphinsf, package = "inlabru")
  ggplot() +
    gg(mexdolphinsf$mesh) +
    gg(mexdolphinsf$ppoly, color = "blue", alpha = 0, linewidth = 1) +
    gg(mexdolphinsf$samplers) +
    gg(mexdolphinsf$points, aes(size = size), color = "red") +
    scale_size_area()

  ggplot() +
    gg(mexdolphinsf$mesh, color = mexdolphinsf$lambda, mask = mexdolphinsf$ppoly)
}

## Not run:
if (requireNamespace("ggmap", quietly = TRUE) &&
    require("ggplot2", quietly = TRUE) &&
    require("ggpolypath", quietly = TRUE)) {
  gmap(mexdolphins$depth) +
```

```
gm(mexdolphins$ppoly, color = "blue") +
gm(mexdolphins$samplers) +
gm(mexdolphins$points, aes(size = size), color = "red")

gmap(mexdolphins$depth) +
gm(mexdolphins$depth, aes(col = depth)) +
gm(mexdolphins$ppoly)
}

## End(Not run)
```

mrsea

Marine renewables strategic environmental assessment

Description

Data imported from package MRSea, see <https://www.creem.st-andrews.ac.uk/software/>

Usage

```
mrsea
```

Format

A list of objects:

points: A SpatialPointsDataFrame object containing the locations of XXXXX.

samplers: A SpatialLinesDataFrame object containing the transect lines that were surveyed.

mesh: An inla.mesh object containing a Delaunay triangulation mesh (a type of discretization of continuous space) covering the survey region.

boundary: An SpatialPolygonsDataFrame object defining the boundary of the survey region.

covar: An SpatialPointsDataFrame containing sea depth estimates.

Source

Library MRSea.

References

NONE YET

Examples

```

if (bru_safe_inla() &&
    require(ggplot2, quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE)) {
  ggplot() +
    gg(mrsea$mesh) +
    gg(mrsea$samplers) +
    gg(mrsea$points) +
    gg(mrsea$boundary)
}

```

multiplot

Multiple ggplots on a page.

Description

Renders multiple ggplots on a single page.

Usage

```
multiplot(..., plotlist = NULL, cols = 1, layout = NULL)
```

Arguments

...	Comma-separated ggplot objects.
plotlist	A list of ggplot objects - an alternative to the comma-separated argument above.
cols	Number of columns of plots on the page.
layout	A matrix specifying the layout. If present, 'cols' is ignored. If the layout is something like <code>matrix(c(1,2,3,3), nrow=2, byrow=TRUE)</code> , then plot 1 will go in the upper left, 2 will go in the upper right, and 3 will go all the way across the bottom.

Author(s)

David L. Borchers <dlb@st-andrews.ac.uk>

Source

[http://www.cookbook-r.com/Graphs/Multiple_graphs_on_one_page_\(ggplot2\)/](http://www.cookbook-r.com/Graphs/Multiple_graphs_on_one_page_(ggplot2)/)

Examples

```

if (require("ggplot2", quietly = TRUE)) {
  df <- data.frame(x = 1:10, y = 1:10, z = 11:20)
  p1 <- ggplot(data = df) +
    geom_line(mapping = aes(x, y), color = "red")
  p2 <- ggplot(data = df) +
    geom_line(mapping = aes(x, z), color = "blue")
}

```

```

  multiplot(p11, p12, cols = 2)
}

```

pixels *Generate SpatialPixels covering an inla.mesh*

Description

[Deprecated] in favour of `fmesher::fm_pixels()`

Generate SpatialPixels covering an inla.mesh.

Usage

```
pixels(mesh, nx = 150, ny = 150, mask = TRUE)
```

Arguments

mesh	An inla.mesh object
nx	Number of pixels in x direction
ny	Number of pixels in y direction
mask	If logical and TRUE, remove pixels that are outside the mesh. If mask is a Spatial object, only return pixels covered by this object.

Value

SpatialPixelsDataFrame covering the mesh

Author(s)

Fabian E. Bachl <bachlfab@gmail.com>

See Also

[fm_pixels\(\)](#)

Examples

```

if (require(ggplot2, quietly = TRUE)) {
  data("mrsea", package = "inlabru")
  pxl <- fm_pixels(
    mrsea$mesh,
    dims = c(50, 50),
    mask = mrsea$boundary,
    format = "sp",
    minimal = TRUE
  )
  ggplot() +

```

```

gg(px1, fill = "blue", alpha = 0.75) +
gg(mrsea$mesh)

px1 <- fm_pixels(
  mrsea$mesh,
  dims = c(50, 50),
  mask = mrsea$boundary,
  format = "sf",
  minimal = TRUE
)
ggplot() +
  gg(px1, geom = "tile", fill = "blue", alpha = 0.75) +
  gg(mrsea$mesh)
}

```

plot.bru

Plot method for posterior marginals estimated by bru

Description

`bru()` uses `INLA::inla()` to fit models. The latter estimates the posterior densities of all random effects in the model. This function serves to access and plot the posterior densities in a convenient way.

Requires the `ggplot2` package.

Usage

```

## S3 method for class 'bru'
plot(x, ...)

```

Arguments

`x` a fitted `bru()` model.

`...` A character naming the effect to plot, e.g. "Intercept". For random effects, adding `index = ...` plots the density for a single component of the latent model.

Value

an object of class `gg`

Examples

```

## Not run:
if (require("ggplot2", quietly = TRUE)) {
  # Generate some data and fit a simple model
  input.df <- data.frame(x = cos(1:10))
  input.df <- within(input.df, y <- 5 + 2 * cos(1:10) + rnorm(10, mean = 0, sd = 0.1))
}

```



```
fit <- bru(y ~ x, family = "gaussian", data = input.df)
summary(fit)

# Plot the posterior of the model's x-effect
plot(fit, "x")
}

## End(Not run)
```

plot.bru_prediction *Plot prediction using ggplot2*

Description

Generates a base ggplot2 using ggplot() and adds a geom for input x using [gg](#).

Usage

```
## S3 method for class 'bru_prediction'
plot(x, y = NULL, ...)

## S3 method for class 'prediction'
plot(x, y = NULL, ...)
```

Arguments

x	a prediction object.
y	Ignored argument but required for S3 compatibility.
...	Arguments passed on to gg.prediction() .

Details

Requires the ggplot2 package.

Value

an object of class gg

Examples

```
if (bru_safe_inla() &&
    require(sn, quietly = TRUE) &&
    require(ggplot2, quietly = TRUE)) {
  # Generate some data

  input.df <- data.frame(x = cos(1:10))
```

```

input.df <- within(input.df, y <- 5 + 2 * cos(1:10) + rnorm(10, mean = 0, sd = 0.1))

# Fit a model with fixed effect 'x' and intercept 'Intercept'

fit <- bru(y ~ x, family = "gaussian", data = input.df)

# Predict posterior statistics of 'x'

xpost <- predict(fit, NULL, formula = ~x_latent)

# The statistics include mean, standard deviation, the 2.5% quantile, the median,
# the 97.5% quantile, minimum and maximum sample drawn from the posterior as well as
# the coefficient of variation and the variance.

xpost

# For a single variable like 'x' the default plotting method invoked by gg() will
# show these statistics in a fashion similar to a box plot:
ggplot() +
  gg(xpost)

# The predict function can also be used to simultaneously estimate posteriors
# of multiple variables:

xipost <- predict(fit,
  newdata = NULL,
  formula = ~ c(
    Intercept = Intercept_latent,
    x = x_latent
  )
)
xipost

# If we still want a plot in the previous style we have to set the bar parameter to TRUE

p1 <- ggplot() +
  gg(xipost, bar = TRUE)
p1

# Note that gg also understands the posterior estimates generated while running INLA

p2 <- ggplot() +
  gg(fit$summary.fixed, bar = TRUE)
multiplot(p1, p2)

# By default, if the prediction has more than one row, gg will plot the column 'mean' against
# the row index. This is for instance useful for predicting and plotting function
# but not very meaningful given the above example:

ggplot() +
  gg(xipost)

```

```

# For ease of use we can also type

plot(xipost)

# This type of plot will show a ribbon around the mean, which visualizes the upper and lower
# quantiles mentioned above (2.5 and 97.5%). Plotting the ribbon can be turned off using the
# \code{ribbon} parameter

ggplot() +
  gg(xipost, ribbon = FALSE)

# Much like the other geomes produced by gg we can adjust the plot using ggplot2 style
# commands, for instance

ggplot() +
  gg(xipost) +
  gg(xipost, mapping = aes(y = median), ribbon = FALSE, color = "red")
}

```

plotsample

Create a plot sample.

Description

Creates a plot sample on a regular grid with a random start location.

Usage

```
plotsample(spdf, boundary, x.ppn = 0.25, y.ppn = 0.25, nx = 5, ny = 5)
```

Arguments

spdf	A SpatialPointsDataFrame defining the points that are to be sampled by the plot sample.
boundary	A SpatialPolygonsDataFrame defining the survey boundary within which the points occur.
x.ppn	The proportion of the x-axis that is to be included in the plots.
y.ppn	The proportion of the y-axis that is to be included in the plots.
nx	The number of plots in the x-dimension.
ny	The number of plots in the y-dimension.

Value

A list with three components:

plots: A SpatialPolygonsDataFrame object containing the plots that were sampled.

dets: A `SpatialPointsDataFrame` object containing the locations of the points within the plots.

counts: A dataframe containing the following columns

x: The x-coordinates of the centres of the plots within the boundary.

y: The y-coordinates of the centres of the plots within the boundary.

n: The numbers of points in each plot.

area: The areas of the plots within the boundary

Examples

```
# Some features require the raster package
if (bru_safe_sp() &&
    require("sp") &&
    require("raster", quietly = TRUE) &&
    require("ggplot2", quietly = TRUE)) {
  data(gorillas, package = "inlabru")
  plotpts <- plotsample(gorillas$nest, gorillas$boundary,
    x.ppn = 0.4, y.ppn = 0.4, nx = 5, ny = 5
  )
  ggplot() +
    gg(plotpts$plots) +
    gg(plotpts$dets, pch = "+", cex = 2) +
    gg(gorillas$boundary)
}
```

point2count

Convert a plot sample of points into one of counts.

Description

Converts a plot sample with locations of each point within each plot, into a plot sample with only the count within each plot.

Usage

```
point2count(plots, dets)
```

Arguments

plots A `SpatialPolygonsDataFrame` object containing the plots that were sampled.

dets A `SpatialPointsDataFrame` object containing the locations of the points within the plots.

Value

A SpatialPolygonsDataFrame with counts in each plot contained in slot @data\$n.

Examples

```
# Some features require the raster package
if (bru_safe_sp() &&
    require("sp") &&
    require("raster", quietly = TRUE) &&
    require("ggplot2", quietly = TRUE)) {
  data(gorillas, package = "inlabru")
  plotpts <- plotsample(gorillas$neests, gorillas$boundary,
    x.ppn = 0.4, y.ppn = 0.4, nx = 5, ny = 5
  )
  p1 <- ggplot() +
    gg(plotpts$plots) +
    gg(plotpts$dets) +
    gg(gorillas$boundary)
  countdata <- point2count(plotpts$plots, plotpts$dets)
  x <- coordinates(countdata)[, 1]
  y <- coordinates(countdata)[, 2]
  count <- countdata@data$n
  p2 <- ggplot() +
    gg(gorillas$boundary) +
    gg(plotpts$plots) +
    geom_text(aes(label = count, x = x, y = y))
  multiplot(p1, p2, cols = 2)
}
```

Poisson1_1D

1-Dimensional Homogeneous Poisson example.

Description

Point data and count data, together with intensity function and expected counts for a homogeneous 1-dimensional Poisson process example.

Usage

```
data(Poisson1_1D)
```

Format

The data contain the following R objects:

lambda1_1D: A function defining the intensity function of a nonhomogeneous Poisson process. Note that this function is only defined on the interval (0,55).

E_nc1 The expected counts of the gridded data.
 pts1 The locations of the observed points (a data frame with one column, named x).
 countdata1 A data frame with three columns, containing the count data:
 x The grid cell midpoint.
 count The number of detections in the cell.
 exposure The width of the cell.

Examples

```
if (require("ggplot2", quietly = TRUE)) {
  data(Poisson1_1D)
  ggplot(countdata1) +
    geom_point(data = countdata1, aes(x = x, y = count), col = "blue") +
    ylim(0, max(countdata1$count)) +
    geom_point(data = pts1, aes(x = x), y = 0.2, shape = "|", cex = 4) +
    geom_point(
      data = countdata1, aes(x = x), y = 0, shape = "+",
      col = "blue", cex = 4
    ) +
  xlab(expression(bold(s))) +
  ylab("count")
}
```

Poisson2_1D

1-Dimensional NonHomogeneous Poisson example.

Description

Point data and count data, together with intensity function and expected counts for a unimodal nonhomogeneous 1-dimensional Poisson process example.

Usage

```
data(Poisson2_1D)
```

Format

The data contain the following R objects:

lambda2_1D: A function defining the intensity function of a nonhomogeneous Poisson process.
 Note that this function is only defined on the interval (0,55).

cov2_1D: A function that gives what we will call a 'habitat suitability' covariate in 1D space.

E_nc2 The expected counts of the gridded data.

pts2 The locations of the observed points (a data frame with one column, named x).

countdata2 A data frame with three columns, containing the count data:

x The grid cell midpoint.
 count The number of detections in the cell.
 exposure The width of the cell.

Examples

```
if (require("ggplot2", quietly = TRUE)) {
  data(Poisson2_1D)
  p1 <- ggplot(countdata2) +
    geom_point(data = countdata2, aes(x = x, y = count), col = "blue") +
    ylim(0, max(countdata2$count, E_nc2)) +
    geom_point(
      data = countdata2, aes(x = x), y = 0, shape = "+",
      col = "blue", cex = 4
    ) +
    geom_point(
      data = data.frame(x = countdata2$x, y = E_nc2), aes(x = x),
      y = E_nc2, shape = "_", cex = 5
    ) +
    xlab(expression(bold(s))) +
    ylab("count")
  ss <- seq(0, 55, length.out = 200)
  lambda <- lambda2_1D(ss)
  p2 <- ggplot() +
    geom_line(
      data = data.frame(x = ss, y = lambda),
      aes(x = x, y = y), col = "blue"
    ) +
    ylim(0, max(lambda)) +
    geom_point(data = pts2, aes(x = x), y = 0.2, shape = "|", cex = 4) +
    xlab(expression(bold(s))) +
    ylab(expression(lambda(bold(s))))
  multiplot(p1, p2, cols = 1)
}
```

Poisson3_1D

1-Dimensional NonHomogeneous Poisson example.

Description

Point data and count data, together with intensity function and expected counts for a multimodal nonhomogeneous 1-dimensional Poisson process example. Counts are given for two different gridded data interval widths.

Usage

```
data(Poisson3_1D)
```

Format

The data contain the following R objects:

`lambda3_1D`: A function defining the intensity function of a nonhomogeneous Poisson process.

Note that this function is only defined on the interval (0,55).

`E_nc3a` The expected counts of gridded data for the wider bins (10 bins).

`E_nc3b` The expected counts of gridded data for the wider bins (20 bins).

`pts3` The locations of the observed points (a data frame with one column, named `x`).

`countdata3a` A data frame with three columns, containing the count data for the 10-interval case:

`countdata3b` A data frame with three columns, containing the count data for the 20-interval case:

`x` The grid cell midpoint.

`count` The number of detections in the cell.

`exposure` The width of the cell.

Examples

```
if (require("ggplot2", quietly = TRUE)) {
  data(Poisson3_1D)
  # first the plots for the 10-bin case:
  p1a <- ggplot(countdata3a) +
    geom_point(data = countdata3a, aes(x = x, y = count), col = "blue") +
    ylim(0, max(countdata3a$count, E_nc3a)) +
    geom_point(
      data = countdata3a, aes(x = x), y = 0, shape = "+",
      col = "blue", cex = 4
    ) +
    geom_point(
      data = data.frame(x = countdata3a$x, y = E_nc3a),
      aes(x = x), y = E_nc3a, shape = "_", cex = 5
    ) +
    xlab(expression(bold(s))) +
    ylab("count")
  ss <- seq(0, 55, length.out = 200)
  lambda <- lambda3_1D(ss)
  p2a <- ggplot() +
    geom_line(
      data = data.frame(x = ss, y = lambda), aes(x = x, y = y),
      col = "blue"
    ) +
    ylim(0, max(lambda)) +
    geom_point(data = pts3, aes(x = x), y = 0.2, shape = "|", cex = 4) +
    xlab(expression(bold(s))) +
    ylab(expression(lambda(bold(s))))
  multiplot(p1a, p2a, cols = 1)

  # Then the plots for the 20-bin case:
  p1a <- ggplot(countdata3b) +
    geom_point(data = countdata3b, aes(x = x, y = count), col = "blue") +
```



```

ylim(0, max(countdata3b$count, E_nc3b)) +
geom_point(
  data = countdata3b, aes(x = x), y = 0, shape = "+",
  col = "blue", cex = 4
) +
geom_point(
  data = data.frame(x = countdata3b$x, y = E_nc3b),
  aes(x = x), y = E_nc3b, shape = "_", cex = 5
) +
xlab(expression(bold(s))) +
ylab("count")
ss <- seq(0, 55, length.out = 200)
lambda <- lambda3_1D(ss)
p2a <- ggplot() +
  geom_line(
    data = data.frame(x = ss, y = lambda), aes(x = x, y = y),
    col = "blue"
  ) +
  ylim(0, max(lambda)) +
  geom_point(data = pts3, aes(x = x), y = 0.2, shape = "|", cex = 4) +
  xlab(expression(bold(s))) +
  ylab(expression(lambda(bold(s))))
multiplot(p1a, p2a, cols = 1)
}

```

predict.bru

Prediction from fitted bru model

Description

Takes a fitted bru object produced by the function `bru()` and produces predictions given a new set of values for the model covariates or the original values used for the model fit. The predictions can be based on any R expression that is valid given these values/covariates and the joint posterior of the estimated random effects.

Usage

```

## S3 method for class 'bru'
predict(
  object,
  newdata = NULL,
  formula = NULL,
  n.samples = 100,
  seed = 0L,
  probs = c(0.025, 0.5, 0.975),
  num.threads = NULL,
  include = NULL,
  exclude = NULL,

```

```

    used = NULL,
    drop = FALSE,
    ...,
    data = deprecated()
  )

```

Arguments

object	An object obtained by calling <code>bru()</code> or <code>lgcp()</code> .
newdata	A <code>data.frame</code> or <code>SpatialPointsDataFrame</code> of covariates needed for the prediction.
formula	A formula where the right hand side defines an R expression to evaluate for each generated sample. If <code>NULL</code> , the latent and hyperparameter states are returned as named list elements. See Details for more information.
n.samples	Integer setting the number of samples to draw in order to calculate the posterior statistics. The default is rather low but provides a quick approximate result.
seed	Random number generator seed passed on to <code>inla.posterior.sample</code>
probs	A numeric vector of probabilities with values in $[0, 1]$, passed to <code>stats::quantile</code>
num.threads	Specification of desired number of threads for parallel computations. Default <code>NULL</code> , leaves it up to INLA. When <code>seed != 0</code> , overridden to "1:1"
include	Character vector of component labels that are needed by the predictor expression; Default: the result of <code>[all.vars()]</code> on the predictor expression, unless the expression is not ".", in which case <code>include=NULL</code> , to include all components that are not explicitly excluded. The <code>bru_used()</code> methods are used to extract the variable names, followed by removal of non-component names when the components are available.
exclude	Character vector of component labels that are not used by the predictor expression. The exclusion list is applied to the list as determined by the <code>include</code> parameter; Default: <code>NULL</code> (do not remove any components from the inclusion list)
used	Either <code>NULL</code> or a <code>bru_used()</code> object, overriding <code>include</code> and <code>exclude</code> . Default <code>NULL</code>
drop	logical; If <code>keep=FALSE</code> , <code>newdata</code> is a <code>Spatial*DataFrame</code> , and the prediction summary has the same number of rows as <code>newdata</code> , then the output is a <code>Spatial*DataFrame</code> object. Default <code>FALSE</code> .
...	Additional arguments passed on to <code>inla.posterior.sample()</code>
data	[Deprecated] Use <code>newdata</code> instead.

Details

Mean value predictions are accompanied by the standard errors, upper and lower 2.5% quantiles, the median, variance, coefficient of variation as well as the variance and minimum and maximum sample value drawn in course of estimating the statistics.

Internally, this method calls `generate.bru()` in order to draw samples from the model.

In addition to the component names (that give the effect of each component evaluated for the input data), the suffix `_latent` variable name can be used to directly access the latent state for a component, and the suffix function `_eval` can be used to evaluate a component at other input values than the expressions defined in the component definition itself, e.g. `field_eval(cbind(x, y))` for a component that was defined with `field(coordinates, ...)` (see also `component_eval()`).

For "iid" models with `mapper = bru_mapper_index(n)`, `rnorm()` is used to generate new realisations for indices greater than `n`.

Value

a `data.frame`, `sf`, or `Spatial*` object with predicted mean values and other summary statistics attached. Non-S4 object outputs have the class "bru_prediction" added at the front of the class list.

Examples

```
if (bru_safe_inla(multicore = FALSE) &&
    bru_safe_sp() &&
    require("sp") &&
    require("sn", quietly = TRUE) &&
    require("ggplot2", quietly = TRUE)) {

  # Load the Gorilla data

  data(gorillas, package = "inlabru")

  # Plot the Gorilla nests, the mesh and the survey boundary

  ggplot() +
    gg(gorillas$mesh) +
    gg(gorillas$nests) +
    gg(gorillas$boundary) +
    coord_fixed()

  # Define SPDE prior

  matern <- INLA::inla.spde2.pcmatern(gorillas$mesh,
    prior.sigma = c(0.1, 0.01),
    prior.range = c(0.01, 0.01)
  )

  # Define domain of the LGCP as well as the model components (spatial SPDE effect and Intercept)

  cmp <- coordinates ~ mySmooth(main = coordinates, model = matern) + Intercept(1)

  # Fit the model, with "eb" instead of full Bayes
  fit <- lgcp(cmp, gorillas$nests,
    samplers = gorillas$boundary,
    domain = list(coordinates = gorillas$mesh),
    options = list(control.inla = list(int.strategy = "eb"))
  )
}
```

```

# Once we obtain a fitted model the predict function can serve various purposes.
# The most basic one is to determine posterior statistics of a univariate
# random variable in the model, e.g. the intercept

icpt <- predict(fit, NULL, ~ c(Intercept = Intercept_latent))
plot(icpt)

# The formula argument can take any expression that is valid within the model, for
# instance a non-linear transformation of a random variable

exp.icpt <- predict(fit, NULL, ~ c(
  "Intercept" = Intercept_latent,
  "exp(Intercept)" = exp(Intercept_latent)
))
plot(exp.icpt, bar = TRUE)

# The intercept is special in the sense that it does not depend on other variables
# or covariates. However, this is not true for the smooth spatial effects 'mySmooth'.
# In order to predict 'mySmooth' we have to define where (in space) to predict. For
# this purpose, the second argument of the predict function can take {data.frame}
# objects as well as Spatial objects. For instance, we might want to predict
# 'mySmooth' at the locations of the mesh vertices. Using

vrt <- fm_vertices(gorillas$mesh, format = "sp")

# we obtain these vertices as a SpatialPointsDataFrame

ggplot() +
  gg(gorillas$mesh) +
  gg(vrt, color = "red")

# Predicting 'mySmooth' at these locations works as follows

mySmooth <- predict(fit, vrt, ~mySmooth)

# Note that just like the input also the output will be a SpatialPointsDataFrame
# and that the predicted statistics are simply added as columns

class(mySmooth)
head(vrt)
head(mySmooth)

# Plotting the mean, for instance, at the mesh node is straight forward

ggplot() +
  gg(gorillas$mesh) +
  gg(mySmooth, aes(color = mean), size = 3)

# However, we are often interested in a spatial field and thus a linear interpolation,
# which can be achieved by using the gg mechanism for meshes

ggplot() +
  gg(gorillas$mesh, color = mySmooth$mean)

```

```

# Alternatively, we can predict the spatial field at a grid of locations, e.g. a
# SpatialPixels object covering the mesh

pxl <- fm_pixels(gorillas$mesh, format = "sp")
mySmooth2 <- predict(fit, pxl, ~mySmooth)

# This will give us a SpatialPixelDataFrame with the columns we are looking for

head(mySmooth2)
ggplot() +
  gg(mySmooth2)
}

```

robins_subset

robins_subset

Description

This is the `robins_subset` dataset, which is a subset of the full robins data set used to demonstrate a spatially varying trend coefficient model in Meehan et al. 2019. The dataset includes American Robin counts, along with time, location, and effort information, from Audubon Christmas Bird Counts (CBC) conducted in six US states between 1987 and 2016.

Usage

```
robins_subset
```

Format

The data are a data.frame with variables

`circle`: Four-letter code of the CBC circle.

`bcr`: Numeric code for the bird conservation region encompassing the count circle.

`state`: US state encompassing the count circle.

`year`: calendar year the count was conducted.

`std_yr`: transformed year, with 2016 = 0.

`count`: number of robins recorded.

`log_hrs`: the natural log of party hours.

`lon`: longitude of the count circle centroid.

`lat`: latitude of the count circle centroid.

`obs`: unique record identifier.

Source

<https://github.com/tmeeha/inlaSVCBC>

References

Meehan, T.D., Michel, N.L., and Rue, H. 2019. Spatial modeling of Audubon Christmas Bird Counts reveals fine-scale patterns and drivers of relative abundance trends. *Ecosphere*, 10(4), p.e02707.

Examples

```
if (require(ggplot2, quietly = TRUE)) {
  data(robins_subset, package = "inlabru") # get the data

  # plot the counts for one year of data
  ggplot(robins_subset[robins_subset$std_yr == 0, ]) +
    geom_point(aes(lon, lat, colour = count + 1)) +
    scale_colour_gradient(low = "blue", high = "red", trans = "log")
}
```

sample.lgcp

Sample from an inhomogeneous Poisson process

Description

This function provides point samples from one- and two-dimensional inhomogeneous Poisson processes. The log intensity has to be provided via its values at the nodes of an `inla.mesh.1d` or `inla.mesh` object. In between mesh nodes the log intensity is assumed to be linear.

Usage

```
sample.lgcp(
  mesh,
  loglambda,
  strategy = NULL,
  R = NULL,
  samplers = NULL,
  ignore.CRS = FALSE
)
```

Arguments

mesh	An <code>INLA::inla.mesh</code> object
loglambda	vector or matrix; A vector of log intensities at the mesh vertices (for higher order basis functions, e.g. for <code>inla.mesh.1d</code> meshes, <code>loglambda</code> should be given as <code>mesh\$m</code> basis function weights rather than the values at the <code>mesh\$n</code> vertices) A single scalar is expanded to a vector of the appropriate length. If a matrix is supplied, one process sample for each column is produced.

strategy	Only relevant for 2D meshes. One of 'triangulated', 'rectangle', 'sliced-spherical', 'spherical'. The 'rectangle' method is only valid for CRS-less flat 2D meshes. If NULL or 'auto', the the likely fastest method is chosen; 'rectangle' for flat 2D meshes with no CRS, 'sliced-spherical' for CRS 'longlat' meshes, and 'triangulated' for all other meshes.
R	Numerical value only applicable to spherical and geographical meshes. It is interpreted as R is the equivalent Earth radius, in km, used to scale the lambda intensity. For CRS enabled meshes, the default is 6371. For CRS-less spherical meshes, the default is 1.
samplers	A SpatialPolygonsDataFrame or inla.mesh object. Simulated points that fall outside these polygons are discarded.
ignore.CRS	logical; if TRUE, ignore any CRS information in the mesh. Default FALSE. This affects R and the permitted values for strategy.

Details

For 2D processes on a sphere the R parameter can be used to adjust to sphere's radius implied by the mesh. If the intensity is very high the standard strategy "spherical" can cause memory issues. Using the "sliced-spherical" strategy can help in this case.

- For crs-less meshes on R2: Lambda is interpreted in the raw coordinate system. Output has an NA CRS.
- For crs-less meshes on S2: Lambda with raw units, after scaling the mesh to radius R, if specified. Output is given on the same domain as the mesh, with an NA CRS.
- For crs meshes on R2: Lambda is interpreted as per km², after scaling the globe to the Earth radius 6371 km, or R, if specified. Output given in the same CRS as the mesh.
- For crs meshes on S2: Lambda is interpreted as per km², after scaling the globe to the Earth radius 6371 km, or R, if specified. Output given in the same CRS as the mesh.

Value

A data.frame (1D case), SpatialPoints (2D flat and 3D spherical surface cases) SpatialPointsDataFrame (2D/3D surface cases with multiple samples). For multiple samples, the data.frame output has a column 'sample' giving the index for each sample. object of point locations.

Author(s)

Daniel Simpson <dp.simpson@gmail.com> (base rectangle and spherical algorithms), Fabian E. Bachl <bachlfab@gmail.com> (inclusion in inlabru, sliced spherical sampling), Finn Lindgren <finn.lindgren@gmail.com> (extended CRS support, triangulated sampling)

Examples

```
# The INLA package is required
if (bru_safe_inla(quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp")) {
```

```

vertices <- seq(0, 3, by = 0.1)
mesh <- fm_mesh_1d(vertices)
loglambda <- 5 - 0.5 * vertices
pts <- sample.lgcp(mesh, loglambda)
pts$y <- 0
plot(vertices, exp(loglambda), type = "l", ylim = c(0, 150))
points(pts, pch = "|")
}

```

```

# The INLA package is required
if (bru_safe_inla(quietly = TRUE) &&
    require(ggplot2, quietly = TRUE) &&
    bru_safe_sp() &&
    require("sp")) {
  data("gorillas", package = "inlabru")
  pts <- sample.lgcp(gorillas$mesh,
    loglambda = 1.5,
    samplers = gorillas$boundary
  )
  ggplot() +
    gg(gorillas$mesh) +
    gg(pts)
}

```

seals

Seal pups

Description

This is a single transect of an aerial photo seal pup survey in the Greenland Sea

Usage

```
data(seals_sp)
```

Format

The data contain these objects:

points: A `SpatialPointsDataFrame` Center locations of the photos

mesh: An `fm_mesh_2d` enclosing the plane's transect

ice.data: An `SpatialPointsDataFrame` with MODIS ice concentration estimates

ice.cv: An `covdata` object with interpolated ice coverage data

Source

Martin Jullum <Martin.Jullum@nr.no>

References

Oigard, T. A. (2013) From pup production to quotas: current status of harp seals in the Greenland Sea. ICES Journal of Marine Science, doi.10.1093/icesjms/fst155.

Oigard, T. A. (2014) Current status of hooded seals in the Greenland Sea. Victims of climate change and predation?, Biological Conservation , 2014, 172, 29 - 36.

Examples

```
if (require(ggplot2, quietly = TRUE)) {  
  ggplot() +  
    geom_fm(data = seals_sp$mesh) +  
    gg(seals_sp$points)  
}
```

shrimp

Blue and red shrimp in the Western Mediterranean Sea

Description

Blue and red shrimp in the Western Mediterranean Sea.

Usage

```
data(shrimp)
```

Format

A list of objects:

haul: A SpatialPointsDataFrame object containing haul locations

mesh: An inla.mesh object containing a Delaunay triangulation mesh (a type of discretization of continuous space) covering the haul locations.

catch Catch in Kg.

landing Landing in Kg.

depth Mean depth of the fishery haul.

Source

Pennino, Maria Grazia. Personal communication.

References

Pennino, M. G., Paradinas, I., Munoz, F., Illian, J., Quilez-Lopez, A., Bellido, J.M., Conesa, D. Accounting for preferential sampling in species distribution models. *Ecology and Evolution*, In Press.

Examples

```
if (require(ggplot2, quietly = TRUE)) {
  data(shrimp, package = "inlabru")
  ggplot() +
    gg(shrimp$mesh) +
    gg(shrimp$hauls) +
    coord_equal()
}
```

sline

Convert data frame to SpatialLinesDataFrame

Description

A line in 2D space is defined by a start and an end point, each associated with 2D coordinates. This function takes a `data.frame` as input and assumes that each row defines a line in space. In order to do so, the data frame must have at least four columns and the `start.cols` and `end.cols` parameters must be used to point out the names of the columns that define the start and end coordinates of the line. The data is then converted to a `SpatialLinesDataFrame` DF. If a coordinate reference system `crs` is provided it is attached to DF. If also `to.crs` is provided, the coordinate system of DF is transformed accordingly. Additional columns of the input data, e.g. covariates, are retained and attached to DF.

Usage

```
sline(data, start.cols, end.cols, crs = CRS(as.character(NA)), to.crs = NULL)
```

Arguments

<code>data</code>	A <code>data.frame</code>
<code>start.cols</code>	Character array pointing out the columns of data that hold the start points of the lines
<code>end.cols</code>	Character array pointing out the columns of data that hold the end points of the lines
<code>crs</code>	Coordinate reference system of the original data
<code>to.crs</code>	Coordinate reference system for the <code>SpatialLines</code> output.

Value

SpatialLinesDataFrame

Examples

```
# Create a data frame defining three lines
lms <- data.frame(
  xs = c(1, 2, 3), ys = c(1, 1, 1), # start points
  xe = c(2, 3, 4), ye = c(2, 2, 2)
) # end points

# Conversion to SpatialLinesDataFrame without CRS
spl <- sline(lms,
  start.cols = c("xs", "ys"),
  end.cols = c("xe", "ye")
)

if (require(ggplot2, quietly = TRUE)) {
  # Plot the lines
  ggplot() +
    gg(spl)
}
```

spatial.to.ppp

*Convert SpatialPoints and boundary polygon to spatstat ppp object***Description**

Spatstat point pattern objects consist of points and an observation windows. This function uses a SpatialPoints object and a SpatialPolygon object to generate the points and the window. Lastly, the ppp() function is called to create the ppp object.

Usage

```
spatial.to.ppp(points, samplers)
```

Arguments

points A SpatialPoints[DataFrame] object describing the point pattern.
samplers A SpatialPolygons[DataFrame] object describing the observation window.

Value

A spatstat spatstat ppp object

Examples

```

if (require("spatstat.geom") &&
    bru_safe_sp() &&
    require("sp")) {
  # Load Gorilla data

  data("gorillas", package = "inlabru")

  # Use nest locations and survey boundary to create a spatstat ppp object

  gp <- spatial.to.ppp(gorillas$nest, gorillas$boundary)
  class(gp)

  # Plot it

  plot(gp)
}

```

spde.posterior

Posteriors of SPDE hyper parameters and Matern correlation or covariance function.

Description

Calculate posterior distribution of the range, $\log(\text{range})$, variance, or $\log(\text{variance})$ parameter of a model's SPDE component. Can also plot Matern correlation or covariance function. `inla.spde.result`.

Usage

```
spde.posterior(result, name, what = "range")
```

Arguments

<code>result</code>	An object inheriting from <code>inla</code> .
<code>name</code>	Character stating the name of the SPDE effect, see <code>names(result\$summary.random)</code> .
<code>what</code>	One of "range", "log.range", "variance", "log.variance", "matern.correlation" or "matern.covariance".

Value

A prediction object.

Author(s)

Finn Lindgren <Finn.Lindgren@ed.ac.uk>

Examples

```
if (bru_safe_inla() && require(ggplot2, quietly = TRUE)) {  
  
  # Load 1D Poisson process data  
  
  data(Poisson2_1D, package = "inlabru")  
  
  # Take a look at the point (and frequency) data  
  
  ggplot(pts2) +  
    geom_histogram(aes(x = x), binwidth = 55 / 20, boundary = 0, fill = NA, color = "black") +  
    geom_point(aes(x, y = 0, pch = "|", cex = 4) +  
      coord_fixed(ratio = 1)  
  
  # Fit an LGCP model with and SPDE component  
  
  x <- seq(0, 55, length.out = 20)  
  mesh1D <- fm_mesh_1d(x, boundary = "free")  
  mdl <- x ~ spde1D(x, model = INLA::inla.spde2.matern(mesh1D)) + Intercept(1)  
  fit <- lgcp(mdl, data = pts2, domain = list(x = mesh1D))  
  
  # Calculate and plot the posterior range  
  
  range <- spde.posterior(fit, "spde1D", "range")  
  plot(range)  
  
  # Calculate and plot the posterior log range  
  
  lrange <- spde.posterior(fit, "spde1D", "log.range")  
  plot(lrange)  
  
  # Calculate and plot the posterior variance  
  
  variance <- spde.posterior(fit, "spde1D", "variance")  
  plot(variance)  
  
  # Calculate and plot the posterior log variance  
  
  lvariance <- spde.posterior(fit, "spde1D", "log.variance")  
  plot(lvariance)  
  
  # Calculate and plot the posterior Matern correlation  
  
  matcor <- spde.posterior(fit, "spde1D", "matern.correlation")  
  plot(matcor)  
  
  # Calculate and plot the posterior Matern covariance  
  
  matcov <- spde.posterior(fit, "spde1D", "matern.covariance")  
  plot(matcov)
```

```
}
```

spoly	<i>Convert a data.frame of boundary points into a SpatialPolygons-DataFrame</i>
-------	---

Description

A polygon can be described as a sequence of points defining the polygon's boundary. When given such a sequence (anti clockwise!) this function creates a `SpatialPolygonsDataFrame` holding the polygon described. By default, the first two columns of data are assumed to define the x and y coordinates of the points. This behavior can be changed using the `cols` parameter, which points out the names of the columns holding the coordinates. The coordinate reference system of the resulting spatial polygon can be set via the `crs` parameter. Posterior conversion to a different CRS is supported using the `to.crs` parameter.

Usage

```
spoly(data, cols = colnames(data)[1:2], crs = fm_CRS(), to.crs = NULL)
```

Arguments

<code>data</code>	A data.frame of points describing the boundary of the polygon
<code>cols</code>	Column names of the x and y coordinates within the data
<code>crs</code>	Coordinate reference system of the points
<code>to.crs</code>	Coordinate reference system for the <code>SpatialLines</code> output.

Value

`SpatialPolygonsDataFrame`

Examples

```
# Create data frame of boundary points (anti clockwise!)
pts <- data.frame(
  x = c(1, 2, 1.7, 1.3),
  y = c(1, 1, 2, 2)
)

# Convert to SpatialPolygonsDataFrame
pol <- spoly(pts)

if (require(ggplot2, quietly = TRUE) &&
    require(ggpolypath, quietly = TRUE)) {
  # Plot it!
  ggplot() +
```

```

    gg(pol)
  }

```

summary.bru

Summary for an inlabru fit

Description

Takes a fitted bru object produced by `bru()` or `lgcp()` and creates various summaries from it.

Usage

```

## S3 method for class 'bru'
summary(object, verbose = FALSE, ...)

## S3 method for class 'summary_bru'
print(x, ...)

```

Arguments

object	An object obtained from a <code>bru()</code> or <code>lgcp()</code> call
verbose	logical; If TRUE, include more details of the component definitions. If FALSE, only show basic component definition information. Default: FALSE
...	arguments passed on to component summary functions, see <code>summary.component()</code> .
x	A <code>summary_bru</code> object

Examples

```

if (bru_safe_inla(multicore = FALSE)) {

  # Simulate some covariates x and observations y
  input.df <- data.frame(x = cos(1:10))
  input.df <- within(input.df, y <- 5 + 2 * x + rnorm(10, mean = 0, sd = 0.1))

  # Fit a Gaussian likelihood model
  fit <- bru(y ~ x + Intercept, family = "gaussian", data = input.df)

  # Obtain summary
  fit$summary.fixed
}

if (bru_safe_inla(multicore = FALSE)) {

  # Alternatively, we can use the like() function to construct the likelihood:

```

```

lik <- like(family = "gaussian", formula = y ~ x + Intercept, data = input.df)
fit <- bru(~ x + Intercept(1), lik)
fit$summary.fixed
}

# An important addition to the INLA methodology is bru's ability to use
# non-linear predictors. Such a predictor can be formulated via like()'s
# \code{formula} parameter. The z(1) notation is needed to ensure that
# the z component should be interpreted as single latent variable and not
# a covariate:

if (bru_safe_inla(multicore = FALSE)) {
  z <- 2
  input.df <- within(input.df, y <- 5 + exp(z) * x + rnorm(10, mean = 0, sd = 0.1))
  lik <- like(
    family = "gaussian", data = input.df,
    formula = y ~ exp(z) * x + Intercept
  )
  fit <- bru(~ z(1) + Intercept(1), lik)

  # Check the result (z posterior should be around 2)
  fit$summary.fixed
}

```

summary.bru_info

Methods for bru_info objects

Description

Methods for bru_info objects

Usage

```

## S3 method for class 'bru_info'
summary(object, verbose = TRUE, ...)

## S3 method for class 'summary_bru_info'
print(x, ...)

bru_info(...)

## S3 method for class 'character'
bru_info(method, ..., inlabru_version = NULL, INLA_version = NULL)

## S3 method for class 'bru'
bru_info(object, ...)

```


Arguments

object	Object to operate on
verbose	logical; If TRUE, include more details of the component definitions. If FALSE, only show basic component definition information. Default: TRUE
...	Arguments passed on to other methods
x	A summary_bru_info object to be printed
method	character; The type of estimation method used
inlabru_version	character; inlabru package version. Default: NULL, for automatically detecting the version
INLA_version	character; INLA package version. Default: NULL, for automatically detecting the version

summary.bru_mapper *mapper object summaries*

Description

mapper object summaries

Usage

```
## S3 method for class 'bru_mapper'
summary(object, ..., prefix = "", initial = prefix, depth = 1)

## S3 method for class 'bru_mapper_multi'
summary(object, ..., prefix = "", initial = prefix, depth = 1)

## S3 method for class 'bru_mapper_pipe'
summary(object, ..., prefix = "", initial = prefix, depth = 1)

## S3 method for class 'bru_mapper_collect'
summary(object, ..., prefix = "", initial = prefix, depth = 1)

## S3 method for class 'summary_bru_mapper'
print(x, ...)

## S3 method for class 'bru_mapper'
print(x, ..., prefix = "", initial = prefix, depth = 1)
```

Arguments

object	bru_mapper object to summarise
...	Unused arguments

prefix	character prefix for each line. Default "".
initial	character prefix for the first line. Default initial=prefix.
depth	The recursion depth for multi/collection/pipe mappers. Default 1, to only show the collection, and not the contents of the sub-mappers.
x	Object to be printed

Examples

```
mapper <-
  bru_mapper_pipe(
    list(
      bru_mapper_multi(list(
        A = bru_mapper_index(2),
        B = bru_mapper_index(3)
      )),
      bru_mapper_index(2)
    )
  )
summary(mapper, depth = 2)
```

summary.bru_options *Print inlabru options*

Description

Print inlabru options

Usage

```
## S3 method for class 'bru_options'
summary(
  object,
  legend = TRUE,
  include_global = TRUE,
  include_default = TRUE,
  ...
)

## S3 method for class 'summary_bru_options'
print(x, ...)
```

Arguments

object	A bru_options object to be summarised
legend	logical; If TRUE, include explanatory text, Default: TRUE
include_global	logical; If TRUE, include global override options

```

include_default      logical; If TRUE, include default options
...                 Further parameters, currently ignored
x                   A summary_bru_options object to be printed

```

Examples

```

if (interactive()) {
  options <- bru_options(verbose = TRUE)

  # Don't print options only set in default:
  print(options, include_default = FALSE)

  # Only include options set in the object:
  print(options, include_default = FALSE, include_global = FALSE)
}

```

toygroups

Simulated 1D animal group locations and group sizes

Description

This data set serves to teach the concept of modelling species that gather in groups and where the grouping behaviour depends on space.

Usage

```
data(toygroups)
```

Format

The data are a list that contains these elements:

groups: A data.frame of group locations x and size $size$

df.size: IGNORE THIS

df.intensity: A data.frame with Poisson process intensity $d.lambd$ at locations x

df.rate: A data.frame the locations x and associated rate which parameterized the exponential distribution from which the group sizes were drawn.

Examples

```

if (require(ggplot2, quietly = TRUE)) {
  # Load the data

  data("toygroups", package = "inlabru")

  # The data set is a simulation of animal groups residing in a 1D space. Their

```

```
# locations in x-space are sampled from a Cox process with intensity

ggplot(toygroups$df.intensity) +
  geom_line(aes(x = x, y = g.lambda))

# Adding the simulated group locations to this plot we obtain

ggplot(toygroups$df.intensity) +
  geom_line(aes(x = x, y = g.lambda)) +
  geom_point(data = toygroups$groups, aes(x, y = 0), pch = "|")

# Each group has a size mark attached to it.
# These group sizes are sampled from an exponential distribution
# for which the rate parameter depends on the x-coordinate

ggplot(toygroups$groups) +
  geom_point(aes(x = x, y = size))

ggplot(toygroups$df.rate) +
  geom_line(aes(x, rate))
}
```

Index

- * **component constructors**
 - component, 63
 - component_list, 69
- * **datasets**
 - gorillas, 108
 - gorillas_sf, 110
 - mexdolphins, 122
 - mexdolphins_sf, 123
 - mrsea, 125
 - robins_subset, 141
 - seals, 144
 - shrimp, 145
 - toygroups, 155
- * **geomes for Raster data**
 - gg, 81
 - gg.RasterLayer, 91
 - gm, 106
- * **geomes for inla and inlabru predictions**
 - gg, 81
 - gg.bru_prediction, 82
 - gg.data.frame, 84
 - gg.matrix, 90
 - gm, 106
- * **geomes for meshes**
 - gg, 81
 - gg.inla.mesh, 86
 - gg.inla.mesh.1d, 89
 - gm, 106
- * **geomes for spatial data**
 - gg, 81
 - gg.sf, 92
 - gg.SpatialGridDataFrame, 93
 - gg.SpatialLines, 94
 - gg.SpatialPixels, 96
 - gg.SpatialPixelsDataFrame, 97
 - gg.SpatialPoints, 99
 - gg.SpatialPolygons, 100
 - gg.SpatRaster, 102
 - gm, 106
- * **inlabru RGL tools**
 - globe, 103
 - glplot, 104
- * **inlabru log methods**
 - bru_log, 17
 - bru_log_bookmark, 19
 - bru_log_message, 20
 - bru_log_new, 21
 - bru_log_offset, 22
 - bru_log_reset, 23
- * **mappers**
 - bru_get_mapper, 15
 - bru_mapper, 24
 - bru_mapper.fm_mesh_1d, 26
 - bru_mapper.fm_mesh_2d, 27
 - bru_mapper_aggregate, 28
 - bru_mapper_collect, 30
 - bru_mapper_const, 33
 - bru_mapper_factor, 34
 - bru_mapper_generics, 35
 - bru_mapper_harmonics, 39
 - bru_mapper_index, 40
 - bru_mapper_linear, 41
 - bru_mapper_logsumexp, 42
 - bru_mapper_marginal, 44
 - bru_mapper_matrix, 46
 - bru_mapper_mesh_B, 47
 - bru_mapper_multi, 48
 - bru_mapper_pipe, 50
 - bru_mapper_scale, 52
 - bru_mapper_shift, 53
 - bru_mapper_taylor, 54
- * **sample generators**
 - generate, 78
 - [.bm_list(bm_list), 7
 - [.bru_like_list(like), 117
 - [.bru_log(bru_log), 17
 - [.bru_mapper_collect
(bru_mapper_collect), 30

- [.bru_mapper_multi (bru_mapper_multi), 48
- [.component_list (component_list), 69
- _PACKAGE (inlabru-package), 5
- as.bru_options (bru_options), 56
- as.bru_options(), 10
- as.character.bru_log (bru_log), 17
- base::.makeMessage(), 20
- bincount, 6
- bm_list, 7
- bru, 8, 13, 63
- bru(), 5, 6, 13, 56, 58, 63, 65, 66, 70, 78, 116–120, 128, 137, 138, 151
- bru_call_options, 10
- bru_component, 12
- bru_component (component), 63
- bru_component_list (component_list), 69
- bru_compute_linearisation, 11
- bru_convergence_plot, 13
- bru_fill_missing, 13
- bru_forward_transformation, 14
- bru_get_mapper, 15, 25, 27, 28, 30, 32–34, 38, 40–43, 45–47, 50, 52–54, 56
- bru_get_mapper(), 38
- bru_get_mapper_safely (bru_get_mapper), 15
- bru_info (summary.bru_info), 152
- bru_inverse_transformation (bru_forward_transformation), 14
- bru_log, 17, 19–23
- bru_log_bookmark, 18, 19, 20–23
- bru_log_bookmarks (bru_log_bookmark), 19
- bru_log_index (bru_log_offset), 22
- bru_log_message, 18, 19, 20, 21–23
- bru_log_message(), 58
- bru_log_new, 18–20, 21, 22, 23
- bru_log_offset, 18–21, 22, 23
- bru_log_reset, 18–22, 23
- bru_make_stack, 24
- bru_mapper, 15, 16, 24, 27, 28, 30, 32–34, 37, 38, 40–43, 45–47, 50–54, 56
- bru_mapper.fm_mesh_1d, 16, 25, 26, 28, 30, 32–34, 38, 40–43, 45–47, 50, 52–54, 56
- bru_mapper.fm_mesh_2d, 16, 25, 27, 27, 30, 32–34, 38, 40–43, 45–47, 50, 52–54, 56
- bru_mapper.inla.mesh (bru_mapper.fm_mesh_2d), 27
- bru_mapper.inla.mesh.1d (bru_mapper.fm_mesh_1d), 26
- bru_mapper_aggregate, 16, 25, 27, 28, 28, 32–34, 38, 40–43, 45–47, 50, 52–54, 56
- bru_mapper_collect, 16, 25, 27, 28, 30, 30, 33, 34, 38, 40–43, 45–47, 50, 52–54, 56
- bru_mapper_const, 16, 25, 27, 28, 30, 32, 33, 34, 38, 40–43, 45–47, 50, 52–54, 56
- bru_mapper_define (bru_mapper), 24
- bru_mapper_define(), 25
- bru_mapper_factor, 16, 25, 27, 28, 30, 32, 33, 34, 38, 40–43, 45–47, 50, 52–54, 56
- bru_mapper_generics, 16, 25, 27, 28, 30, 32–34, 35, 40–43, 45–47, 50–54, 56
- bru_mapper_harmonics, 16, 25, 27, 28, 30, 32–34, 38, 39, 41–43, 45–47, 50, 52–54, 56
- bru_mapper_index, 16, 25, 27, 28, 30, 32–34, 38, 40, 40, 42, 43, 45–47, 50, 52–54, 56
- bru_mapper_linear, 16, 25, 27, 28, 30, 32–34, 38, 40, 41, 41, 43, 45–47, 50, 52–54, 56
- bru_mapper_logsumexp, 16, 25, 27, 28, 30, 32–34, 38, 40–42, 42, 45–47, 50, 52–54, 56
- bru_mapper_marginal, 16, 25, 27, 28, 30, 32–34, 38, 40–43, 44, 46, 47, 50, 52–54, 56
- bru_mapper_marginal(), 45
- bru_mapper_matrix, 16, 25, 27, 28, 30, 32–34, 38, 40–43, 45, 46, 47, 50, 52–54, 56
- bru_mapper_mesh_B, 16, 25, 27, 28, 30, 32–34, 38, 40–43, 45, 46, 47, 50, 52–54, 56
- bru_mapper_multi, 16, 25, 27, 28, 30, 32–34, 38, 40–43, 45–47, 48, 52–54, 56
- bru_mapper_pipe, 16, 25, 27, 28, 30, 32–34, 38, 40–43, 45–47, 50, 50, 53, 54, 56
- bru_mapper_scale, 16, 25, 27, 28, 30, 32–34, 38, 40–43, 45–47, 50, 52, 52, 54, 56

- bru_mapper_shift, [16](#), [25](#), [27](#), [28](#), [30](#), [32–34](#), [38](#), [40–43](#), [45–47](#), [50](#), [52](#), [53](#), [53](#), [56](#)
- bru_mapper_taylor, [16](#), [25](#), [27](#), [28](#), [30](#), [32–34](#), [37](#), [38](#), [40–43](#), [45–47](#), [50](#), [52–54](#), [54](#)
- bru_mapper_taylor(), [51](#)
- bru_options, [9](#), [56](#), [57](#), [120](#), [154](#)
- bru_options(), [9](#), [59](#), [120](#)
- bru_options_check(bru_options), [56](#)
- bru_options_default(bru_options), [56](#)
- bru_options_default(), [59](#)
- bru_options_get(bru_options), [56](#)
- bru_options_get(), [59](#)
- bru_options_reset(bru_options), [56](#)
- bru_options_set(bru_options), [56](#)
- bru_options_set(), [20](#), [116](#)
- bru_rerun(bru), [8](#)
- bru_safe_inla, [59](#)
- bru_safe_sp, [60](#)
- bru_standardise_names, [61](#)
- bru_summarise, [62](#)
- bru_timings_plot, [63](#)
- bru_transformation
(bru_forward_transformation), [14](#)
- bru_used(), [12](#), [79](#), [119](#), [138](#)

- c.bm_list(bm_list), [7](#)
- c.bru_like(like), [117](#)
- c.bru_like_list(like), [117](#)
- c.bru_log(bru_log), [17](#)
- c.bru_mapper(bm_list), [7](#)
- c.component(component_list), [69](#)
- c.component_list(component_list), [69](#)
- class, [81](#)
- component, [63](#), [70](#)
- component(), [5](#), [9](#), [14](#), [69](#)
- component.character(), [63](#)
- component_eval, [67](#)
- component_eval(), [79](#), [119](#), [139](#)
- component_list, [67](#), [69](#)
- component_list.formula(), [63](#)
- countdata1(Poisson1_1D), [133](#)
- countdata2(Poisson2_1D), [134](#)
- countdata3a(Poisson3_1D), [135](#)
- countdata3b(Poisson3_1D), [135](#)
- cov2_1D(Poisson2_1D), [134](#)
- CRS, [97](#), [99](#)

- deltaIC, [70](#)
- devel.cvmeasure, [71](#)

- E_nc1(Poisson1_1D), [133](#)
- E_nc2(Poisson2_1D), [134](#)
- E_nc3a(Poisson3_1D), [135](#)
- E_nc3b(Poisson3_1D), [135](#)
- eval_spatial, [76](#)
- evaluate_comp_lin, [74](#)
- evaluate_index, [75](#)
- evaluate_inputs, [76](#)
- expand_labels, [77](#)

- fm_pixels(), [127](#)
- fm_transform(), [87](#)
- fmesher::fm_int(), [113](#)
- fmesher::fm_pixels(), [127](#)

- generate, [78](#)
- generate.bru(), [138](#)
- gg, [81](#), [83](#), [85](#), [88–93](#), [95–97](#), [99](#), [101](#), [103](#), [106](#), [129](#)
- gg(), [5](#), [106](#)
- gg.bru_prediction, [81](#), [82](#), [85](#), [90](#), [106](#)
- gg.bru_prediction(), [84](#), [85](#)
- gg.data.frame, [81](#), [83](#), [84](#), [90](#), [106](#)
- gg.inla.mesh, [81](#), [86](#), [89](#), [106](#)
- gg.inla.mesh.1d, [81](#), [88](#), [89](#), [106](#)
- gg.matrix, [81](#), [83](#), [85](#), [90](#), [106](#)
- gg.prediction(gg.bru_prediction), [82](#)
- gg.prediction(), [129](#)
- gg.RasterLayer, [81](#), [91](#), [106](#)
- gg.sf, [81](#), [92](#), [93](#), [95–97](#), [99](#), [101](#), [103](#), [106](#)
- gg.SpatialGridDataFrame, [81](#), [92](#), [93](#), [95–97](#), [99](#), [101](#), [103](#), [106](#)
- gg.SpatialLines, [81](#), [92](#), [93](#), [94](#), [96](#), [97](#), [99](#), [101](#), [103](#), [106](#)
- gg.SpatialPixels, [81](#), [92](#), [93](#), [95](#), [96](#), [97](#), [99](#), [101](#), [103](#), [106](#)
- gg.SpatialPixelsDataFrame, [81](#), [92](#), [93](#), [95](#), [96](#), [97](#), [99](#), [101](#), [103](#), [106](#)
- gg.SpatialPixelsDataFrame(), [87](#), [88](#), [93](#)
- gg.SpatialPoints, [81](#), [92](#), [93](#), [95–97](#), [99](#), [101](#), [103](#), [106](#)
- gg.SpatialPolygons, [81](#), [92](#), [93](#), [95–97](#), [99](#), [100](#), [103](#), [106](#)
- gg.SpatRaster, [81](#), [92](#), [93](#), [95–97](#), [99](#), [101](#), [102](#), [106](#)
- globe, [103](#), [105](#)

- glplot, [104](#), [104](#)
- gm, [81](#), [83](#), [85](#), [88–93](#), [95–97](#), [99](#), [101](#), [103](#), [106](#)
- gmap, [106](#), [107](#)
- gorillas, [5](#), [108](#)
- gorillas_sf, [5](#), [110](#)
- gorillas_sf_gcov (gorillas_sf), [110](#)
- ibm_eval (bru_mapper_generics), [35](#)
- ibm_eval.bru_mapper_aggregate (bru_mapper_aggregate), [28](#)
- ibm_eval.bru_mapper_collect (bru_mapper_collect), [30](#)
- ibm_eval.bru_mapper_const (bru_mapper_const), [33](#)
- ibm_eval.bru_mapper_logsumexp (bru_mapper_logsumexp), [42](#)
- ibm_eval.bru_mapper_marginal (bru_mapper_marginal), [44](#)
- ibm_eval.bru_mapper_multi (bru_mapper_multi), [48](#)
- ibm_eval.bru_mapper_pipe (bru_mapper_pipe), [50](#)
- ibm_eval.bru_mapper_scale (bru_mapper_scale), [52](#)
- ibm_eval.bru_mapper_shift (bru_mapper_shift), [53](#)
- ibm_eval.bru_mapper_taylor (bru_mapper_taylor), [54](#)
- ibm_eval2 (bru_mapper_generics), [35](#)
- ibm_eval2.bru_mapper_pipe (bru_mapper_pipe), [50](#)
- ibm_inla_subset (bru_mapper_generics), [35](#)
- ibm_invalid_output (bru_mapper_generics), [35](#)
- ibm_invalid_output.bru_mapper_collect (bru_mapper_collect), [30](#)
- ibm_invalid_output.bru_mapper_index (bru_mapper_index), [40](#)
- ibm_invalid_output.bru_mapper_multi (bru_mapper_multi), [48](#)
- ibm_is_linear (bru_mapper_generics), [35](#)
- ibm_is_linear.bru_mapper_collect (bru_mapper_collect), [30](#)
- ibm_is_linear.bru_mapper_multi (bru_mapper_multi), [48](#)
- ibm_jacobian (bru_mapper_generics), [35](#)
- ibm_jacobian.bru_mapper_aggregate (bru_mapper_aggregate), [28](#)
- ibm_jacobian.bru_mapper_collect (bru_mapper_collect), [30](#)
- ibm_jacobian.bru_mapper_const (bru_mapper_const), [33](#)
- ibm_jacobian.bru_mapper_factor (bru_mapper_factor), [34](#)
- ibm_jacobian.bru_mapper_fm_mesh_1d (bru_mapper_fm_mesh_1d), [26](#)
- ibm_jacobian.bru_mapper_fm_mesh_2d (bru_mapper_fm_mesh_2d), [27](#)
- ibm_jacobian.bru_mapper_harmonics (bru_mapper_harmonics), [39](#)
- ibm_jacobian.bru_mapper_index (bru_mapper_index), [40](#)
- ibm_jacobian.bru_mapper_inla_mesh_1d (bru_mapper_fm_mesh_1d), [26](#)
- ibm_jacobian.bru_mapper_inla_mesh_2d (bru_mapper_fm_mesh_2d), [27](#)
- ibm_jacobian.bru_mapper_linear (bru_mapper_linear), [41](#)
- ibm_jacobian.bru_mapper_logsumexp (bru_mapper_logsumexp), [42](#)
- ibm_jacobian.bru_mapper_marginal (bru_mapper_marginal), [44](#)
- ibm_jacobian.bru_mapper_matrix (bru_mapper_matrix), [46](#)
- ibm_jacobian.bru_mapper_mesh_B (bru_mapper_mesh_B), [47](#)
- ibm_jacobian.bru_mapper_multi (bru_mapper_multi), [48](#)
- ibm_jacobian.bru_mapper_pipe (bru_mapper_pipe), [50](#)
- ibm_jacobian.bru_mapper_scale (bru_mapper_scale), [52](#)
- ibm_jacobian.bru_mapper_shift (bru_mapper_shift), [53](#)
- ibm_jacobian.bru_mapper_taylor (bru_mapper_taylor), [54](#)
- ibm_linear (bru_mapper_generics), [35](#)
- ibm_linear(), [51](#)
- ibm_linear.bru_mapper_collect (bru_mapper_collect), [30](#)
- ibm_linear.bru_mapper_multi (bru_mapper_multi), [48](#)
- ibm_linear.default(), [38](#)
- ibm_n (bru_mapper_generics), [35](#)
- ibm_n.bru_mapper_aggregate (bru_mapper_aggregate), [28](#)

- ibm_n.bru_mapper_collect
(bru_mapper_collect), 30
- ibm_n.bru_mapper_const
(bru_mapper_const), 33
- ibm_n.bru_mapper_factor
(bru_mapper_factor), 34
- ibm_n.bru_mapper_fm_mesh_1d
(bru_mapper.fm_mesh_1d), 26
- ibm_n.bru_mapper_fm_mesh_2d
(bru_mapper.fm_mesh_2d), 27
- ibm_n.bru_mapper_harmonics
(bru_mapper_harmonics), 39
- ibm_n.bru_mapper_inla_mesh_1d
(bru_mapper.fm_mesh_1d), 26
- ibm_n.bru_mapper_inla_mesh_2d
(bru_mapper.fm_mesh_2d), 27
- ibm_n.bru_mapper_linear
(bru_mapper_linear), 41
- ibm_n.bru_mapper_marginal
(bru_mapper_marginal), 44
- ibm_n.bru_mapper_matrix
(bru_mapper_matrix), 46
- ibm_n.bru_mapper_mesh_B
(bru_mapper_mesh_B), 47
- ibm_n.bru_mapper_multi
(bru_mapper_multi), 48
- ibm_n.bru_mapper_pipe
(bru_mapper_pipe), 50
- ibm_n.bru_mapper_scale
(bru_mapper_scale), 52
- ibm_n.bru_mapper_shift
(bru_mapper_shift), 53
- ibm_n.bru_mapper_taylor
(bru_mapper_taylor), 54
- ibm_n_output(bru_mapper_generics), 35
- ibm_n_output.bru_mapper_aggregate
(bru_mapper_aggregate), 28
- ibm_n_output.bru_mapper_collect
(bru_mapper_collect), 30
- ibm_n_output.bru_mapper_marginal
(bru_mapper_marginal), 44
- ibm_n_output.bru_mapper_multi
(bru_mapper_multi), 48
- ibm_n_output.bru_mapper_pipe
(bru_mapper_pipe), 50
- ibm_n_output.bru_mapper_scale
(bru_mapper_scale), 52
- ibm_n_output.bru_mapper_shift
(bru_mapper_shift), 53
- ibm_n_output.bru_mapper_taylor
(bru_mapper_taylor), 54
- ibm_names(bru_mapper_generics), 35
- ibm_names.bru_mapper_collect
(bru_mapper_collect), 30
- ibm_names.bru_mapper_collect(), 32
- ibm_names.bru_mapper_multi
(bru_mapper_multi), 48
- ibm_names.bru_mapper_multi(), 49, 50
- ibm_names<-(bru_mapper_generics), 35
- ibm_names<-.bru_mapper_collect
(bru_mapper_collect), 30
- ibm_names<-.bru_mapper_multi
(bru_mapper_multi), 48
- ibm_simplify(bru_mapper_generics), 35
- ibm_simplify.bru_mapper_pipe
(bru_mapper_pipe), 50
- ibm_values(bru_mapper_generics), 35
- ibm_values.bru_mapper_aggregate
(bru_mapper_aggregate), 28
- ibm_values.bru_mapper_collect
(bru_mapper_collect), 30
- ibm_values.bru_mapper_const
(bru_mapper_const), 33
- ibm_values.bru_mapper_factor
(bru_mapper_factor), 34
- ibm_values.bru_mapper_fm_mesh_1d
(bru_mapper.fm_mesh_1d), 26
- ibm_values.bru_mapper_fm_mesh_2d
(bru_mapper.fm_mesh_2d), 27
- ibm_values.bru_mapper_inla_mesh_1d
(bru_mapper.fm_mesh_1d), 26
- ibm_values.bru_mapper_inla_mesh_2d
(bru_mapper.fm_mesh_2d), 27
- ibm_values.bru_mapper_linear
(bru_mapper_linear), 41
- ibm_values.bru_mapper_marginal
(bru_mapper_marginal), 44
- ibm_values.bru_mapper_matrix
(bru_mapper_matrix), 46
- ibm_values.bru_mapper_mesh_B
(bru_mapper_mesh_B), 47
- ibm_values.bru_mapper_multi
(bru_mapper_multi), 48
- ibm_values.bru_mapper_pipe
(bru_mapper_pipe), 50
- ibm_values.bru_mapper_scale

- (bru_mapper_scale), 52
- ibm_values.bru_mapper_shift
 - (bru_mapper_shift), 53
- ibm_values.bru_mapper_taylor
 - (bru_mapper_taylor), 54
- inla.stack.mjoin, 112
- inlabru (inlabru-package), 5
- inlabru-package, 5
- input_eval.bru_input(), 34
- ipoints, 113

- lambda1_1D (Poisson1_1D), 133
- lambda2_1D (Poisson2_1D), 134
- lambda3_1D (Poisson3_1D), 135
- length.bru_log (bru_log), 17
- lgcp, 8, 115
- lgcp(), 5, 6, 58, 70, 119, 138, 151
- like, 8, 117
- like(), 5, 9, 116
- like_list (like), 117

- mexdolphins, 5, 122
- mexdolphins_sf, 5, 123
- mrsea, 125
- multiplot, 126

- pixels, 127
- plot.bru, 128
- plot.bru_prediction, 129
- plot.prediction (plot.bru_prediction), 129
- plotsample, 131
- point2count, 132
- Poisson1_1D, 5, 133
- Poisson2_1D, 5, 134
- Poisson3_1D, 135
- predict(), 6
- predict.bru, 66, 79, 137
- predict.bru(), 5, 6, 82
- print.bru_log (bru_log), 17
- print.bru_mapper (summary.bru_mapper), 153
- print.summary_bru (summary.bru), 151
- print.summary_bru_info
 - (summary.bru_info), 152
- print.summary_bru_mapper
 - (summary.bru_mapper), 153
- print.summary_bru_options
 - (summary.bru_options), 154

- pts1 (Poisson1_1D), 133
- pts2 (Poisson2_1D), 134
- pts3 (Poisson3_1D), 135

- robins_subset, 141

- sample.lgcp, 142
- seals, 144
- seals_sp, 5
- seals_sp (seals), 144
- shrimp, 145
- sline, 146
- spatial.to.ppp, 147
- SpatialPixels, 96
- spde.posterior, 148
- spoly, 150
- stats::dnorm(), 44
- stats::pnorm(), 44
- stats::qnorm(), 44
- summary.bru, 151
- summary.bru_info, 152
- summary.bru_mapper, 153
- summary.bru_mapper_collect
 - (summary.bru_mapper), 153
- summary.bru_mapper_multi
 - (summary.bru_mapper), 153
- summary.bru_mapper_pipe
 - (summary.bru_mapper), 153
- summary.bru_options, 154
- summary.component(), 151

- toygroups, 5, 155