

Package ‘misty’

February 5, 2024

Type Package

Title Miscellaneous Functions 'T. Yanagida'

Version 0.6.2

Date 2024-02-05

Author Takuya Yanagida [aut, cre]

Maintainer Takuya Yanagida <takuya.yanagida@univie.ac.at>

Description Miscellaneous functions for (1) data management (e.g., grand-mean and group-mean centering, coding variables and reverse coding items, scale and cluster scores, reading and writing Excel and SPSS files), (2) descriptive statistics (e.g., frequency table, cross tabulation, effect size measures), (3) missing data (e.g., descriptive statistics for missing data, missing data pattern, Little's test of Missing Completely at Random, and auxiliary variable analysis), (4) multilevel data (e.g., multilevel descriptive statistics, within-group and between-group correlation matrix, multilevel confirmatory factor analysis, level-specific fit indices, cross-level measurement equivalence evaluation, multilevel composite reliability, and multilevel R-squared measures), (5) item analysis (e.g., confirmatory factor analysis, coefficient alpha and omega, between-group and longitudinal measurement equivalence evaluation), and (6) statistical analysis (e.g., confidence intervals, collinearity and residual diagnostics, dominance analysis, between- and within-subject analysis of variance, latent class analysis, t-test, z-test, sample size determination).

Depends R (>= 4.2.0)

License MIT + file LICENSE

Imports ggplot2, haven, lavaan, lme4, nlme, norm, readxl, rstudioapi, writexl

Suggests Matrix, patchwork, plyr, mnormt

Encoding UTF-8

RoxygenNote 7.2.3

NeedsCompilation no

Repository CRAN

Date/Publication 2024-02-05 18:40:02 UTC

R topics documented:

aov.b	4
aov.w	7
as.na	12
center	15
check.collin	20
check.outlier	23
check.resid	25
chr.gsub	29
chr.omit	30
chr.trim	31
ci.mean	33
ci.mean.diff	36
ci.mean.w	41
ci.prop	44
ci.prop.diff	47
ci.var	51
cluster.scores	54
coding	56
cohens.d	59
cor.matrix	65
crosstab	69
descript	72
df.duplicated	74
df.merge	77
df.move	79
df.rbind	80
df.rename	82
df.sort	83
df.subset	84
dominance	87
dominance.manual	90
effsize	94
freq	96
indirect	99
item.alpha	103
item.cfa	106
item.invar	115
item.omega	123
item.reverse	126
item.scores	128
lagged	131
libraries	134
mplus.lca	135
multilevel.cfa	139
multilevel.cor	146
multilevel.descript	152

multilevel.fit	156
multilevel.icc	159
multilevel.indirect	163
multilevel.invar	166
multilevel.omega	172
multilevel.r2	175
multilevel.r2.manual	184
na.auxiliary	187
na.coverage	190
na.descript	192
na.indicator	194
na.pattern	195
na.prop	197
na.test	199
print.misty.object	201
read.dta	203
read.mplus	204
read.sav	205
read.xlsx	207
rec	209
restart	212
result.lca	212
robust.coef	217
run.mplus	220
rwg.lindell	222
script.copy	224
script.new	226
script.open	227
setsource	229
size.cor	230
size.mean	232
size.prop	233
skewness	236
std.coef	237
test.levene	240
test.t	243
test.welch	251
test.z	256
write.dta	263
write.mplus	264
write.result	266
write.sav	267
write.xlsx	270

aov.b

*Between-Subject Analysis of Variance***Description**

This function performs an one-way between-subject analysis of variance (ANOVA) including Tukey HSD post hoc test for multiple comparison and provides descriptive statistics, effect size measures, and a plot showing error bars for difference-adjusted confidence intervals with jittered data points.

Usage

```
aov.b(formula, data, posthoc = TRUE, conf.level = 0.95, hypo = TRUE,
      descript = TRUE, effsize = FALSE, weighted = FALSE, correct = FALSE,
      plot = FALSE, point.size = 4, adjust = TRUE, error.width = 0.1,
      xlab = NULL, ylab = NULL, ylim = NULL, breaks = ggplot2::waiver(),
      jitter = TRUE, jitter.size = 1.25, jitter.width = 0.05,
      jitter.height = 0, jitter.alpha = 0.1, title = "",
      subtitle = "Confidence Interval", digits = 2, p.digits = 4,
      as.na = NULL, write = NULL, append = TRUE, check = TRUE,
      output = TRUE, ...)
```

Arguments

formula	a formula of the form $y \sim \text{group}$ where y is a numeric variable giving the data values and group a numeric variable, character variable or factor with more than two values or factor levels giving the corresponding groups.
data	a matrix or data frame containing the variables in the formula formula.
posthoc	logical: if TRUE (default), Tukey HSD post hoc test for multiple comparison is conducted.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
hypo	logical: if TRUE (default), null and alternative hypothesis are shown on the console.
descript	logical: if TRUE (default), descriptive statistics are shown on the console.
effsize	logical: if TRUE, effect size measures η^2 and ω^2 for the ANOVA and Cohen's d for the post hoc tests are shown on the console.
weighted	logical: if TRUE, the weighted pooled standard deviation is used to compute Cohen's d.
correct	logical: if TRUE, correction factor to remove positive bias in small samples is used.
plot	logical: if TRUE, a plot showing error bars for confidence intervals is drawn.
point.size	a numeric value indicating the size aesthetic for the point representing the mean value.
adjust	logical: if TRUE (default), difference-adjustment for the confidence intervals is applied.

<code>error.width</code>	a numeric value indicating the horizontal bar width of the error bar.
<code>xlab</code>	a character string specifying the labels for the x-axis.
<code>ylab</code>	a character string specifying the labels for the y-axis.
<code>ylim</code>	a numeric vector of length two specifying limits of the limits of the y-axis.
<code>breaks</code>	a numeric vector specifying the points at which tick-marks are drawn at the y-axis.
<code>jitter</code>	logical: if TRUE (default), jittered data points are drawn.
<code>jitter.size</code>	a numeric value indicating the size aesthetic for the jittered data points.
<code>jitter.width</code>	a numeric value indicating the amount of horizontal jitter.
<code>jitter.height</code>	a numeric value indicating the amount of vertical jitter.
<code>jitter.alpha</code>	a numeric value indicating the opacity of the jittered data points.
<code>title</code>	a character string specifying the text for the title for the plot.
<code>subtitle</code>	a character string specifying the text for the subtitle for the plot.
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying descriptive statistics and confidence interval.
<code>p.digits</code>	an integer value indicating the number of decimal places to be used for displaying the <i>p</i> -value.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.
<code>...</code>	further arguments to be passed to or from methods.

Details

Post Hoc Test Tukey HSD post hoc test reports Cohen's *d* based on the non-weighted standard deviation (i.e., `weighted = FALSE`) when requesting an effect size measure (i.e., `effsize = TRUE`) following the recommendation by Delacre et al. (2021).

Confidence Intervals Cumming and Finch (2005) pointed out that when 95% confidence intervals (CI) for two separately plotted means overlap, it is still possible that the CI for the difference would not include zero. Baguley (2012) proposed to adjust the width of the CIs by the factor of $\sqrt{2}$ to reflect the correct width of the CI for a mean difference:

$$\hat{\mu}_j \pm t_{n-1, 1-\alpha/2} \frac{\sqrt{2}}{2} \hat{\sigma}_{\hat{\mu}_j}$$

These difference-adjusted CIs around the individual means can be interpreted as if it were a CI for their difference. Note that the width of these intervals is sensitive to differences in the variance and sample size of each sample, i.e., unequal population variances and unequal *n* alter the interpretation of difference-adjusted CIs.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	data frame with variables used in the current analysis
<code>formula</code>	formula of the current analysis
<code>plot</code>	ggplot2 object for plotting the results
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>descript</code> for descriptive statistics, <code>test</code> for the ANOVA table, <code>posthoc</code> for post hoc tests, and <code>aov</code> for the return object of the <code>aov</code> function

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Baguley, T. S. (2012a). *Serious stats: A guide to advanced statistics for the behavioral sciences*. Palgrave Macmillan.
- Cumming, G., and Finch, S. (2005) Inference by eye: Confidence intervals, and how to read pictures of data. *American Psychologist*, *60*, 170–80.
- Delacre, M., Lakens, D., Ley, C., Liu, L., & Leys, C. (2021). Why Hedges' g 's based on the non-pooled standard deviation should be reported with Welch's t -test. <https://doi.org/10.31234/osf.io/tu6mp>
- Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

See Also

[aov.w](#), [test.t](#), [test.z](#), [test.levene](#), [test.welch](#), [cohens.d](#), [ci.mean.diff](#), [ci.mean](#)

Examples

```
dat <- data.frame(group = c(1, 1, 1, 1, 2, 2, 2, 2, 3, 3, 3, 3),
                 y = c(3, 1, 4, 2, 5, 3, 2, 3, 6, 6, 3, NA))

# Example 1: Between-subject ANOVA
aov.b(y ~ group, data = dat)

# Example 2: Between-subject ANOVA
# print effect size measures
aov.b(y ~ group, data = dat, effsize = TRUE)

# Example 3: Between-subject ANOVA
# do not print hypotheses and descriptive statistics,
aov.b(y ~ group, data = dat, descript = FALSE, hypo = FALSE)
```

```

## Not run:
# Example 4: Write results into a text file
aov.b(y ~ group, data = dat, write = "ANOVA.txt")

# Example 5: Between-subject ANOVA
# plot results
aov.b(y ~ group, data = dat, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Example 6: Save plot, ggsave() from the ggplot2 package
ggsave("Between-Subject_ANOVA.png", dpi = 600, width = 4.5, height = 6)

# Example 7: Between-subject ANOVA
# extract plot
p <- aov.b(y ~ group, data = dat, output = FALSE)$plot
p

# Extract data
plotdat <- aov.b(y ~ group, data = dat, output = FALSE)$data

# Draw plot in line with the default setting of aov.b()
ggplot(plotdat, aes(group, y)) +
  geom_jitter(alpha = 0.1, width = 0.05, height = 0, size = 1.25) +
  geom_point(stat = "summary", fun = "mean", size = 4) +
  stat_summary(fun.data = "mean_cl_normal", geom = "errorbar", width = 0.20) +
  scale_x_discrete(name = NULL) +
  labs(subtitle = "Two-Sided 95
  theme_bw() + theme(plot.subtitle = element_text(hjust = 0.5))

## End(Not run)

```

aov.w

Repeated Measures Analysis of Variance (Within-Subject ANOVA)

Description

This function performs a one-way repeated measures analysis of variance (within subject ANOVA) including paired-samples t-tests for multiple comparison and provides descriptive statistics, effect size measures, and a plot showing error bars for difference-adjusted Cousineau-Morey within-subject confidence intervals with jittered data points including subject-specific lines.

Usage

```

aov.w(formula, data, print = c("all", "none", "LB", "GG", "HF"),
      posthoc = TRUE, conf.level = 0.95,
      p.adj = c("none", "bonferroni", "holm", "hochberg", "hommel", "BH", "BY", "fdr"),
      hypo = TRUE, descript = TRUE, epsilon = TRUE, effsize = FALSE,

```

```
na.omit = TRUE, plot = FALSE, point.size = 4, adjust = TRUE,
error.width = 0.1, xlab = NULL, ylab = NULL, ylim = NULL,
breaks = ggplot2::waiver(), jitter = TRUE, line = TRUE,
jitter.size = 1.25, jitter.width = 0.05, jitter.height = 0,
jitter.alpha = 0.1, title = "", subtitle = "Confidence Interval",
digits = 2, p.digits = 4, as.na = NULL, write = NULL, append = TRUE,
check = TRUE, output = TRUE, ...)
```

Arguments

formula	a formula of the form <code>cbind(time1, time2, time3) ~ 1</code> where <code>time1</code> , <code>time2</code> , and <code>time3</code> are numeric variables representing the levels of the within-subject factor, i.e., data are specified in wide-format (i.e., multivariate person level format).
data	a matrix or data frame containing the variables in the formula <code>formula</code> .
print	a character vector indicating which sphericity correction to use, i.e., all for all corrections, none for no correction, LB for lower bound correction, GG for Greenhouse-Geisser correction, and HF, for Huynh-Feldt correction.
posthoc	logical: if TRUE (default), paired-samples t-tests for multiple comparison are conducted.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
p.adj	a character string indicating an adjustment method for multiple testing based on p.adjust , i.e., none, bonferroni, holm (default), hochberg, hommel, BH, BY, or fdr.
hypo	logical: if TRUE (default), null and alternative hypothesis are shown on the console.
descript	logical: if TRUE (default), descriptive statistics are shown on the console.
epsilon	logical: if TRUE (default), box indices of sphericity (epsilon) are shown on the console, i.e., lower bound, Greenhouse and Geiser (GG), Huynh and Feldt (HF) and average of GG and HF.
effsize	logical: if TRUE, effect size measures eta-squared (η^2), partial eta-squared (η_p^2), omega-squared (ω^2), and partial omega-squared (ω_p^2) for the repeated measures ANOVA and Cohen's <i>d</i> for the post hoc tests are shown on the console.
na.omit	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion).
plot	logical: if TRUE, a plot showing error bars for confidence intervals is drawn.
point.size	a numeric value indicating the size aesthetic for the point representing the mean value.
adjust	logical: if TRUE (default), difference-adjustment for the Cousineau-Morey within-subject confidence intervals is applied.
error.width	a numeric value indicating the horizontal bar width of the error bar.
xlab	a character string specifying the labels for the x-axis.
ylab	a character string specifying the labels for the y-axis.
ylim	a numeric vector of length two specifying limits of the limits of the y-axis.

breaks	a numeric vector specifying the points at which tick-marks are drawn at the y-axis.
jitter	logical: if TRUE (default), jittered data points are drawn.
line	logical: if TRUE (default), subject-specific lines are drawn.
jitter.size	a numeric value indicating the size aesthetic for the jittered data points.
jitter.width	a numeric value indicating the amount of horizontal jitter.
jitter.height	a numeric value indicating the amount of vertical jitter.
jitter.alpha	a numeric value indicating the opacity of the jittered data points.
title	a character string specifying the text for the title for the plot.
subtitle	a character string specifying the text for the subtitle for the plot.
digits	an integer value indicating the number of decimal places to be used for displaying descriptive statistics and confidence interval.
p.digits	an integer value indicating the number of decimal places to be used for displaying the p -value.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.
...	further arguments to be passed to or from methods.

Details

Sphericity The F -Test of the repeated measures ANOVA is based on the assumption of sphericity, which is defined as the assumption that the variance of differences between repeated measures are equal in the population. The Mauchly's test is commonly used to test this hypothesis. However, test of assumptions addresses an irrelevant hypothesis because what matters is the degree of violation rather than its presence (Baguley, 2012a). Moreover, the test is not recommended because it lacks statistical power (Abdi, 2010). Instead, the Box index of sphericity (ε) should be used to assess the degree of violation of the sphericity assumption. The ε parameter indicates the degree to which the population departs from sphericity with $\varepsilon = 1$ indicating that sphericity holds. As the departure becomes more extreme, ε approaches its lower bound $\hat{\varepsilon}_{lb}$:

$$\hat{\varepsilon}_{lb} = \frac{1}{J - 1}$$

where J is the number of levels of the within-subject factor. Box (1954a, 1954b) suggested a measure for sphericity, which applies to a population covariance matrix. Greenhouse and Geisser (1959) proposed an estimate for ε known as $\hat{\varepsilon}_{gg}$ that can be computed from the sample covariance matrix, whereas Huynh and Feldt (1976) proposed an alternative estimate $\hat{\varepsilon}_{hf}$.

These estimates can be used to correct the effect and error df of the F -test. Simulation studies showed that $\hat{\epsilon}_{gg} \leq \hat{\epsilon}_{hf}$ and that $\hat{\epsilon}_{gg}$ tends to be conservative underestimating ϵ , whereas $\hat{\epsilon}_{hf}$ tends to be liberal overestimating ϵ and occasionally exceeding one. Baguley (2012a) recommended to compute the average of the conservative estimate $\hat{\epsilon}_{gg}$ and the liberal estimate $\hat{\epsilon}_{hf}$ to assess the sphericity assumption. By default, the function prints results depending on the average $\hat{\epsilon}_{gg}$ and $\hat{\epsilon}_{hf}$:

- If the average is less than 0.75 results of the F -Test based on Greenhouse-Geiser correction factor ($\hat{\epsilon}_{gg}$) is printed.
- If the average is less greater or equal 0.75, but less than 0.95 results of the F -Test based on Huynh-Feldt correction factor ($\hat{\epsilon}_{hf}$) is printed.
- If the average is greater or equal 0.95 results of the F -Test without any corrections are printed.

Missing Data The function uses listwise deletion by default to deal with missing data. However, the function also allows to use all available observations by conducting the repeated measures ANOVA in long data format when specifying `na.omit = FALSE`. Note that in the presence of missing data, the F -Test without any sphericity corrections may be reliable, but it is not clear whether results based on Greenhouse-Geiser or Huynh-Feldt correction are trustworthy given that pairwise deletion is used for estimating the variance-covariance matrix when computing $\hat{\epsilon}_{gg}$ and the total number of subjects regardless of missing values (i.e., complete and incomplete cases) are used for computing $\hat{\epsilon}_{hf}$.

Within-Subject Confidence Intervals The function provides a plot showing error bars for difference-adjusted Cousineau-Morey confidence intervals (Baguley, 2012b). The intervals matches that of a CI for a difference, i.e., non-overlapping CIs corresponds to an inferences of no statistically significant difference. The Cousineau-Morey confidence intervals without adjustment can be used by specifying `adjust = FALSE`.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	list with the data (<code>data</code>) in wide-format (<code>wide</code>), reshaped data in long-format (<code>long</code>), and within-subject confidence intervals (<code>ci</code>)
<code>formula</code>	formula of the current analysis
<code>plot</code>	<code>ggplot2</code> object for plotting the results
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>descript</code> for descriptive statistics, <code>epsilon</code> for a table with indices of sphericity, <code>test</code> for the ANOVA table (<code>none</code> for no sphericity correction, <code>lb</code> for lower bound correction, <code>gg</code> for Greenhouse and Geiser correction, and <code>hf</code> for Huynh and Feldt correction), <code>posthoc</code> for post hoc tests, and <code>aov</code> for the return object of the <code>aov</code> function

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Abdi, H. (2010). The Greenhouse-Geisser correction. In N. J. Salkind (Ed.) *Encyclopedia of Research Design* (pp. 630-634), Sage. <https://dx.doi.org/10.4135/9781412961288>
- Baguley, T. S. (2012a). *Serious stats: A guide to advanced statistics for the behavioral sciences*. Palgrave Macmillan.
- Baguley, T. (2012b). Calculating and graphing within-subject confidence intervals for ANOVA. *Behavior Research Methods*, *44*, 158-175. <https://doi.org/10.3758/s13428-011-0123-7>
- Bakerman, R. (2005). Recommended effect size statistics for repeated measures designs. *Behavior Research Methods*, *37*, 179-384. <https://doi.org/10.3758/BF03192707>
- Box, G. E. P. (1954a) Some Theorems on Quadratic Forms Applied in the Study of Analysis of Variance Problems, I. Effects of Inequality of Variance in the One-way Classification. *Annals of Mathematical Statistics*, *25*, 290–302.
- Box, G. E. P. (1954b) Some Theorems on Quadratic Forms Applied in the Study of Analysis of Variance Problems, II. Effects of Inequality of Variance and of Correlation between Errors in the Two-way Classification. *Annals of Mathematical Statistics*, *25*, 484–98.
- Greenhouse, S. W., and Geisser, S. (1959). On methods in the analysis of profile data. *Psychometrika*, *24*, 95-112. <https://doi.org/10.1007/BF02289823>
- Huynh, H., and Feldt, L. S. (1976). Estimation of the box correction for degrees of freedom from sample data in randomized block and splitplot designs. *Journal of Educational Statistics*, *1*, 69-82. <https://doi.org/10.2307/1164736>
- Olejnik, S., & Algina, J. (2000). Measures of effect size for comparative studies: Applications, interpretations, and limitations. *Contemporary Educational Psychology*, *25*, 241-286. <https://doi.org/10.1006/ceps.2000.1040>
- Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

See Also

[aov.b](#), [test.t](#), [test.z](#), [cohens.d](#), [ci.mean.diff](#), [ci.mean](#)

Examples

```
dat <- data.frame(time1 = c(3, 2, 1, 4, 5, 2, 3, 5, 6, 7),
                 time2 = c(4, 3, 6, 5, 8, 6, 7, 3, 4, 5),
                 time3 = c(1, 2, 2, 3, 6, 5, 1, 2, 4, 6))

# Example 1: Repeated measures ANOVA
aov.w(cbind(time1, time2, time3) ~ 1, data = dat)

# Example 2: Repeated measures ANOVA
# print results based on all sphericity corrections
aov.w(cbind(time1, time2, time3) ~ 1, data = dat, print = "all")

# Example 3: Repeated measures ANOVA
# print effect size measures
aov.w(cbind(time1, time2, time3) ~ 1, data = dat, effsize = TRUE)

# Example 4: Repeated measures ANOVA
```

```

# do not print hypotheses and descriptive statistics,
aov.w(cbind(time1, time2, time3) ~ 1, data = dat, descript = FALSE, hypo = FALSE)

## Not run:
# Example 5: Write results into a text file
aov.w(cbind(time1, time2, time3) ~ 1, data = dat, write = "RM-ANOVA.txt")

# Example 6: Repeated measures ANOVA
# plot results
aov.w(cbind(time1, time2, time3) ~ 1, data = dat, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
ggsave("Repeated_measures_ANOVA.png", dpi = 600, width = 4.5, height = 4)

# Example 7: Repeated measures ANOVA
# extract plot
p <- aov.w(cbind(time1, time2, time3) ~ 1, data = dat, output = FALSE)$plot
p

# Extract data
plotdat <- aov.w(cbind(time1, time2, time3) ~ 1, data = dat, output = FALSE)$data

# Draw plot in line with the default setting of aov.w()
ggplot(plotdat$long, aes(time, y, group = 1L)) +
  geom_point(aes(time, y, group = id),
             alpha = 0.1, position = position_dodge(0.05)) +
  geom_line(aes(time, y, group = id),
            alpha = 0.1, position = position_dodge(0.05)) +
  geom_point(data = plotdat$ci, aes(variable, m), stat = "identity", size = 4) +
  stat_summary(aes(time, y), fun = mean, geom = "line") +
  geom_errorbar(data = plotdat$ci, aes(variable, m, ymin = low, ymax = upp), width = 0.1) +
  theme_bw() + xlab(NULL) +
  labs(subtitle = "Two-Sided 95")
theme(plot.subtitle = element_text(hjust = 0.5),
      plot.title = element_text(hjust = 0.5))

## End(Not run)

```

as.na

*Replace User-Specified Values With Missing Values or Missing Values
With User-Specified Values*

Description

The function `as.na` replaces user-specified values in the argument `na` in a vector, factor, matrix, array, list, or data frame with `NA`, while the function `na.as` replaces `NA` in a vector, factor, matrix or data frame with user-specified values in the argument `na`.

Usage

```
as.na(..., data = NULL, na, replace = TRUE, check = TRUE)
```

```
na.as(..., data = NULL, na, replace = TRUE, as.na = NULL, check = TRUE)
```

Arguments

...	a vector, factor, matrix, array, data frame, or list. Alternatively, an expression indicating the variable names in data e.g., <code>as.na(x1, x2, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a vector, factor, matrix, array, data frame, or list for the argument <code>...</code>
na	a vector indicating values or characters to replace with NA, or which NA is replaced.
replace	logical: if <code>TRUE</code> (default), variable(s) specified in <code>...</code> are replaced in the argument data.
check	logical: if <code>TRUE</code> (default), argument specification is checked.
as.na	a numeric vector or character vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.

Value

Returns a vector, factor, matrix, array, data frame, or list specified in the argument `...` or a data frame specified in `data` with variables specified in `...` replaced.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole.

See Also

[na.auxiliary](#), [na.coverage](#), [na.descript](#), [na.indicator](#), [na.pattern](#), [na.prop](#), [na.test](#)

Examples

```
#-----
# Numeric vector
num <- c(1, 3, 2, 4, 5)

# Example 1: Replace 2 with NA
as.na(num, na = 2)
```

```
# Example 2: Replace 2, 3, and 4 with NA
as.na(num, na = c(2, 3, 4))

# Example 3: Replace NA with 2
na.as(c(1, 3, NA, 4, 5), na = 2)

#-----
# Character vector
chr <- c("a", "b", "c", "d", "e")

# Example 4: Replace "b" with NA
as.na(chr, na = "b")

# Example 5: Replace "b", "c", and "d" with NA
as.na(chr, na = c("b", "c", "d"))

# Example 6: Replace NA with "b"
na.as(c("a", NA, "c", "d", "e"), na = "b")

#-----
# Factor
fac <- factor(c("a", "a", "b", "b", "c", "c"))

# Example 7: Replace "b" with NA
as.na(fac, na = "b")

# Example 8: Replace "b" and "c" with NA
as.na(fac, na = c("b", "c"))

# Example 9: Replace NA with "b"
na.as(factor(c("a", "a", NA, NA, "c", "c")), na = "b")

#-----
# Matrix
mat <- matrix(1:20, ncol = 4)

# Example 10: Replace 8 with NA
as.na(mat, na = 8)

# Example 11: Replace 8, 14, and 20 with NA
as.na(mat, na = c(8, 14, 20))

# Example 12: Replace NA with 2
na.as(matrix(c(1, NA, 3, 4, 5, 6), ncol = 2), na = 2)

#-----
# Array

# Example 13: Replace 1 and 10 with NA
as.na(array(1:20, dim = c(2, 3, 2)), na = c(1, 10))

#-----
```

```

# List

# Example 14: Replace 1 with NA
as.na(list(x1 = c(1, 2, 3, 1, 2, 3),
          x2 = c(2, 1, 3, 2, 1),
          x3 = c(3, 1, 2, 3)), na = 1)

#-----
# Data frame
df <- data.frame(x1 = c(1, 2, 3),
                 x2 = c(2, 1, 3),
                 x3 = c(3, 1, 2))

# Example 15a: Replace 1 with NA
as.na(df, na = 1)

# Example 15b: Alternative specification using the 'data' argument
as.na(., data = df, na = 1)

# Example 16: Replace 1 and 3 with NA
as.na(df, na = c(1, 3))

# Example 17a: Replace 1 with NA in 'x2'
as.na(df$x2, na = 1)

# Example 17b: Alternative specification using the 'data' argument
as.na(x2, data = df, na = 1)

# Example 18: Replace 1 with NA in 'x2' and 'x3'
as.na(x2, x3, data = df, na = 1)

# Example 19: Replace 1 with NA in 'x1', 'x2', and 'x3'
as.na(x1:x3, data = df, na = 1)

# Example 20: Replace NA with -99
na.as(data.frame(x1 = c(NA, 2, 3),
                 x2 = c(2, NA, 3),
                 x3 = c(3, NA, 2)), na = -99)

# Example 2: Recode by replacing 30 with NA and then replacing NA with 3
na.as(data.frame(x1 = c(1, 2, 30),
                 x2 = c(2, 1, 30),
                 x3 = c(30, 1, 2)), na = 3, as.na = 30)

```

Description

This function centers predictor variables in single-level data, two-level data, and three-level data at the grand mean (CGM, i.e., grand mean centering) or within cluster (CWC, i.e., group mean

centering).

Usage

```
center(..., data = NULL, cluster = NULL, type = c("CGM", "CWC"),
       cwc.mean = c("L2", "L3"), value = NULL, name = ".c",
       append = TRUE, as.na = NULL, check = TRUE)
```

Arguments

...	a numeric vector for centering a predictor variable, or a data frame for centering more than one predictor. Alternatively, an expression indicating the variable names in data e.g., <code>center(x1, x2, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more predictor variables in the argument ... Note that the argument is NULL when specifying a numeric vector or data frame for the argument ...
cluster	a character string indicating the name of the cluster variable in ... or data for two-level data, a character vector indicating the names of the cluster variables in ... for three-level data, or a vector or data frame representing the nested grouping structure (i.e., group or cluster variables). Alternatively, a character string or character vector indicating the variable name(s) of the cluster variable(s) in data. Note that the cluster variable at Level 3 come first in a three-level model, i.e., <code>cluster = c("level3", "level2")</code> .
type	a character string indicating the type of centering, i.e., "CGM" for centering at the grand mean (i.e., grand mean centering, default when <code>cluster = NULL</code>) or "CWC" for centering within cluster (i.e., group mean centering, default when specifying the argument <code>cluster</code>).
cwc.mean	a character string indicating the type of centering of a level-1 predictor variable in a three-level model, i.e., L2 (default) for centering the predictor variable at the level-2 cluster means, and L2 for centering the predictor variable at the level-3 cluster means.
value	a numeric value for centering on a specific user-defined value. Note that this option is only available when specifying a single-level predictor variable, i.e., <code>cluster = NULL</code> .
name	a character string or character vector indicating the names of the centered predictor variables. By default, centered predictor variables are named with the ending ".c" resulting in e.g. "x1.c" and "x2.c". Variable names can also be specified by using a character vector matching the number of variables specified in ... (e.g., <code>name = c("center.x1", "center.x2")</code>).
append	logical: if TRUE (default), centered variable(s) are appended to the data frame specified in the argument <code>data</code> .
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to ... but not to <code>cluster</code> .
check	logical: if TRUE (default), argument specification is checked.

Details

Single-Level Data Predictor variables in single-level data can only be centered at the grand mean (CGM) by specifying type = "CGM":

$$x_i - \bar{x}_.$$

where x_i is the predictor value of observation i and $\bar{x}_.$ is the average x score. Note that predictor variables can be centered on any meaningful value specifying the argument value, e.g., a predictor variable centered at 5 by applying following formula:

$$x_i - \bar{x}_. + 5$$

resulting in a mean of the centered predictor variable of 5.

Two-Level Data Level-1 (L1) predictor variables in two-level data can be centered at the grand mean (CGM) by specifying type = "CGM":

$$x_{ij} - \bar{x}_{..}$$

where x_{ij} is the predictor value of observation i in L2 cluster j and $\bar{x}_{..}$ is the average x score. L1 predictor variables are centered at the group mean (CWC) by specifying type = "CWC" (Default):

$$x_{ij} - \bar{x}_{.j}$$

where $\bar{x}_{.j}$ is the average x score in cluster j .

Level-2 (L1) predictor variables in two-level data can only be centered at the grand mean:

$$x_{.j} - \bar{x}_{..}$$

where $x_{.j}$ is the predictor value of Level 2 cluster j and $\bar{x}_{..}$ is the average Level-2 cluster score. Note that the cluster membership variable needs to be specified when centering a L2 predictor variable in two-level data. Otherwise the average x_{ij} individual score instead of the average $x_{.j}$ cluster score is used to center the predictor variable.

Three-Level Data Level-1 (L1) predictor variables in three-level data can be centered at the grand mean (CGM) by specifying type = "CGM":

$$x_{ijk} - \bar{x}_{...}$$

where x_{ijk} is the predictor value of observation i in Level-2 cluster j within Level-3 cluster k and $\bar{x}_{...}$ is the average x score.

L1 predictor variables are centered within cluster (CWC) by specifying type = "CWC" (Default). However, L1 predictor variables can be either centered within Level-2 cluster (cwc.mean = "L2", Default, see Brincks et al., 2017):

$$x_{ijk} - \bar{x}_{.jk}$$

or within Level-3 cluster (cwc.mean = "L3", see Enders, 2013):

$$x_{ijk} - \bar{x}_{..k}$$

where $\bar{x}_{.jk}$ is the average x score in Level-2 cluster j within Level-3 cluster k and $\bar{x}_{..k}$ is the average x score in Level-3 cluster k .

Level-2 (L2) predictor variables in three-level data can be centered at the grand mean (CGM) by specifying `type = "CGM"`:

$$x_{.jk} - \bar{x}_{..}$$

where $x_{.jk}$ is the predictor value of Level-2 cluster j within Level-3 cluster k and $\bar{x}_{..}$ is the average Level-2 cluster score.

L2 predictor variables are centered within cluster (CWC) by specifying `type = "CWC"` (Default):

$$x_{.jk} - \bar{x}_{..k}$$

where $\bar{x}_{..k}$ is the average x score in Level-3 cluster k .

Level-3 (L3) predictor variables in three-level data can only be centered at the grand mean:

$$x_{..k} - \bar{x}_{..}$$

where $x_{..k}$ is the predictor value of Level-3 cluster k and $\bar{x}_{..}$ is the average Level-3 cluster score. Note that the cluster membership variable needs to be specified when centering a L3 predictor variable in three-level data.

Value

Returns a numeric vector or data frame with the same length or same number of rows as ... containing the centered variable(s).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Brincks, A. M., Enders, C. K., Llabre, M. M., Bulotsky-Shearer, R. J., Prado, G., & Feaster, D. J. (2017). Centering predictor variables in three-level contextual models. *Multivariate Behavioral Research*, 52(2), 149–163. <https://doi.org/10.1080/00273171.2016.1256753>
- Chang, C.-N., & Kwok, O.-M. (2022) Partitioning Variance for a Within-Level Predictor in Multi-level Models. *Structural Equation Modeling: A Multidisciplinary Journal*. Advance online publication. <https://doi.org/10.1080/10705511.2022.2051175>
- Enders, C. K. (2013). Centering predictors and contextual effects. In M. A. Scott, J. S. Simonoff, & B. D. Marx (Eds.), *The Sage handbook of multilevel modeling* (pp. 89-109). Sage. <https://dx.doi.org/10.4135/9781446247600>
- Enders, C. K., & Tofighi, D. (2007). Centering predictor variables in cross-sectional multilevel models: A new look at an old issue. *Psychological Methods*, 12, 121-138. <https://doi.org/10.1037/1082-989X.12.2.121>
- Rights, J. D., Preacher, K. J., & Cole, D. A. (2020). The danger of conflating level-specific effects of control variables when primary interest lies in level-2 effects. *British Journal of Mathematical & Statistical Psychology*, 73, 194-211. <https://doi.org/10.1111/bmsp.12194>

Yaremych, H. E., Preacher, K. J., & Hedeker, D. (2021). Centering categorical predictors in multi-level models: Best practices and interpretation. *Psychological Methods*. Advance online publication. <https://doi.org/10.1037/met0000434>

See Also

[coding](#), [cluster.scores](#), [rec](#), [item.reverse](#), [rwg.lindell](#), [item.scores](#).

Examples

```
#-----
# Predictor Variables in Single-Level Data

# Example 1a: Center predictor 'disp' at the grand mean
center(mtcars$disp)

# Example 1b: Alternative specification using the 'data' argument
center(disp, data = mtcars)

# Example 2a: Center predictors 'disp' and 'hp' at the grand mean and append to 'mtcars'
cbind(mtcars, center(mtcars[, c("disp", "hp")]))

# Example 2b: Alternative specification using the 'data' argument
center(disp, hp, data = mtcars)

# Example 3: Center predictor 'disp' at the value 3
center(disp, data = mtcars, value = 3)

# Example 4: Center predictors 'disp' and 'hp' and label with the suffix ".v"
center(disp, hp, data = mtcars, name = ".v")

#-----
# Predictor Variables in Two-Level Data

# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

# Example 5a: Center L1 predictor 'y1' within cluster
center(Demo.twolevel$y1, cluster = Demo.twolevel$cluster)

# Example 5b: Alternative specification using the 'data' argument
center(y1, data = Demo.twolevel, cluster = "cluster")

# Example 6: Center L2 predictor 'w2' at the grand mean
center(w1, data = Demo.twolevel, cluster = "cluster")

# Example 6: Center L1 predictor 'y1' within cluster and L2 predictor 'w1' at the grand mean
center(y1, w1, data = Demo.twolevel, cluster = "cluster")

#-----
# Predictor Variables in Three-Level Data
```

```
# Create arbitrary three-level data
Demo.threelevel <- data.frame(Demo.twolevel, cluster2 = Demo.twolevel$cluster,
                             cluster3 = rep(1:10, each = 250))

# Example 7a: Center L1 predictor 'y1' within L2 cluster
center(y1, data = Demo.threelevel, cluster = c("cluster3", "cluster2"))

# Example 7b: Center L1 predictor 'y1' within L3 cluster
center(y1, data = Demo.threelevel, cluster = c("cluster3", "cluster2"), cwc.mean = "L3")

# Example 7c: Center L1 predictor 'y1' within L2 cluster and L2 predictor 'w1' within L3 cluster
center(y1, w1, data = Demo.threelevel, cluster = c("cluster3", "cluster2"))
```

 check.collin

Collinearity Diagnostics

Description

This function computes tolerance, standard error inflation factor, variance inflation factor, eigenvalues, condition index, and variance proportions for linear, generalized linear, and mixed-effects models.

Usage

```
check.collin(model, print = c("all", "vif", "eigen"), digits = 3, p.digits = 3,
             write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

model	a fitted model of class "lm", "glm", "lmerMod", "lmerModLmerTest", "glmerMod", "lme", or "glmmTMB".
print	a character vector indicating which results to show, i.e. "all", for all results, "vif" for tolerance, std. error inflation factor, and variance inflation factor, or eigen for eigenvalue, condition index, and variance proportions.
digits	an integer value indicating the number of decimal places to be used for displaying results.
p.digits	an integer value indicating the number of decimal places to be used for displaying the <i>p</i> -value.
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

Collinearity diagnostics can be conducted for objects returned from the `lm()` and `glm()` function, but also from objects returned from the `lmer()` and `glmer()` function from the **lme4** package, `lme()` function from the **nlme** package, and the `glmmTMB()` function from the **glmmTMB** package.

The generalized variance inflation factor (Fox & Monette, 1992) is computed for terms with more than 1 df resulting from factors with more than two levels. The generalized VIF (GVIF) is interpretable as the inflation in size of the confidence ellipse or ellipsoid for the coefficients of the term in comparison with what would be obtained for orthogonal data. GVIF is invariant to the coding of the terms in the model. In order to adjust for the dimension of the confidence ellipsoid, $GVIF^{\frac{1}{2df}}$ is computed. Note that the adjusted GVIF (aGVIF) is actually a generalized standard error inflation factor (GSIF). Thus, the aGVIF needs to be squared before applying a common cutoff threshold for the VIF (e.g., $VIF > 10$). Note that the output of `check.collin()` function reports either the variance inflation factor or the squared generalized variance inflation factor in the column VIF, while the standard error inflation factor or the adjusted generalized variance inflation factor is reported in the column SIF.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>model</code>	model specified in the <code>model</code> argument
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>coef</code> for the regression table including tolerance, std. error inflation factor and variance inflation factors, <code>vif</code> for the tolerance, std. error inflation factor, and variance inflation factor, and <code>eigen</code> for eigenvalue condition index, and variance proportion

Note

The computation of the VIF and the GVIF is based on the `vif()` function in the **car** package by John Fox, Sanford Weisberg and Brad Price (2020), and the computation of eigenvalues, condition index, and variance proportions is based on the `ols_eigen_cindex()` function in the **olsrr** package by Aravind Hebbali (2020).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Fox, J., & Monette, G. (1992). Generalized collinearity diagnostics. *Journal of the American Statistical Association*, 87, 178-183.
- Fox, J., Weisberg, S., & Price, B. (2020). *car: Companion to Applied Regression*. R package version 3.0-8. <https://cran.r-project.org/web/packages/car/>
- Hebbali, A. (2020). *olsrr: Tools for building OLS regression models*. R package version 0.5.3. <https://cran.r-project.org/web/packages/olsrr/>

See Also[check.outlier, lm](#)**Examples**

```

dat <- data.frame(group = c(1, 1, 1, 2, 2, 2, 3, 3, 3, 4, 4, 4),
  x1 = c(3, 2, 4, 9, 5, 3, 6, 4, 5, 6, 3, 5),
  x2 = c(1, 4, 3, 1, 2, 4, 3, 5, 1, 7, 8, 7),
  x3 = c(7, 3, 4, 2, 5, 6, 4, 2, 3, 5, 2, 8),
  x4 = c("a", "b", "a", "c", "c", "c", "a", "b", "b", "c", "a", "c"),
  y1 = c(2, 7, 4, 4, 7, 8, 4, 2, 5, 1, 3, 8),
  y2 = c(0, 1, 0, 1, 1, 1, 0, 0, 0, 1, 0, 1),
  stringsAsFactors = TRUE)

#-----
# Linear model

# Estimate linear model with continuous predictors
mod.lm1 <- lm(y1 ~ x1 + x2 + x3, data = dat)

# Example 1: Tolerance, std. error, and variance inflation factor
check.collin(mod.lm1)

# Example 2: Tolerance, std. error, and variance inflation factor
# Eigenvalue, Condition index, and variance proportions
check.collin(mod.lm1, print = "all")

# Estimate model with continuous and categorical predictors
mod.lm2 <- lm(y1 ~ x1 + x2 + x3 + x4, data = dat)

# Example 3: Tolerance, generalized std. error, and variance inflation factor
check.collin(mod.lm2)

#-----
# Generalized linear model

# Estimate logistic regression model with continuous predictors
mod.glm <- glm(y2 ~ x1 + x2 + x3, data = dat, family = "binomial")

# Example 4: Tolerance, std. error, and variance inflation factor
check.collin(mod.glm)

## Not run:
#-----
# Linear mixed-effects model

# Estimate linear mixed-effects model with continuous predictors using lme4 package
mod.lmer <- lme4::lmer(y1 ~ x1 + x2 + x3 + (1|group), data = dat)

# Example 5: Tolerance, std. error, and variance inflation factor
check.collin(mod.lmer)

```

```

# Estimate linear mixed-effects model with continuous predictors using nlme package
mod.lme <- nlme::lme(y1 ~ x1 + x2 + x3, random = ~ 1 | group, data = dat)

# Example 6: Tolerance, std. error, and variance inflation factor
check.collin(mod.lme)

# Estimate linear mixed-effects model with continuous predictors using glmmTMB package
mod.glmmTMB1 <- glmmTMB::glmmTMB(y1 ~ x1 + x2 + x3 + (1|group), data = dat)

# Example 7: Tolerance, std. error, and variance inflation factor
check.collin(mod.glmmTMB1)

#-----
# Generalized linear mixed-effects model

# Estimate mixed-effects logistic regression model with continuous predictors using lme4 package
mod.glmer <- lme4::glmer(y2 ~ x1 + x2 + x3 + (1|group), data = dat, family = "binomial")

# Example 8: Tolerance, std. error, and variance inflation factor
check.collin(mod.glmer)

# Estimate mixed-effects logistic regression model with continuous predictors using glmmTMB package
mod.glmmTMB2 <- glmmTMB::glmmTMB(y2 ~ x1 + x2 + x3 + (1|group), data = dat, family = "binomial")

# Example 9: Tolerance, std. error, and variance inflation factor
check.collin(mod.glmmTMB2)

#-----
# Write Results

# Example 10: Write results into a text file
check.collin(mod.lm1, write = "Diagnostics.txt")

## End(Not run)

```

check.outlier

Statistical Measures for Leverage, Distance, and Influence

Description

This function computes statistical measures for leverage, distance, and influence for linear models estimated by using the `lm()` function. Mahalanobis distance and hat values are computed for quantifying *leverage*, standardized leverage-corrected residuals and studentized leverage-corrected residuals are computed for quantifying *distance*, and Cook's distance and DfBetas are computed for quantifying *influence*.

Usage

```
check.outlier(model, check = TRUE, ...)
```

Arguments

model	a fitted model of class "lm".
check	logical: if TRUE (default), argument specification is checked.
...	further arguments to be passed to or from methods.

Details

In regression analysis, an observation can be extreme in three major ways (see Darlington & Hayes, p. 484): (1) An observation has high **leverage** if it has a atypical pattern of values on the predictors, (2) an observation has high **distance** if its observed outcome value Y_i has a large deviation from the predicted value \hat{Y}_i , and (3) an observation has high **influence** if its inclusion substantially changes the estimates for the intercept and/or slopes.

Value

Returns a data frame with following entries:

idout	ID variable
mahal	Mahalanobis distance
hat	hat values
rstand	standardized leverage-corrected residuals
rstud	studentized leverage-corrected residuals
cook	Cook's distance
Intercept.dfb	DFBetas for the intercept
pred1.dfb	DFBetas for the slope of the predictor pred1
...dfb	DFBetas for the slope of the predictor ...

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Darlington, R. B., & Hayes, A. F. (2017). *Regression analysis and linear models: Concepts, applications, and implementation*. The Guilford Press.

See Also

[check.collin](#), [lm](#)

Examples

```
# Example 1: Regression model and measures for leverage, distance, and influence
mod.lm <- lm(mpg ~ cyl + disp + hp, data = mtcars)
check.outlier(mod.lm)

# Merge result table with the data
dat1 <- cbind(mtcars, check.outlier(mod.lm))
```

check.resid	<i>Residual Diagnostics</i>
-------------	-----------------------------

Description

This function performs residual diagnostics for linear models estimated by using the `lm()` function for detecting nonlinearity (partial residual or component-plus-residual plots), nonconstant error variance (predicted values vs. residuals plot), and non-normality of residuals (Q-Q plot and histogram with density plot).

Usage

```
check.resid(model, type = c("linear", "homo", "normal"),
            resid = c("unstand", "stand", "student"),
            point.shape = 21, point.fill = "gray80", point.size = 1,
            line1 = TRUE, line2 = TRUE,
            line.type1 = "solid", line.type2 = "dashed",
            line.width1 = 1, line.width2 = 1,
            line.color1 = "#0072B2", line.color2 = "#D55E00",
            bar.width = NULL, bar.n = 30, bar.color = "black",
            bar.fill = "gray95", strip.size = 11,
            label.size = 10, axis.size = 10,
            xlimits = NULL, ylimits = NULL,
            xbreaks = ggplot2::waiver(), ybreaks = ggplot2::waiver(),
            check = TRUE, plot = TRUE)
```

Arguments

<code>model</code>	a fitted model of class <code>lm</code> .
<code>type</code>	a character string specifying the type of the plot, i.e., "linear" for partial (component-plus-residual) plots, "homo" (default) for predicted values vs. residuals plot, and "normal" for Q-Q plot and histogram with a density plot. Note that partial plots are not available for models with interaction terms.
<code>resid</code>	a character string specifying the type of residual used for the partial (component-plus-residual) plots or Q-Q plot and histogram, i.e., "unstand" for unstandardized residuals "stand" for standardized residuals, and "student" for studentized residual. By default, studentized residuals are used for predicted values vs. residuals plot and unstandardized residuals are used for Q-Q plot and histogram.
<code>point.shape</code>	a numeric value for specifying the argument shape in the <code>geom_point</code> function.
<code>point.fill</code>	a numeric value for specifying the argument fill in the <code>geom_point</code> function.
<code>point.size</code>	a numeric value for specifying the argument size in the <code>geom_point</code> function.
<code>line1</code>	logical: if TRUE (default), regression line is drawn in the partial (component-plus-residual) plots, horizontal line is drawn in the predicted values vs. residuals plot, and t-distribution or normal distribution curve is drawn in the histogram.

line2	logical: if TRUE (default), Loess smooth line is drawn in the partial (component-plus-residual) plots, loess smooth lines are drawn in the predicted values vs. residuals plot, and density curve is drawn in the histogram.
line.type1	a character string or numeric value for specifying the argument linetype in the geom_smooth, geom_hline, or stat_function function.
line.type2	a character string or numeric value for specifying the argument linetype in the geom_smooth or geom_density function.
line.width1	a numeric value for specifying the argument linewidth in the geom_smooth, geom_hline, or stat_function function.
line.width2	a numeric value for specifying the argument linewidth in the geom_smooth or geom_density function.
line.color1	a character string or numeric value for specifying the argument color in the geom_smooth, geom_hline, or stat_function function.
line.color2	a character string or numeric value for specifying the argument color in the geom_smooth or geom_density function.
bar.width	a numeric value for specifying the argument bins in the geom_bar function.
bar.n	a numeric value for specifying the argument bins in the geom_bar function.
bar.color	a character string or numeric value for specifying the argument color in the geom_bar function.
bar.fill	a character string or numeric value for specifying the argument fill in the geom_bar function.
strip.size	a numeric value for specifying the argument size in the element_text function of the strip.text argument within the theme function.
label.size	a numeric value for specifying the argument size in the element_text function of the axis.title argument within the theme function.
axis.size	a numeric value for specifying the argument size in the element_text function of the axis.text argument within the theme function.
xlimits	a numeric value for specifying the argument limits in the scale_x_continuous function.
ylimits	a numeric value for specifying the argument limits in the scale_y_continuous function.
xbreaks	a numeric value for specifying the argument breaks in the scale_x_continuous function.
ybreaks	a numeric value for specifying the argument breaks in the scale_y_continuous function.
check	logical: if TRUE (default), argument specification is checked.
plot	logical: if TRUE (default), a plot is drawn.

Details

Nonlinearity The violation of the assumption of linearity implies that the model cannot accurately capture the systematic pattern of the relationship between the outcome and predictor variables. In other words, the specified regression surface does not accurately represent the relationship

between the conditional mean values of Y and the X s. That means the average error $E(\varepsilon)$ is not 0 at every point on the regression surface (Fox, 2015).

In multiple regression, plotting the outcome variable Y against each predictor variable X can be misleading because it does not reflect the partial relationship between Y and X (i.e., statistically controlling for the other X s), but rather the marginal relationship between Y and X (i.e., ignoring the other X s). Partial residual plots or component-plus-residual plots should be used to detect nonlinearity in multiple regression. The partial residual for the j th predictor variable is defined as

$$e_i^{(j)} = b_j X_{ij} + e_i$$

The linear component of the partial relationship between Y and X_j is added back to the least-squares residuals, which may include an unmodeled nonlinear component. Then, the partial residual $e_i^{(j)}$ is plotted against the predictor variable X_j . Nonlinearity may become apparent when a non-parametric regression smoother is applied.

By default, the function plots each predictor against the partial residuals, and draws the linear regression and the loess smooth line to the partial residual plots.

Nonconstant Error Variance The violation of the assumption of constant error variance, often referred to as heteroscedasticity, implies that the variance of the outcome variable around the regression surface is not the same at every point on the regression surface (Fox, 2015).

Plotting residuals against the outcome variable Y instead of the predicted values \hat{Y} is not recommended because $Y = \hat{Y} + e$. Consequently, the linear correlation between the outcome variable Y and the residuals e is $\sqrt{1 - R^2}$ where R is the multiple correlation coefficient. In contrast, plotting residuals against the predicted values \hat{Y} is much easier to examine for evidence of nonconstant error variance as the correlation between \hat{Y} and e is 0. Note that the least-squares residuals generally have unequal variance $Var(e_i) = \sigma^2 / (1 - h_i)$ where h is the leverage of observation i , even if errors have constant variance σ^2 . The studentized residuals e_i^* , however, have a constant variance under the assumption of the regression model. Residuals are studentized by dividing them by $\sigma_i^2 / (\sqrt{1 - h_i})$ where σ_i^2 is the estimate of σ^2 obtained after deleting the i th observation, and h_i is the leverage of observation i (Meuleman et al, 2015).

By default, the function plots the predicted values against the studentized residuals. It also draws a horizontal line at 0, a loess smooth lines for all residuals as well as separate loess smooth lines for positive and negative residuals.

Non-normality of Residuals Statistical inference under the violation of the assumption of normally distributed errors is approximately valid in all but small samples. However, the efficiency of least squares is not robust because the least-squares estimator is the most efficient and unbiased estimator only when the errors are normally distributed. For instance, when error distributions have heavy tails, the least-squares estimator becomes much less efficient compared to robust estimators. In addition, error distributions with heavy-tails result in outliers and compromise the interpretation of conditional means because the mean is not an accurate measure of central tendency in a highly skewed distribution. Moreover, a multimodal error distribution suggests the omission of one or more discrete explanatory variables that naturally divide the data into groups (Fox, 2016).

By default, the function plots a Q-Q plot of the unstandardized residuals, and a histogram of the unstandardized residuals and a density plot. Note that studentized residuals follow a t -distribution with $n - k - 2$ degrees of freedom where n is the sample size and k is the

number of predictors. However, the normal and t -distribution are nearly identical unless the sample size is small. Moreover, even if the model is correct, the studentized residuals are not an independent random sample from t_{n-k-2} . Residuals are correlated with each other depending on the configuration of the predictor values. The correlation is generally negligible unless the sample size is small.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>model</code>	model specified in <code>model</code>
<code>plotdat</code>	data frame used for the plot
<code>args</code>	specification of function arguments
<code>plot</code>	<code>ggplot2</code> object for plotting the residuals

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Fox, J. (2016). *Applied regression analysis and generalized linear models* (3rd ed.). Sage Publications, Inc.
- Meuleman, B., Loosveldt, G., & Emonds, V. (2015). Regression analysis: Assumptions and diagnostics. In H. Best & C. Wolf (Eds.), *The SAGE handbook of regression analysis and causal inference* (pp. 83-110). Sage.

See Also

[check.collin](#), [check.outlier](#)

Examples

```
## Not run:
#-----
# Residual diagnostics for a linear model

mod <- lm(Ozone ~ Solar.R + Wind + Temp, data = airquality)

# Example 1: Partial (component-plus-residual) plots
check.resid(mod, type = "linear")

# Example 2: Predicted values vs. residuals plot
check.resid(mod, type = "homo")

# Example 3: Q-Q plot and histogram with density plot
check.resid(mod, type = "normal")
```

```

#-----
# Extract data and ggplot2 object

object <- check.resid(mod, type = "linear", plot = FALSE)

# Data frame
object$plotdat

# ggplot object
object$plot

## End(Not run)

```

chr.gsub

Multiple Pattern Matching And Replacements

Description

This function is a multiple global string replacement wrapper that allows access to multiple methods of specifying matches and replacements.

Usage

```
chr.gsub(pattern, replacement, x, recycle = FALSE, ...)
```

Arguments

pattern	a character vector with character strings to be matched.
replacement	a character vector equal in length to pattern or of length one which are a replacement for matched patterns.
x	a character vector where matches and replacements are sought.
recycle	logical: if TRUE, replacement is recycled if lengths differ.
...	additional arguments to pass to the <code>regexpr</code> or <code>sub</code> function.

Value

Return a character vector of the same length and with the same attributes as `x` (after possible coercion to character).

Note

This function was adapted from the `mgsub()` function in the **mgsub** package by Mark Ewing (2019).

Author(s)

Mark Ewing

References

Mark Ewing (2019). *mgsub: Safe, Multiple, Simultaneous String Substitution*. R package version 1.7.1. <https://CRAN.R-project.org/package=mgsub>

See Also

[chr.omit](#), [chr.trim](#)

Examples

```
# Example 1
string <- c("hey ho, let's go!")
chr.gsub(c("hey", "ho"), c("ho", "hey"), string)

# Example 2
string <- "they don't understand the value of what they seek."
chr.gsub(c("the", "they"), c("a", "we"), string)

# Example 3
string <- c("hey ho, let's go!")
chr.gsub(c("hey", "ho"), "yo", string, recycle = TRUE)

# Example 4
string <- "Dopazamine is not the same as dopachloride or dopastriamine, yet is still fake."
chr.gsub(c("[Dd]opa[ ]*?mine)", "fake"), c("Meta\\1", "real"), string)
```

chr.omit

Omit Strings

Description

This function omits user-specified values or strings from a numeric vector, character vector or factor.

Usage

```
chr.omit(x, omit = "", na.omit = FALSE, check = TRUE)
```

Arguments

x	a numeric vector, character vector or factor.
omit	a numeric vector or character vector indicating values or strings to be omitted from the vector x, the default setting is the empty strings "".
na.omit	logical: if TRUE, missing values (NA) are also omitted from the vector.
check	logical: if TRUE (default), argument specification is checked.

Value

Returns a numeric vector, character vector or factor with values or strings specified in `omit` omitted from the vector specified in `x`.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

See Also

[chr.gsub](#), [chr.trim](#)

Examples

```

#-----
# Character vector
x.chr <- c("a", "", "c", NA, "", "d", "e", NA)

# Example 1: Omit character string ""
chr.omit(x.chr)

# Example 2: Omit character string "" and missing values (NA)
chr.omit(x.chr, na.omit = TRUE)

# Example 3: Omit character string "c" and "e"
chr.omit(x.chr, omit = c("c", "e"))

# Example 4: Omit character string "c", "e", and missing values (NA)
chr.omit(x.chr, omit = c("c", "e"), na.omit = TRUE)

#-----
# Numeric vector
x.num <- c(1, 2, NA, 3, 4, 5, NA)

# Example 5: Omit values 2 and 4
chr.omit(x.num, omit = c(2, 4))

# Example 6: Omit values 2, 4, and missing values (NA)
chr.omit(x.num, omit = c(2, 4), na.omit = TRUE)

#-----
# Factor
x.factor <- factor(letters[1:10])

# Example 7: Omit factor levels "a", "c", "e", and "g"
chr.omit(x.factor, omit = c("a", "c", "e", "g"))

```

chr.trim

Trim Whitespace from String

Description

This function removes whitespace from start and/or end of a string

Usage

```
chr.trim(x, side = c("both", "left", "right"), check = TRUE)
```

Arguments

x	a character vector.
side	a character string indicating the side on which to remove whitespace, i.e., "both" (default), "left" or "right".
check	logical: if TRUE (default), argument specification is checked.

Value

Returns a character vector with whitespaces removed from the vector specified in x.

Note

This function is based on the `str_trim()` function from the **stringr** package by Hadley Wickham.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Wickham, H. (2019). *stringr: Simple, consistent wrappers for common string operations*. R package version 1.4.0.

See Also

[chr.gsub](#), [chr.omit](#)

Examples

```
x <- " string "
```

```
# Example 1: Remove whitespace at both sides  
chr.trim(x)
```

```
# Example 2: Remove whitespace at the left side  
chr.trim(x, side = "left")
```

```
# Example 3: Remove whitespace at the right side  
chr.trim(x, side = "right")
```

ci.mean

*Confidence Interval for the Arithmetic Mean and Median***Description**

The function `ci.mean` computes a confidence interval for the arithmetic mean with known or unknown population standard deviation or population variance and the function `ci.median` computes the confidence interval for the median for one or more variables, optionally by a grouping and/or split variable.

Usage

```
ci.mean(..., data = NULL, sigma = NULL, sigma2 = NULL, adjust = FALSE,
        alternative = c("two.sided", "less", "greater"), conf.level = 0.95,
        group = NULL, split = NULL, sort.var = FALSE, na.omit = FALSE,
        digits = 2, as.na = NULL, write = NULL, append = TRUE,
        check = TRUE, output = TRUE)
```

```
ci.median(..., data = NULL, alternative = c("two.sided", "less", "greater"),
          conf.level = 0.95, group = NULL, split = NULL, sort.var = FALSE,
          na.omit = FALSE, digits = 2, as.na = NULL, write = NULL, append = TRUE,
          check = TRUE, output = TRUE)
```

Arguments

<code>...</code>	a numeric vector, matrix or data frame with numeric variables, i.e., factors and character variables are excluded from <code>x</code> before conducting the analysis. Alternatively, an expression indicating the variable names in <code>data</code> e.g., <code>ci.mean(x1, x2, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
<code>data</code>	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a numeric vector, matrix or data frame for the argument <code>...</code> .
<code>sigma</code>	a numeric vector indicating the population standard deviation when computing confidence intervals for the arithmetic mean with known standard deviation. Note that either argument <code>sigma</code> or argument <code>sigma2</code> is specified and it is only possible to specify one value for the argument <code>sigma</code> even though multiple variables are specified in <code>x</code> .
<code>sigma2</code>	a numeric vector indicating the population variance when computing confidence intervals for the arithmetic mean with known variance. Note that either argument <code>sigma</code> or argument <code>sigma2</code> is specified and it is only possible to specify one value for the argument <code>sigma2</code> even though multiple variables are specified in <code>x</code> .
<code>adjust</code>	logical: if <code>TRUE</code> (default), difference-adjustment for the confidence intervals for the arithmetic means is applied.

<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	a numeric value between 0 and 1 indicating the confidence level of the interval.
<code>group</code>	either a character string indicating the variable name of the grouping variable in <code>...</code> or <code>data</code> , or a vector representing the grouping variable. Note that a grouping variable can only be used when computing confidence intervals with unknown population standard deviation and population variance.
<code>split</code>	either a character string indicating the variable name of the split variable in <code>...</code> or <code>data</code> , or a vector representing the split variable. Note that a grouping variable can only be used when computing confidence intervals with unknown population standard deviation and population variance.
<code>sort.var</code>	logical: if TRUE, output table is sorted by variables when specifying <code>group</code> .
<code>na.omit</code>	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion) when specifying more than one outcome variable.
<code>digits</code>	an integer value indicating the number of decimal places to be used.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>x</code> , but not to <code>group</code> or <code>split</code> .
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension ".txt" specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>output</code>	logical: if TRUE (default), output is shown on the console.

Details

A difference-adjusted confidence interval (Baguley, 2012) for the arithmetic mean can be computed by specifying `adjust = TRUE`.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	list with the input specified in <code>...</code> , <code>data</code> , <code>group</code> , and <code>split</code>
<code>args</code>	specification of function arguments
<code>result</code>	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Baguley, T. S. (2012). *Serious stats: A guide to advanced statistics for the behavioral sciences*. Palgrave Macmillan.
- Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

See Also

[test.z](#), [test.t](#), [ci.mean.diff](#), [ci.prop](#), [ci.var](#), [ci.sd](#), [descript](#)

Examples

```
# Example 1a: Two-Sided 95% Confidence Interval for the Arithmetic Mean for 'mpg'
ci.mean(mtcars$mpg)

# Example 1b: Alternative specification using the 'data' argument
ci.mean(mpg, data = mtcars)

# Example 2: Two-Sided 95% Confidence Interval for the Median
ci.median(mtcars$mpg)

# Example 3: Two-Sided 95% Difference-Adjusted Confidence Interval
ci.mean(mtcars$mpg, adjust = TRUE)

# Example 4: Two-Sided 95% Confidence Interval with known standard deviation
ci.mean(mtcars$mpg, sigma = 1.2)

# Example 5: Two-Sided 95% Confidence Interval with known variance
ci.mean(mtcars$mpg, sigma2 = 2.5)

# Example 6: One-Sided 95% Confidence Interval
ci.mean(mtcars$mpg, alternative = "less")

# Example 7: Two-Sided 99% Confidence Interval
ci.mean(mtcars$mpg, conf.level = 0.99)

# Example 8: Two-Sided 95% Confidence Interval, print results with 3 digits
ci.mean(mtcars$mpg, digits = 3)

# Example 9a: Two-Sided 95% Confidence Interval for 'mpg', 'cyl', and 'disp',
# listwise deletion for missing data
ci.mean(mtcars[, c("mpg", "cyl", "disp")], na.omit = TRUE)
#
# Example 9b: Alternative specification using the 'data' argument
ci.mean(mpg:disp, data = mtcars, na.omit = TRUE)

# Example 10a: Two-Sided 95% Confidence Interval, analysis by 'vs' separately
ci.mean(mtcars[, c("mpg", "cyl", "disp")], group = mtcars$vs)

# Example 10b: Alternative specification using the 'data' argument
ci.mean(mpg:disp, data = mtcars, group = "vs")
```

```

# Example 11: Two-Sided 95% Confidence Interval, analysis by 'vs' separately,
# sort by variables
ci.mean(mtcars[, c("mpg", "cyl", "disp")], group = mtcars$vs, sort.var = TRUE)

# Example 12: Two-Sided 95% Confidence Interval, split analysis by 'am'
ci.mean(mtcars[, c("mpg", "cyl", "disp")], split = mtcars$am)

# Example 13a: Two-Sided 95% Confidence Interval for 'mpg', 'cyl', and 'disp'
# analysis by 'vs' separately, split analysis by 'am'
ci.mean(mtcars[, c("mpg", "cyl", "disp")], group = mtcars$vs, split = mtcars$am)

# Example 13b: Alternative specification using the 'data' argument
ci.mean(mpg:disp, data = mtcars, group = "vs", split = "am")

## Not run:
# Example 14: Write results into a text file
ci.mean(mpg:disp, data = mtcars, group = "vs", split = "am", write = "Means.txt")

## End(Not run)

```

ci.mean.diff

Confidence Interval for the Difference in Arithmetic Means

Description

This function computes a confidence interval for the difference in arithmetic means in a one-sample, two-sample and paired-sample design with known or unknown population standard deviation or population variance for one or more variables, optionally by a grouping and/or split variable.

Usage

```

ci.mean.diff(x, ...)

## Default S3 method:
ci.mean.diff(x, y, mu = 0, sigma = NULL, sigma2 = NULL,
             var.equal = FALSE, paired = FALSE,
             alternative = c("two.sided", "less", "greater"),
             conf.level = 0.95, group = NULL, split = NULL, sort.var = FALSE,
             digits = 2, as.na = NULL, write = NULL, append = TRUE,
             check = TRUE, output = TRUE, ...)

## S3 method for class 'formula'
ci.mean.diff(formula, data, sigma = NULL, sigma2 = NULL,
             var.equal = FALSE, alternative = c("two.sided", "less", "greater"),
             conf.level = 0.95, group = NULL, split = NULL, sort.var = FALSE,
             na.omit = FALSE, digits = 2, as.na = NULL, write = NULL, append = TRUE,
             check = TRUE, output = TRUE, ...)

```

Arguments

x	a numeric vector of data values.
...	further arguments to be passed to or from methods.
y	a numeric vector of data values.
mu	a numeric value indicating the population mean under the null hypothesis. Note that the argument mu is only used when y = NULL.
sigma	a numeric vector indicating the population standard deviation(s) when computing confidence intervals for the difference in arithmetic means with known standard deviation(s). In case of independent samples, equal standard deviations are assumed when specifying one value for the argument sigma; when specifying two values for the argument sigma, unequal standard deviations are assumed. Note that either argument sigma or argument sigma2 is specified and it is only possible to specify one value (i.e., equal variance assumption) or two values (i.e., unequal variance assumption) for the argument sigma even though multiple variables are specified in x.
sigma2	a numeric vector indicating the population variance(s) when computing confidence intervals for the difference in arithmetic means with known variance(s). In case of independent samples, equal variances are assumed when specifying one value for the argument sigma2; when specifying two values for the argument sigma, unequal variances are assumed. Note that either argument sigma or argument sigma2 is specified and it is only possible to specify one value (i.e., equal variance assumption) or two values (i.e., unequal variance assumption) for the argument sigma even though multiple variables are specified in x.
var.equal	logical: if TRUE, the population variance in the independent samples are assumed to be equal.
paired	logical: if TRUE, confidence interval for the difference of arithmetic means in paired samples is computed.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
group	a numeric vector, character vector or factor as grouping variable. Note that a grouping variable can only be used when computing confidence intervals with unknown population standard deviation and population variance.
split	a numeric vector, character vector or factor as split variable. Note that a split variable can only be used when computing confidence intervals with unknown population
sort.var	logical: if TRUE, output table is sorted by variables when specifying group.
digits	an integer value indicating the number of decimal places to be used.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that as.na() function is only applied to x, but not to group or split.
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.

append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.
formula	a formula of the form $y \sim \text{group}$ for one outcome variable or $\text{cbind}(y1, y2, y3) \sim \text{group}$ for more than one outcome variable where y is a numeric variable giving the data values and group a numeric variable, character variable or factor with two values or factor levels giving the corresponding groups.
data	a matrix or data frame containing the variables in the formula formula.
na.omit	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion) when specifying more than one outcome variable.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
data	list with the input specified in <code>x</code> , <code>group</code> , and <code>split</code>
args	specification of function arguments
result	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

See Also

[test.z](#), [test.t](#), [ci.mean](#), [ci.median](#), [ci.prop](#), [ci.var](#), [ci.sd](#), [descript](#)

Examples

```
dat1 <- data.frame(group1 = c(1, 1, 1, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2, 2,
                             1, 1, 1, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2, 2),
                  group2 = c(1, 1, 1, 1, 2, 2, 2, 2, 1, 1, 1, 2, 2, 2,
                             1, 1, 1, 2, 2, 2, 2, 1, 1, 1, 1, 2, 2, 2),
                  group3 = c(1, 2, 1, 2, 1, 2, 1, 2, 1, 2, 1, 2, 1, 2,
                             1, 2, 1, 2, 1, 2, 1, 2, 1, 2, 1, 2, 1, 2),
                  x1 = c(3, 1, 4, 2, 5, 3, 2, 3, 6, 4, 3, NA, 5, 3,
                        3, 2, 6, 3, 1, 4, 3, 5, 6, 7, 4, 3, 6, 4),
                  x2 = c(4, NA, 3, 6, 3, 7, 2, 7, 3, 3, 3, 1, 3, 6,
                        3, 5, 2, 6, 8, 3, 4, 5, 2, 1, 3, 1, 2, NA),
                  x3 = c(7, 8, 5, 6, 4, 2, 8, 3, 6, 1, 2, 5, 8, 6,
```

```
2, 5, 3, 1, 6, 4, 5, 5, 3, 6, 3, 2, 2, 4))

#-----
# One-sample design

# Example 1: Two-Sided 95% CI for x1
# population mean = 3
ci.mean.diff(dat1$x1, mu = 3)

#-----
# Two-sample design

# Example 2: Two-Sided 95% CI for y1 by group1
# unknown population variances, unequal variance assumption
ci.mean.diff(x1 ~ group1, data = dat1)

# Example 3: Two-Sided 95% CI for y1 by group1
# unknown population variances, equal variance assumption
ci.mean.diff(x1 ~ group1, data = dat1, var.equal = TRUE)

# Example 4: Two-Sided 95% CI with known standard deviations for x1 by group1
# known population standard deviations, equal standard deviation assumption
ci.mean.diff(x1 ~ group1, data = dat1, sigma = 1.2)

# Example 5: Two-Sided 95% CI with known standard deviations for x1 by group1
# known population standard deviations, unequal standard deviation assumption
ci.mean.diff(x1 ~ group1, data = dat1, sigma = c(1.5, 1.2))

# Example 6: Two-Sided 95% CI with known variance for x1 by group1
# known population variances, equal variance assumption
ci.mean.diff(x1 ~ group1, data = dat1, sigma2 = 1.44)

# Example 7: Two-Sided 95% CI with known variance for x1 by group1
# known population variances, unequal variance assumption
ci.mean.diff(x1 ~ group1, data = dat1, sigma2 = c(2.25, 1.44))

# Example 8: One-Sided 95% CI for y1 by group1
# unknown population variances, unequal variance assumption
ci.mean.diff(x1 ~ group1, data = dat1, alternative = "less")

# Example 9: Two-Sided 99% CI for y1 by group1
# unknown population variances, unequal variance assumption
ci.mean.diff(x1 ~ group1, data = dat1, conf.level = 0.99)

# Example 10: Two-Sided 95% CI for y1 by group1
# unknown population variances, unequal variance assumption
# print results with 3 digits
ci.mean.diff(x1 ~ group1, data = dat1, digits = 3)

# Example 11: Two-Sided 95% CI for y1 by group1
# unknown population variances, unequal variance assumption
# convert value 4 to NA
ci.mean.diff(x1 ~ group1, data = dat1, as.na = 4)
```

```

# Example 12: Two-Sided 95% CI for y1, y2, and y3 by group1
# unknown population variances, unequal variance assumption
ci.mean.diff(cbind(x1, x2, x3) ~ group1, data = dat1)

# Example 13: Two-Sided 95% CI for y1, y2, and y3 by group1
# unknown population variances, unequal variance assumption,
# listwise deletion for missing data
ci.mean.diff(cbind(x1, x2, x3) ~ group1, data = dat1, na.omit = TRUE)

# Example 14: Two-Sided 95% CI for y1, y2, and y3 by group1
# unknown population variances, unequal variance assumption,
# analysis by group2 separately
ci.mean.diff(cbind(x1, x2, x3) ~ group1, data = dat1, group = dat1$group2)

# Example 15: Two-Sided 95% CI for y1, y2, and y3 by group1
# unknown population variances, unequal variance assumption,
# analysis by group2 separately, sort by variables
ci.mean.diff(cbind(x1, x2, x3) ~ group1, data = dat1, group = dat1$group2,
             sort.var = TRUE)# Check if input 'y' is NULL

# Example 16: Two-Sided 95% CI for y1, y2, and y3 by group1
# unknown population variances, unequal variance assumption,
# split analysis by group2
ci.mean.diff(cbind(x1, x2, x3) ~ group1, data = dat1, split = dat1$group2)

# Example 17: Two-Sided 95% CI for y1, y2, and y3 by group1
# unknown population variances, unequal variance assumption,
# analysis by group2 separately, split analysis by group3
ci.mean.diff(cbind(x1, x2, x3) ~ group1, data = dat1,
             group = dat1$group2, split = dat1$group3)

#-----

group1 <- c(3, 1, 4, 2, 5, 3, 6, 7)
group2 <- c(5, 2, 4, 3, 1)

# Example 18: Two-Sided 95% CI for the mean difference between group1 and group2
# unknown population variances, unequal variance assumption
ci.mean.diff(group1, group2)

# Example 19: Two-Sided 95% CI for the mean difference between group1 and group2
# unknown population variances, equal variance assumption
ci.mean.diff(group1, group2, var.equal = TRUE)

#-----
# Paired-sample design

dat2 <- data.frame(pre = c(1, 3, 2, 5, 7, 6),
                  post = c(2, 2, 1, 6, 8, 9),
                  group = c(1, 1, 1, 2, 2, 2), stringsAsFactors = FALSE)

# Example 20: Two-Sided 95% CI for the mean difference in pre and post

```

```

# unknown population variance of difference scores
ci.mean.diff(dat2$pre, dat2$post, paired = TRUE)

# Example 21: Two-Sided 95% CI for the mean difference in pre and post
# unknown population variance of difference scores
# analysis by group separately
ci.mean.diff(dat2$pre, dat2$post, paired = TRUE, group = dat2$group)

# Example 22: Two-Sided 95% CI for the mean difference in pre and post
# unknown population variance of difference scores
# analysis by group separately
ci.mean.diff(dat2$pre, dat2$post, paired = TRUE, split = dat2$group)

# Example 23: Two-Sided 95% CI for the mean difference in pre and post
# known population standard deviation of difference scores
ci.mean.diff(dat2$pre, dat2$post, sigma = 2, paired = TRUE)

# Example 24: Two-Sided 95% CI for the mean difference in pre and post
# known population variance of difference scores
ci.mean.diff(dat2$pre, dat2$post, sigma2 = 4, paired = TRUE)

# Example 25: One-Sided 95% CI for the mean difference in pre and post
# unknown population variance of difference scores
ci.mean.diff(dat2$pre, dat2$post, alternative = "less", paired = TRUE)

# Example 26: Two-Sided 99% CI for the mean difference in pre and post
# unknown population variance of difference scores
ci.mean.diff(dat2$pre, dat2$post, conf.level = 0.99, paired = TRUE)

# Example 27: Two-Sided 95% CI for for the mean difference in pre and post
# unknown population variance of difference scores
# print results with 3 digits
ci.mean.diff(dat2$pre, dat2$post, paired = TRUE, digits = 3)

# Example 28: Two-Sided 95% CI for for the mean difference in pre and post
# unknown population variance of difference scores
# convert value 1 to NA
ci.mean.diff(dat2$pre, dat2$post, as.na = 1, paired = TRUE)

```

ci.mean.w

Within-Subject Confidence Interval for the Arithmetic Mean

Description

This function computes difference-adjusted Cousineau-Morey within-subject confidence interval for the arithmetic mean.

Usage

```
ci.mean.w(..., data = NULL, adjust = TRUE,
```

```
alternative = c("two.sided", "less", "greater"),
conf.level = 0.95, na.omit = TRUE, digits = 2,
as.na = NULL, write = NULL, append = TRUE, check = TRUE,
output = TRUE)
```

Arguments

...	a matrix or data frame with numeric variables representing the levels of the within-subject factor, i.e., data are specified in wide-format (i.e., multivariate person level format). Alternatively, an expression indicating the variable names in data e.g., <code>ci.mean.w(x1, x2, x3, data = dat)</code> . Note that the operators <code>..</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a matrix or data frame for the argument ...
adjust	logical: if TRUE (default), difference-adjustment for the Cousineau-Morey within-subject confidence intervals is applied.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
na.omit	logical: if TRUE (default), incomplete cases are removed before conducting the analysis (i.e., listwise deletion).
digits	an integer value indicating the number of decimal places to be used.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

The Cousineau within-subject confidence interval (CI, Cousineau, 2005) is an alternative to the Loftus-Masson within-subject CI (Loftus & Masson, 1994) that does not assume sphericity or homogeneity of covariances. This approach removes individual differences by normalizing the raw scores using participant-mean centering and adding the grand mean back to every score:

$$Y'_{ij} = Y_{ij} - \hat{\mu}_i + \hat{\mu}_{grand}$$

where Y'_{ij} is the score of the i th participant in condition j (for $i = 1$ to n), $\hat{\mu}_i$ is the mean of participant i across all J levels (for $j = 1$ to J), and $\hat{\mu}_{grand}$ is the grand mean.

Morey (2008) pointed out that Cousineau's (2005) approach produces intervals that are consistently too narrow due to inducing a positive covariance between normalized scores within a condition introducing bias into the estimate of the sample variances. The degree of bias is proportional to the number of means and can be removed by rescaling the confidence interval by a factor of $\sqrt{J-1}/J$:

$$\hat{\mu}_j \pm t_{n-1, 1-\alpha/2} \sqrt{\frac{J}{J-1}} \hat{\sigma}'_{\hat{\mu}_j}$$

where $\hat{\sigma}'_{\hat{\mu}_j}$ is the standard error of the mean computed from the normalized scores of the j th factor level.

Baguley (2012) pointed out that the Cousineau-Morey interval is larger than that for a difference in means by a factor of $\sqrt{2}$ leading to a misinterpretation of these intervals that overlap of 95% confidence intervals around individual means indicates that a 95% confidence interval for the difference in means would include zero. Hence, following adjustment to the Cousineau-Morey interval was proposed:

$$\hat{\mu}_j \pm \frac{\sqrt{2}}{2} (t_{n-1, 1-\alpha/2} \sqrt{\frac{J}{J-1}} \hat{\sigma}'_{\hat{\mu}_j})$$

The adjusted Cousineau-Morey interval is informative about the pattern of differences between means and is computed by default (i.e., `adjust = TRUE`).

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	data frame used for the current analysis
<code>args</code>	specification of function arguments
<code>result</code>	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Baguley, T. (2012). Calculating and graphing within-subject confidence intervals for ANOVA. *Behavior Research Methods*, *44*, 158-175. <https://doi.org/10.3758/s13428-011-0123-7>
- Cousineau, D. (2005) Confidence intervals in within-subject designs: A simpler solution to Loftus and Masson's Method. *Tutorials in Quantitative Methods for Psychology*, *1*, 42-45. <https://doi.org/10.20982/tqmp.01.1.p042>
- Loftus, G. R., and Masson, M. E. J. (1994). Using confidence intervals in within-subject designs. *Psychonomic Bulletin and Review*, *1*, 476-90. <https://doi.org/10.3758/BF03210951>
- Morey, R. D. (2008). Confidence intervals from normalized data: A correction to Cousineau. *Tutorials in Quantitative Methods for Psychology*, *4*, 61-4. <https://doi.org/10.20982/tqmp.01.1.p042>

See Also

[aov.w](#), [test.z](#), [test.t](#), [ci.mean.diff](#), [ci.median](#), [ci.prop](#), [ci.var](#), [ci.sd](#), [descript](#)

Examples

```
dat <- data.frame(time1 = c(3, 2, 1, 4, 5, 2, 3, 5, 6, 7),
                  time2 = c(4, 3, 6, 5, 8, 6, 7, 3, 4, 5),
                  time3 = c(1, 2, 2, 3, 6, 5, 1, 2, 4, 6))

# Example 1: Difference-adjusted Cousineau-Morey confidence intervals
ci.mean.w(dat)

# Example 1: Alternative specification using the 'data' argument
ci.mean.w(., data = dat)

# Example 2: Cousineau-Morey confidence intervals
ci.mean.w(dat, adjust = FALSE)

## Not run:
# Example 3: Write results into a text file
ci.mean.w(dat, write = "WS_Confidence_Interval.txt")

## End(Not run)
```

ci.prop

Confidence Interval for Proportions

Description

This function computes a confidence interval for proportions for one or more variables, optionally by a grouping and/or split variable.

Usage

```
ci.prop(..., data = NULL, method = c("wald", "wilson"),
         alternative = c("two.sided", "less", "greater"), conf.level = 0.95,
         group = NULL, split = NULL, sort.var = FALSE, na.omit = FALSE,
         digits = 3, as.na = NULL, write = NULL, append = TRUE, check = TRUE,
         output = TRUE)
```

Arguments

... a numeric vector, matrix or data frame with numeric variables with 0 and 1 values, i.e., factors and character variables are excluded from `x` before conducting the analysis. Alternatively, an expression indicating the variable names in data e.g., `ci.prop(x1, x2, x3, data = dat)`. Note that the operators `.`, `+`, `-`, `~`, `:`, `::`, and `!` can also be used to select variables, see 'Details' in the [df.subset](#) function.

<code>data</code>	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is NULL when specifying a numeric vector, matrix or data frame for the argument <code>...</code> .
<code>method</code>	a character string specifying the method for computing the confidence interval, must be one of "wald", or "wilson" (default).
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	a numeric value between 0 and 1 indicating the confidence level of the interval.
<code>group</code>	either a character string indicating the variable name of the grouping variable in <code>...</code> or <code>data</code> , or a vector representing the grouping variable.
<code>split</code>	either a character string indicating the variable name of the split variable in <code>...</code> or <code>data</code> , or a vector representing the split variable.
<code>sort.var</code>	logical: if TRUE, output table is sorted by variables when specifying <code>group</code> .
<code>na.omit</code>	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion) when specifying more than one outcome variable.
<code>digits</code>	an integer value indicating the number of decimal places to be used.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>x</code> , but not to <code>group</code> or <code>split</code> .
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension ".txt" specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.

Details

The Wald confidence interval which is based on the normal approximation to the binomial distribution are computed by specifying `method = "wald"`, while the Wilson (1927) confidence interval (aka Wilson score interval) is requested by specifying `method = "wilson"`. By default, Wilson confidence interval is computed which have been shown to be reliable in small samples of $n = 40$ or less, and larger samples of $n > 40$ (Brown, Cai & DasGupta, 2001), while the Wald confidence intervals is inadequate in small samples and when p is near 0 or 1 (Agresti & Coull, 1998).

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	list with the input specified in <code>...</code> , <code>data</code> , <code>group</code> , and <code>split</code>
<code>args</code>	specification of function arguments
<code>result</code>	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Agresti, A. & Coull, B.A. (1998). Approximate is better than "exact" for interval estimation of binomial proportions. *American Statistician*, 52, 119-126.
- Brown, L. D., Cai, T. T., & DasGupta, A., (2001). Interval estimation for a binomial proportion. *Statistical Science*, 16, 101-133.
- Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.
- Wilson, E. B. (1927). Probable inference, the law of succession, and statistical inference. *Journal of the American Statistical Association*, 22, 209-212.

See Also

[ci.mean](#), [ci.mean.diff](#), [ci.median](#), [ci.prop.diff](#), [ci.var](#), [ci.sd](#), [descript](#)

Examples

```
# Example 1a: Two-Sided 95% CI for 'vs'
ci.prop(mtcars$vs)
#
# Example 1b: Alternative specification using the 'data' argument
ci.prop(vs, data = mtcars)

# Example 2: Two-Sided 95% CI using Wald method
ci.prop(mtcars$vs, method = "wald")

# Example 3: One-Sided 95% CI
ci.prop(mtcars$vs, alternative = "less")

# Example 4: Two-Sided 99% CI
ci.prop(mtcars$vs, conf.level = 0.99)

# Example 5: Two-Sided 95% CI, print results with 4 digits
ci.prop(mtcars$vs, digits = 4)

# Example 6a: Two-Sided 95% CI for 'vs' and 'am',
# listwise deletion for missing data
ci.prop(mtcars[, c("vs", "am")], na.omit = TRUE)

# Example 6b: Alternative specification using the 'data' argument
# listwise deletion for missing data
ci.prop(vs, am, data = mtcars, na.omit = TRUE)

# Example 7a: Two-Sided 95% CI, analysis by 'gear' separately
ci.prop(mtcars[, c("vs", "am")], group = mtcars$gear)

# Example 7b: Alternative specification using the 'data' argument
```

```

ci.prop(vs, am, data = mtcars, group = "gear")

# Example 8: Two-Sided 95% CI, analysis by 'gear' separately, sort by variables
ci.prop(mtcars[, c("vs", "am")], group = mtcars$gear, sort.var = TRUE)

# Example 9: Two-Sided 95% CI, split analysis by 'cyl'
ci.prop(mtcars[, c("vs", "am")], split = mtcars$cyl)

# Example 10a: Two-Sided 95% CI, analysis by 'gear' separately, split by 'cyl'
ci.prop(mtcars[, c("vs", "am")], group = mtcars$gear, split = mtcars$cyl)

# Example 10b: Alternative specification using the 'data' argument
ci.prop(vs, am, data = mtcars, group = "gear", split = "cyl")

## Not run:
# Example 11: Write results into a text file
ci.prop(vs, am, data = mtcars, group = "gear", split = "cyl", write = "Prop.txt")

## End(Not run)

```

ci.prop.diff

Confidence Interval for the Difference in Proportions

Description

This function computes a confidence interval for the difference in proportions in a two-sample and paired-sample design for one or more variables, optionally by a grouping and/or split variable.

Usage

```

ci.prop.diff(x, ...)

## Default S3 method:
ci.prop.diff(x, y, method = c("wald", "newcombe"), paired = FALSE,
             alternative = c("two.sided", "less", "greater"), conf.level = 0.95,
             group = NULL, split = NULL, sort.var = FALSE, digits = 2,
             as.na = NULL, write = NULL, append = TRUE,
             check = TRUE, output = TRUE, ...)

## S3 method for class 'formula'
ci.prop.diff(formula, data, method = c("wald", "newcombe"),
             alternative = c("two.sided", "less", "greater"), conf.level = 0.95,
             group = NULL, split = NULL, sort.var = FALSE, na.omit = FALSE,
             digits = 2, as.na = NULL, write = NULL, append = TRUE,
             check = TRUE, output = TRUE, ...)

```

Arguments

<code>x</code>	a numeric vector with 0 and 1 values.
<code>...</code>	further arguments to be passed to or from methods.
<code>y</code>	a numeric vector with 0 and 1 values.
<code>method</code>	a character string specifying the method for computing the confidence interval, must be one of "wald", or "newcombe" (default).
<code>paired</code>	logical: if TRUE, confidence interval for the difference of proportions in paired samples is computed.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	a numeric value between 0 and 1 indicating the confidence level of the interval.
<code>group</code>	a numeric vector, character vector or factor as grouping variable. Note that a grouping variable can only be used when computing confidence intervals with unknown population standard deviation and population variance.
<code>split</code>	a numeric vector, character vector or factor as split variable. Note that a split variable can only be used when computing confidence intervals with unknown population standard deviation and population variance.
<code>sort.var</code>	logical: if TRUE, output table is sorted by variables when specifying group.
<code>digits</code>	an integer value indicating the number of decimal places to be used.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>x</code> , but not to <code>group</code> or <code>split</code> .
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.
<code>formula</code>	a formula of the form $y \sim \text{group}$ for one outcome variable or $\text{cbind}(y1, y2, y3) \sim \text{group}$ for more than one outcome variable where y is a numeric variable with 0 and 1 values and <code>group</code> a numeric variable, character variable or factor with two values or factor levels giving the corresponding group.
<code>data</code>	a matrix or data frame containing the variables in the formula <code>formula</code> .
<code>na.omit</code>	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion) when specifying more than one outcome variable.

Details

The Wald confidence interval which is based on the normal approximation to the binomial distribution are computed by specifying `method = "wald"`, while the Newcombe Hybrid Score interval (Newcombe, 1998a; Newcombe, 1998b) is requested by specifying `method = "newcombe"`. By default, Newcombe Hybrid Score interval is computed which have been shown to be reliable in small samples (less than $n = 30$ in each sample) as well as moderate to larger samples ($n > 30$ in each sample) and with proportions close to 0 or 1, while the Wald confidence intervals does not perform well unless the sample size is large (Fagerland, Lydersen & Laake, 2011).

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	list with the input specified in <code>x</code> , <code>group</code> , and <code>split</code>
<code>args</code>	specification of function arguments
<code>result</code>	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Fagerland, M. W., Lydersen S., & Laake, P. (2011) Recommended confidence intervals for two independent binomial proportions. *Statistical Methods in Medical Research*, 24, 224-254.

Newcombe, R. G. (1998a). Interval estimation for the difference between independent proportions: Comparison of eleven methods. *Statistics in Medicine*, 17, 873-890.

Newcombe, R. G. (1998b). Improved confidence intervals for the difference between binomial proportions based on paired data. *Statistics in Medicine*, 17, 2635-2650.

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

See Also

[ci.prop](#), [ci.mean](#), [ci.mean.diff](#), [ci.median](#), [ci.var](#), [ci.sd](#), [descript](#)

Examples

```
dat1 <- data.frame(group1 = c(1, 1, 1, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2, 2,
                             1, 1, 1, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2, 2),
                  group2 = c(1, 1, 1, 1, 2, 2, 2, 2, 1, 1, 1, 2, 2, 2,
                             1, 1, 1, 2, 2, 2, 2, 1, 1, 1, 1, 2, 2, 2),
                  group3 = c(1, 2, 1, 2, 1, 2, 1, 2, 1, 2, 1, 2, 1, 2,
                             1, 2, 1, 2, 1, 2, 1, 2, 1, 2, 1, 2, 1, 2),
                  x1 = c(0, 1, 1, 1, 0, 1, 0, 0, 1, 1, 1, NA, 0, 0,
                        1, 0, 0, 0, 1, 1, 1, 0, 0, 1, 0, 1, 0, 0),
                  x2 = c(0, 0, 0, 1, 1, 1, 0, 0, 1, 1, 1, 1, 0, 1,
                        1, 0, 1, 0, 1, 1, 1, NA, 1, 0, 0, 1, 1, 1),
                  x3 = c(1, 1, 0, 1, 0, 1, 0, 1, 0, 1, 1, 0, 1, 0,
                        1, 0, 1, 1, 0, 1, 1, 1, 0, 1, NA, 1, 0, 1))

#-----
# Two-sample design

# Example 1: Two-Sided 95% CI for x1 by group1
# Newcombes Hybrid Score interval
```

```

ci.prop.diff(x1 ~ group1, data = dat1)

# Example 2: Two-Sided 95% CI for x1 by group1
# Wald CI
ci.prop.diff(x1 ~ group1, data = dat1, method = "wald")

# Example 3: One-Sided 95% CI for x1 by group1
# Newcombes Hybrid Score interval
ci.prop.diff(x1 ~ group1, data = dat1, alternative = "less")

# Example 4: Two-Sided 99% CI for x1 by group1
# Newcombes Hybrid Score interval
ci.prop.diff(x1 ~ group1, data = dat1, conf.level = 0.99)

# Example 5: Two-Sided 95% CI for y1 by group1
# Newcombes Hybrid Score interval, print results with 3 digits
ci.prop.diff(x1 ~ group1, data = dat1, digits = 3)

# Example 6: Two-Sided 95% CI for y1 by group1
# Newcombes Hybrid Score interval, convert value 0 to NA
ci.prop.diff(x1 ~ group1, data = dat1, as.na = 0)

# Example 7: Two-Sided 95% CI for y1, y2, and y3 by group1
# Newcombes Hybrid Score interval
ci.prop.diff(cbind(x1, x2, x3) ~ group1, data = dat1)

# Example 8: Two-Sided 95% CI for y1, y2, and y3 by group1
# Newcombes Hybrid Score interval, listwise deletion for missing data
ci.prop.diff(cbind(x1, x2, x3) ~ group1, data = dat1, na.omit = TRUE)

# Example 9: Two-Sided 95% CI for y1, y2, and y3 by group1
# Newcombes Hybrid Score interval, analysis by group2 separately
ci.prop.diff(cbind(x1, x2, x3) ~ group1, data = dat1, group = dat1$group2)

# Example 10: Two-Sided 95% CI for y1, y2, and y3 by group1
# Newcombes Hybrid Score interval, analysis by group2 separately, sort by variables
ci.prop.diff(cbind(x1, x2, x3) ~ group1, data = dat1, group = dat1$group2,
             sort.var = TRUE)

# Example 11: Two-Sided 95% CI for y1, y2, and y3 by group1
# split analysis by group2
ci.prop.diff(cbind(x1, x2, x3) ~ group1, data = dat1, split = dat1$group2)

# Example 12: Two-Sided 95% CI for y1, y2, and y3 by group1
# Newcombes Hybrid Score interval, analysis by group2 separately, split analysis by group3
ci.prop.diff(cbind(x1, x2, x3) ~ group1, data = dat1,
             group = dat1$group2, split = dat1$group3)

#-----

group1 <- c(0, 1, 1, 0, 0, 1, 0, 1)
group2 <- c(1, 1, 1, 0, 0)

```

```

# Example 13: Two-Sided 95% CI for the mean difference between group1 amd group2
# Newcombes Hybrid Score interval
ci.prop.diff(group1, group2)

#-----
# Paires-sample design

dat2 <- data.frame(pre = c(0, 1, 1, 0, 1),
                  post = c(1, 1, 0, 1, 1))

# Example 14: Two-Sided 95% CI for the mean difference in x1 and x2
# Newcombes Hybrid Score interval
ci.prop.diff(dat2$pre, dat2$post, paired = TRUE)

# Example 15: Two-Sided 95% CI for the mean difference in x1 and x2
# Wald CI
ci.prop.diff(dat2$pre, dat2$post, method = "wald", paired = TRUE)

# Example 16: One-Sided 95% CI for the mean difference in x1 and x2
# Newcombes Hybrid Score interval
ci.prop.diff(dat2$pre, dat2$post, alternative = "less", paired = TRUE)

# Example 17: Two-Sided 99% CI for the mean difference in x1 and x2
# Newcombes Hybrid Score interval
ci.prop.diff(dat2$pre, dat2$post, conf.level = 0.99, paired = TRUE)

# Example 18: Two-Sided 95% CI for for the mean difference in x1 and x2
# Newcombes Hybrid Score interval, print results with 3 digits
ci.prop.diff(dat2$pre, dat2$post, paired = TRUE, digits = 3)

```

ci.var

Confidence Interval for the Variance and Standard Deviation

Description

The function `ci.var` computes the confidence interval for the variance, and the function `ci.sd` computes the confidence interval for the standard deviation for one or more variables, optionally by a grouping and/or split variable.

Usage

```

ci.var(..., data = NULL, method = c("chisq", "bonett"),
       alternative = c("two.sided", "less", "greater"), conf.level = 0.95,
       group = NULL, split = NULL, sort.var = FALSE, na.omit = FALSE,
       digits = 2, as.na = NULL, write = NULL, append = TRUE,
       check = TRUE, output = TRUE)

ci.sd(..., data = NULL, method = c("chisq", "bonett"),
      alternative = c("two.sided", "less", "greater"), conf.level = 0.95,

```

```
group = NULL, split = NULL, sort.var = FALSE, na.omit = FALSE, digits = 2,
as.na = NULL, write = NULL, append = TRUE,
check = TRUE, output = TRUE)
```

Arguments

...	a numeric vector, matrix or data frame with numeric variables, i.e., factors and character variables are excluded from <code>x</code> before conducting the analysis. Alternatively, an expression indicating the variable names in data e.g., <code>ci.var(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a numeric vector, matrix or data frame for the argument ...
method	a character string specifying the method for computing the confidence interval, must be one of "chisq", or "bonett" (default).
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
group	either a character string indicating the variable name of the grouping variable in ... or data, or a vector representing the grouping variable.
split	either a character string indicating the variable name of the split variable in ... or data, or a vector representing the split variable.
sort.var	logical: if TRUE, output table is sorted by variables when specifying group.
na.omit	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion) when specifying more than one outcome variable.
digits	an integer value indicating the number of decimal places to be used.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>x</code> , but not to <code>group</code> or <code>split</code> .
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

The confidence interval based on the chi-square distribution is computed by specifying `method = "chisq"`, while the Bonett (2006) confidence interval is requested by specifying `method = "bonett"`. By default, the Bonett confidence interval interval is computed which performs well under moderate departure from normality, while the confidence interval based on the chi-square distribution is highly sensitive to minor violations of the normality assumption and its performance does not improve with increasing sample size. Note that at least four valid observations are needed to compute the Bonett confidence interval.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	list with the input specified in <code>...</code> , <code>data</code> , <code>group</code> , and <code>split</code>
<code>args</code>	specification of function arguments
<code>result</code>	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

Bonett, D. G. (2006). Approximate confidence interval for standard deviation of nonnormal distributions. *Computational Statistics and Data Analysis*, 50, 775-782. <https://doi.org/10.1016/j.csda.2004.10.003>

See Also

[ci.mean](#), [ci.mean.diff](#), [ci.median](#), [ci.prop](#), [ci.prop.diff](#), [descript](#)

Examples

```
# Example 1a: Two-Sided 95% CI for the variance for 'mpg'
ci.var(mtcars$mpg)

# Example 1b: Alternative specification using the 'data' argument
ci.var(mpg, data = mtcars)

# Example 2a: Two-Sided 95% CI for the standard deviation for 'mpg'
ci.sd(mtcars$mpg)

# Example 2b: Alternative specification using the 'data' argument
ci.sd(mpg, data = mtcars)

# Example 3: Two-Sided 95% CI using chi square distribution
ci.var(mtcars$mpg, method = "chisq")

# Example 4: One-Sided 95% CI
ci.var(mtcars$mpg, alternative = "less")

# Example 5: Two-Sided 99% CI
ci.var(mtcars$mpg, conf.level = 0.99)

# Example 6: Two-Sided 95% CI, print results with 3 digits
ci.var(mtcars$mpg, digits = 3)
```

```

# Example 7a: Two-Sided 95% CI for 'mpg', 'disp', and 'hp',
# listwise deletion for missing data
ci.var(mtcars[, c("mpg", "disp", "hp")])

# Example 7b: Alternative specification using the 'data' argument
ci.var(mpg:hp, data = mtcars)

# Example 8a: Two-Sided 95% CI, analysis by 'vs' separately
ci.var(mtcars[, c("mpg", "disp", "hp")], group = mtcars$vs)

# Example 8b: Alternative specification using the 'data' argument
ci.var(mpg:hp, data = mtcars, group = "vs")

# Example 9: Two-Sided 95% CI for, analysis by 'vs' separately, sort by variables
ci.var(mtcars[, c("mpg", "disp", "hp")], group = mtcars$vs, sort.var = TRUE)

# Example 10: Two-Sided 95% CI, split analysis by 'vs'
ci.var(mtcars[, c("mpg", "disp", "hp")], split = mtcars$vs)

# Example 11a: Two-Sided 95% CI, analysis by 'vs' separately, split analysis by 'am'
ci.var(mtcars[, c("mpg", "disp", "hp")], group = mtcars$vs, split = mtcars$am)

# Example 11b: Alternative specification using the 'data' argument
ci.var(mpg:hp, data = mtcars, group = "vs", split = "am")

## Not run:
# Example 12: Write results into a text file
ci.var(mpg:hp, data = mtcars, group = "vs", split = "am", write = "Variance.txt")

## End(Not run)

```

cluster.scores

Cluster Scores

Description

This function computes group means by default.

Usage

```

cluster.scores(..., data = NULL, cluster,
               fun = c("mean", "sum", "median", "var", "sd", "min", "max"),
               expand = TRUE, append = TRUE, name = ".a", as.na = NULL,
               check = TRUE)

```

Arguments

... a numeric vector for computing cluster scores for a variable, matrix or data frame for computing cluster scores for more than one variable. Alternatively, an expression indicating the variable names in data e.g., `ci.mean(x1, x2, data =`

	dat). Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is NULL when specifying a numeric vector, matrix, or data frame for the argument <code>...</code> .
cluster	either a character string indicating the variable name of the cluster variable in <code>...</code> or <code>data</code> , or a vector representing the nested grouping structure (i.e., group or cluster variable).
fun	character string indicating the function used to compute group scores, default: "mean".
expand	logical: if TRUE (default), vector of cluster scores is expanded to match the input vector <code>x</code> .
append	logical: if TRUE (default), cluster scores are appended to the data frame specified in the argument <code>data</code> .
name	a character string or character vector indicating the names of the computed variables. By default, variables are named with the ending ".a" resulting in e.g. "x1.a" and "x2.a". Variable names can also be specified using a character vector matching the number of variables specified in <code>x</code> (e.g., <code>name = c("cluster.x1", "cluster.x2")</code>).
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to the argument <code>x</code> , but not to <code>cluster</code> .
check	logical: if TRUE (default), argument specification is checked.

Value

Returns a numeric vector or data frame containing cluster scores with the same length or same number of rows as `x` if `expand = TRUE` or with the length or number of rows as `length(unique(cluster))` if `expand = FALSE`.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Hox, J., Moerbeek, M., & van de Schoot, R. (2018). *Multilevel analysis: Techniques and applications* (3rd. ed.). Routledge.
- Snijders, T. A. B., & Bosker, R. J. (2012). *Multilevel analysis: An introduction to basic and advanced multilevel modeling* (2nd ed.). Sage Publishers.

See Also

[item.scores](#), [multilevel.descript](#), [multilevel.icc](#)

Examples

```
# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

# Example 1a: Compute cluster means for 'y1' and expand to match the input 'y1'
cluster.scores(Demo.twolevel$y1, cluster = Demo.twolevel$cluster)

# Example 1b: Alternative specification using the 'data' argument
cluster.scores(y1, data = Demo.twolevel, cluster = "cluster")

# Example 2: Compute standard deviation for each cluster
# and expand to match the input x
cluster.scores(Demo.twolevel$y1, cluster = Demo.twolevel$cluster, fun = "sd")

# Example 3: Compute cluster means without expanding the vector
cluster.scores(Demo.twolevel$y1, cluster = Demo.twolevel$cluster, expand = FALSE)

# Example 4a: Compute cluster means for 'y1' and 'y2' and append to 'Demo.twolevel'
cbind(Demo.twolevel,
      cluster.scores(Demo.twolevel[, c("y1", "y2")], cluster = Demo.twolevel$cluster))

# Example 4b: Alternative specification using the 'data' argument
cluster.scores(y1, y2, data = Demo.twolevel, cluster = "cluster")
```

coding

Coding Categorical Variables

Description

This function creates $k - 1$ variables for a categorical variable with k distinct levels. The coding system available in this function are dummy coding, simple coding, unweighted effect coding, weighted effect coding, repeated coding, forward Helmert coding, reverse Helmert coding, and orthogonal polynomial coding.

Usage

```
coding(..., data = NULL,
      type = c("dummy", "simple", "effect", "weffect", "repeat",
              "fhelm", "rhelm", "poly"), base = NULL,
      name = c("dum.", "sim.", "eff.", "weff.", "rep.", "fhelm.", "rhelm.", "poly."),
      append = TRUE, as.na = NULL, check = TRUE)
```

Arguments

... a numeric vector with integer values, character vector or factor Alternatively, an expression indicating the variable name in data. Note that the function can only deal with one categorical variable.

data	a data frame when specifying a variable in the argument Note that the argument is NULL when specifying a numeric vector with integer values, character vector or factor numeric vector for the argument
type	a character string indicating the type of coding, i.e., <code>dummy</code> (default) for dummy coding, <code>simple</code> for simple coding, <code>effect</code> for unweighted effect coding, <code>weffect</code> for weighted effect coding, <code>repeat</code> for repeated coding, <code>fhelm</code> for forward Helmert coding, <code>rhelm</code> for reverse Helmert coding, and <code>poly</code> for orthogonal polynomial coding (see 'Details').
base	a numeric value or character string indicating the baseline group for dummy and simple coding and the omitted group in effect coding. By default, the first group or factor level is selected as baseline or omitted group.
name	a character string or character vector indicating the names of the coded variables. By default, variables are named "dum.", "sim.", "eff.", "weff.", "rep.", "fhelm.", "rhelm.", or "poly." depending on the type of coding with the category used in the comparison (e.g., "dum.2" and "dum.3"). Variable names can be specified using a character string (e.g., <code>name = "dummy_"</code> leads to <code>dummy_2</code> and <code>dummy_3</code>) or a character vector matching the number of coded variables (e.g. <code>name = c("x1_2", "x1_3")</code>) which is the number of unique categories minus one.
append	logical: if TRUE (default), coded variables are appended to the data frame specified in the argument <code>data</code> .
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
check	logical: if TRUE (default), argument specification is checked.

Details

Dummy Coding Dummy or treatment coding compares the mean of each level of the categorical variable to the mean of a baseline group. By default, the first group or factor level is selected as baseline group. The intercept in the regression model represents the mean of the baseline group. For example, dummy coding based on a categorical variable with four groups A, B, C, D makes following comparisons: B vs A, C vs A, and D vs A with A being the baseline group.

Simple Coding Simple coding compares each level of the categorical variable to the mean of a baseline level. By default, the first group or factor level is selected as baseline group. The intercept in the regression model represents the unweighted grand mean, i.e., mean of group means. For example, simple coding based on a categorical variable with four groups A, B, C, D makes following comparisons: B vs A, C vs A, and D vs A with A being the baseline group.

Unweighted Effect Coding Unweighted effect or sum coding compares the mean of a given level to the unweighed grand mean, i.e., mean of group means. By default, the first group or factor level is selected as omitted group. For example, effect coding based on a categorical variable with four groups A, B, C, D makes following comparisons: B vs (A, B, C, D), C vs (A, B, C, D), and D vs (A, B, C, D) with A being the omitted group.

Weighted Effect Coding Weighted effect or sum coding compares the mean of a given level to the weighed grand mean, i.e., sample mean. By default, the first group or factor level is selected as omitted group. For example, effect coding based on a categorical variable with four groups A, B, C, D makes following comparisons: B vs (A, B, C, D), C vs (A, B, C, D), and D vs (A, B, C, D) with A being the omitted group.

Repeated Coding Repeated or difference coding compares the mean of each level of the categorical variable to the mean of the previous adjacent level. For example, repeated coding based on a categorical variable with four groups A, B, C, D makes following comparisons: B vs A, C vs B, and D vs C.

Forward Helmert Coding Forward Helmert coding compares the mean of each level of the categorical variable to the unweighted mean of all subsequent level(s) of the categorical variable. For example, forward Helmert coding based on a categorical variable with four groups A, B, C, D makes following comparisons: (B, C, D) vs A, (C, D) vs B, and D vs C.

Reverse Helmert Coding Reverse Helmert coding compares the mean of each level of the categorical variable to the unweighted mean of all prior level(s) of the categorical variable. For example, reverse Helmert coding based on a categorical variable with four groups A, B, C, D makes following comparisons: B vs A, C vs (A, B), and D vs (A, B, C).

Orthogonal Polynomial Coding Orthogonal polynomial coding is a form of trend analysis based on polynomials of order $k - 1$, where k is the number of levels of the categorical variable. This coding scheme assumes an ordered-categorical variable with equally spaced levels. For example, orthogonal polynomial coding based on a categorical variable with four groups A, B, C, D investigates a linear, quadratic, and cubic trends in the categorical variable.

Value

Returns a data frame with $k - 1$ coded variables or a data frame with the same length or same number of rows as ... containing the coded variables.

Note

This function uses the `contr.treatment` function from the **stats** package for dummy coding and simple coding, a modified copy of the `contr.sum` function from the **stats** package for effect coding, a modified copy of the `contr.wec` function from the **wec** package for weighted effect coding, a modified copy of the `contr.sdif` function from the **MASS** package for repeated coding, a modified copy of the `code_helmert_forward` function from the **codingMatrices** for forward Helmert coding, a modified copy of the `contr_code_helmert` function from the **faux** package for reverse Helmert coding, and the `contr.poly` function from the **stats** package for orthogonal polynomial coding.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

See Also

[rec](#), [item.reverse](#)

Examples

```
# Example 1a: Dummy coding for 'gear', baseline group = 3
coding(gear, data = mtcars)

# Example 1b: Alternative specification without using the 'data' argument
coding(mtcars$gear)
```

```
# Example 2: Dummy coding for 'gear', baseline group = 4
coding(gear, data = mtcars, base = 4)

# Example 3: Effect coding for 'gear', omitted group = 3
coding(gear, data = mtcars, type = "effect")

# Example 3: Effect coding for 'gear', omitted group = 4
coding(gear, data = mtcars, type = "effect", base = 4)

# Example 4a: Dummy-coded variable names with prefix "gear3."
coding(gear, data = mtcars, name = "gear3.")

# Example 4b: Dummy-coded variables named "gear_4vs3" and "gear_5vs3"
coding(gear, data = mtcars, name = c("gear_4vs3", "gear_5vs3"))
```

cohens.d

Cohen's d

Description

This function computes Cohen's d for one-sample, two-sample (i.e., between-subject design), and paired-sample designs (i.e., within-subject design) for one or more variables, optionally by a grouping and/or split variable. In a two-sample design, the function computes the standardized mean difference by dividing the difference between means of the two groups of observations by the weighted pooled standard deviation (i.e., Cohen's d_s according to Lakens, 2013) by default. In a paired-sample design, the function computes the standardized mean difference by dividing the mean of the difference scores by the standard deviation of the difference scores (i.e., Cohen's d_z according to Lakens, 2013) by default. Note that by default Cohen's d is computed without applying the correction factor for removing the small sample bias (i.e., Hedges' g).

Usage

```
cohens.d(x, ...)
```

Default S3 method:

```
cohens.d(x, y = NULL, mu = 0, paired = FALSE, weighted = TRUE, cor = TRUE,
  ref = NULL, correct = FALSE, alternative = c("two.sided", "less", "greater"),
  conf.level = 0.95, group = NULL, split = NULL, sort.var = FALSE,
  digits = 2, as.na = NULL, write = NULL, append = TRUE,
  check = TRUE, output = TRUE, ...)
```

S3 method for class 'formula'

```
cohens.d(formula, data, weighted = TRUE, cor = TRUE, ref = NULL,
  correct = FALSE, alternative = c("two.sided", "less", "greater"),
  conf.level = 0.95, group = NULL, split = NULL, sort.var = FALSE,
  na.omit = FALSE, digits = 2, as.na = NULL, write = NULL, append = TRUE,
  check = TRUE, output = TRUE, ...)
```

Arguments

<code>x</code>	a numeric vector or data frame.
<code>...</code>	further arguments to be passed to or from methods.
<code>y</code>	a numeric vector.
<code>mu</code>	a numeric value indicating the reference mean.
<code>paired</code>	logical: if TRUE, Cohen's d for a paired-sample design is computed.
<code>weighted</code>	logical: if TRUE (default), the weighted pooled standard deviation is used to compute the standardized mean difference between two groups of a two-sample design (i.e., <code>paired = FALSE</code>), while standard deviation of the difference scores is used to compute the standardized mean difference in a paired-sample design (i.e., <code>paired = TRUE</code>).
<code>cor</code>	logical: if TRUE (default), <code>paired = TRUE</code> , and <code>weighted = FALSE</code> , Cohen's d for a paired-sample design while controlling for the correlation between the two sets of measurement is computed. Note that this argument is only used in a paired-sample design (i.e., <code>paired = TRUE</code>) when specifying <code>weighted = FALSE</code> .
<code>ref</code>	character string "x" or "y" for specifying the reference reference group when using the default <code>cohens.d()</code> function or a numeric value or character string indicating the reference group in a two-sample design when using the formula <code>cohens.d()</code> function. The standard deviation of the reference variable or reference group is used to standardized the mean difference. Note that this argument is only used in a two-sample design (i.e., <code>paired = FALSE</code>).
<code>correct</code>	logical: if TRUE, correction factor to remove positive bias in small samples is used.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	a numeric value between 0 and 1 indicating the confidence level of the interval.
<code>group</code>	a numeric vector, character vector or factor as grouping variable.
<code>split</code>	a numeric vector, character vector or factor as split variable.
<code>sort.var</code>	logical: if TRUE, output table is sorted by variables when specifying group.
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying results.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>y</code> but not to <code>group</code> in a two-sample design, while <code>as.na()</code> function is applied to <code>pre</code> and <code>post</code> in a paired-sample design.
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension ".txt" specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.

formula	a formula of the form $y \sim \text{group}$ for one outcome variable or <code>cbind(y1, y2, y3) ~ group</code> for more than one outcome variable where y is a numeric variable giving the data values and <code>group</code> a numeric variable, character variable or factor with two values or factor levels giving the corresponding groups.
data	a matrix or data frame containing the variables in the formula <code>formula</code> .
na.omit	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion) when specifying more than one outcome variable.

Details

Cohen (1988, p.67) proposed to compute the standardized mean difference in a two-sample design by dividing the mean difference by the unweighted pooled standard deviation (i.e., `weighted = FALSE`).

Glass et al. (1981, p. 29) suggested to use the standard deviation of the control group (e.g., `ref = 0` if the control group is coded with 0) to compute the standardized mean difference in a two-sample design (i.e., Glass's Δ) since the standard deviation of the control group is unaffected by the treatment and will therefore more closely reflect the population standard deviation.

Hedges (1981, p. 110) recommended to weight each group's standard deviation by its sample size resulting in a weighted and pooled standard deviation (i.e., `weighted = TRUE`, default). According to Hedges and Olkin (1985, p. 81), the standardized mean difference based on the weighted and pooled standard deviation has a positive small sample bias, i.e., standardized mean difference is overestimated in small samples (i.e., sample size less than 20 or less than 10 in each group). However, a correction factor can be applied to remove the small sample bias (i.e., `correct = TRUE`). Note that the function uses a gamma function for computing the correction factor, while a approximation method is used if computation based on the gamma function fails.

Note that the terminology is inconsistent because the standardized mean difference based on the weighted and pooled standard deviation is usually called Cohen's d , but sometimes called Hedges' g . Oftentimes, Cohen's d is called Hedges' d as soon as the small sample correction factor is applied. Cumming and Calin-Jageman (2017, p.171) recommended to avoid the term Hedges' g , but to report which standard deviation was used to standardized the mean difference (e.g., unweighted/weighted pooled standard deviation, or the standard deviation of the control group) and whether a small sample correction factor was applied.

As for the terminology according to Lakens (2013), in a two-sample design (i.e., `paired = FALSE`) Cohen's d_s is computed when using `weighted = TRUE` (default) and Hedges's g_s is computed when using `correct = TRUE` in addition. In a paired-sample design (i.e., `paired = TRUE`), Cohen's d_z is computed when using `weighted = TRUE`, default, while Cohen's d_{rm} is computed when using `weighted = FALSE` and `cor = TRUE`, default and Cohen's d_{av} is computed when using `weighted = FALSE` and `cor = FALSE`. Corresponding Hedges' g_z , g_{rm} , and g_{av} are computed when using `correct = TRUE` in addition.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
sample	type of sample, i.e., one-, two-, or, paired-sample

data list with the input specified in x, group, and split
 args specification of function arguments
 result result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Academic Press.
- Cumming, G., & Calin-Jageman, R. (2017). *Introduction to the new statistics: Estimation, open science, & beyond*. Routledge.
- Glass, G. V., McGaw, B., & Smith, M. L. (1981). *Meta-analysis in social research*. Sage Publication.
- Goulet-Pelletier, J.-C., & Cousineau, D. (2018) A review of effect sizes and their confidence intervals, Part I: The Cohen's d family. *The Quantitative Methods for Psychology, 14*, 242-265. <https://doi.org/10.20982/tqmp.14.4.p242>
- Hedges, L. V. (1981). Distribution theory for Glass's estimator of effect size and related estimators. *Journal of Educational Statistics, 6*(3), 106-128.
- Hedges, L. V. & Olkin, I. (1985). *Statistical methods for meta-analysis*. Academic Press.
- Lakens, D. (2013). Calculating and reporting effect sizes to facilitate cumulative science: A practical primer for t-tests and ANOVAs. *Frontiers in Psychology, 4*, 1-12. <https://doi.org/10.3389/fpsyg.2013.00863>

See Also

[test.t](#), [test.z](#), [effsize](#), [cor.matrix](#), [na.auxiliary](#)

Examples

```
dat1 <- data.frame(group1 = c(1, 1, 1, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2, 2,
                             1, 2, 2, 1, 1, 1, 2, 2, 2, 2, 2, 2, 2, 1),
                  group2 = c(1, 2, 1, 1, 1, 2, 1, 2, 1, 2, 1, 2, 2, 2,
                             1, 2, 1, 2, 2, 2, 2, 1, 1, 1, 1, 2, 2, 2),
                  group3 = c(1, 2, 1, 2, 1, 2, 2, 2, 1, 2, 2, 1, 1, 1,
                             1, 2, 2, 2, 1, 2, 1, 2, 1, 2, 1, 2, 1, 1),
                  x1 = c(3, 2, 5, 3, 6, 3, 2, 4, 6, 5, 3, 3, 5, 4,
                        4, 3, 5, 3, 2, 3, 3, 6, 6, 7, 5, 6, 6, 4),
                  x2 = c(4, 4, 3, 6, 4, 7, 3, 5, 3, 3, 4, 2, 3, 6,
                        3, 5, 2, 6, 8, 3, 2, 5, 4, 5, 3, 2, 2, 4),
                  x3 = c(7, 6, 5, 6, 4, 2, 8, 3, 6, 1, 2, 5, 8, 6,
                        2, 5, 3, 1, 6, 4, 5, 5, 3, 6, 3, 2, 2, 4))

#-----
# One-sample design

# Example 1: Cohen's d.z with two-sided 95% CI
# population mean = 3
```

```

cohens.d(dat1$x1, mu = 3)

# Example 2: Cohen's d.z (aka Hedges' g.z) with two-sided 95% CI
# population mean = 3, with small sample correction factor
cohens.d(dat1$x1, mu = 3, correct = TRUE)

# Example 3: Cohen's d.z for more than one variable with two-sided 95% CI
# population mean = 3
cohens.d(dat1[, c("x1", "x2", "x3")], mu = 3)

# Example 4: Cohen's d.z with two-sided 95% CI
# population mean = 3, by group1 separately
cohens.d(dat1$x1, mu = 3, group = dat1$group1)

# Example 5: Cohen's d.z for more than one variable with two-sided 95% CI
# population mean = 3, by group1 separately
cohens.d(dat1[, c("x1", "x2", "x3")], mu = 3, group = dat1$group1)

# Example 6: Cohen's d.z with two-sided 95% CI
# population mean = 3, split analysis by group1
cohens.d(dat1$x1, mu = 3, split = dat1$group1)

# Example 7: Cohen's d.z for more than one variable with two-sided 95% CI
# population mean = 3, split analysis by group1
cohens.d(dat1[, c("x1", "x2", "x3")], mu = 3, split = dat1$group1)

# Example 8: Cohen's d.z with two-sided 95% CI
# population mean = 3, by group1 separately1, split by group2
cohens.d(dat1$x1, mu = 3, group = dat1$group1, split = dat1$group2)

# Example 9: Cohen's d.z for more than one variable with two-sided 95% CI
# population mean = 3, by group1 separately1, split by group2
cohens.d(dat1[, c("x1", "x2", "x3")], mu = 3, group = dat1$group1,
        split = dat1$group2)

#-----
# Two-sample design

# Example 10: Cohen's d.s with two-sided 95% CI
# weighted pooled SD
cohens.d(x1 ~ group1, data = dat1)

# Example 11: Cohen's d.s with two-sided 99% CI
# weighted pooled SD
cohens.d(x1 ~ group1, data = dat1, conf.level = 0.99)

# Example 12: Cohen's d.s with one-sided 99% CI
# weighted pooled SD
cohens.d(x1 ~ group1, data = dat1, alternative = "greater")

# Example 13: Cohen's d.s with two-sided 99% CI
# weighted pooled SD
cohens.d(x1 ~ group1, data = dat1, conf.level = 0.99)

```

```

# Example 14: Cohen's d.s with one-sided 95% CI
# weighted pooled SD
cohens.d(x1 ~ group1, data = dat1, alternative = "greater")

# Example 15: Cohen's d.s for more than one variable with two-sided 95% CI
# weighted pooled SD
cohens.d(cbind(x1, x2, x3) ~ group1, data = dat1)

# Example 16: Cohen's d with two-sided 95% CI
# unweighted SD
cohens.d(x1 ~ group1, data = dat1, weighted = FALSE)

# Example 17: Cohen's d.s (aka Hedges' g.s) with two-sided 95% CI
# weighted pooled SD, with small sample correction factor
cohens.d(x1 ~ group1, data = dat1, correct = TRUE)

# Example 18: Cohen's d (aka Hedges' g) with two-sided 95% CI
# Unweighted SD, with small sample correction factor
cohens.d(x1 ~ group1, data = dat1, weighted = FALSE, correct = TRUE)

# Example 19: Cohen's d (aka Glass's delta) with two-sided 95% CI
# SD of reference group 1
cohens.d(x1 ~ group1, data = dat1, ref = 1)

# Example 20: Cohen's d.s with two-sided 95% CI
# weighted pooled SD, by group2 separately
cohens.d(x1 ~ group1, data = dat1, group = dat1$group2)

# Example 21: Cohen's d.s for more than one variable with two-sided 95% CI
# weighted pooled SD, by group2 separately
cohens.d(cbind(x1, x2, x3) ~ group1, data = dat1, group = dat1$group2)

# Example 22: Cohen's d.s with two-sided 95% CI
# weighted pooled SD, split analysis by group2
cohens.d(x1 ~ group1, data = dat1, split = dat1$group2)

# Example 23: Cohen's d.s for more than one variable with two-sided 95% CI
# weighted pooled SD, split analysis by group2
cohens.d(cbind(x1, x2, x3) ~ group1, data = dat1, split = dat1$group2)

# Example 24: Cohen's d.s with two-sided 95% CI
# weighted pooled SD, by group2 separately, split analysis by group3
cohens.d(x1 ~ group1, data = dat1,
        group = dat1$group2, split = dat1$group3)

# Example 25: Cohen's d.s for more than one variable with two-sided 95% CI
# weighted pooled SD, by group2 separately, split analysis by group3
cohens.d(cbind(x1, x2, x3) ~ group1, data = dat1,
        group = dat1$group2, split = dat1$group3)

#-----
# Paired-sample design

```

```
# Example 26: Cohen's d.z with two-sided 95% CI
# SD of the difference scores
cohens.d(dat1$x1, dat1$x2, paired = TRUE)

# Example 27: Cohen's d.z with two-sided 99% CI
# SD of the difference scores
cohens.d(dat1$x1, dat1$x2, paired = TRUE, conf.level = 0.99)

# Example 28: Cohen's d.z with one-sided 95% CI
# SD of the difference scores
cohens.d(dat1$x1, dat1$x2, paired = TRUE, alternative = "greater")

# Example 29: Cohen's d.rm with two-sided 95% CI
# controlling for the correlation between measures
cohens.d(dat1$x1, dat1$x2, paired = TRUE, weighted = FALSE)

# Example 30: Cohen's d.av with two-sided 95% CI
# without controlling for the correlation between measures
cohens.d(dat1$x1, dat1$x2, paired = TRUE, weighted = FALSE, cor = FALSE)

# Example 31: Cohen's d.z (aka Hedges' g.z) with two-sided 95% CI
# SD of the difference scores
cohens.d(dat1$x1, dat1$x2, paired = TRUE, correct = TRUE)

# Example 32: Cohen's d.rm (aka Hedges' g.rm) with two-sided 95% CI
# controlling for the correlation between measures
cohens.d(dat1$x1, dat1$x2, paired = TRUE, weighted = FALSE, correct = TRUE)

# Example 33: Cohen's d.av (aka Hedges' g.av) with two-sided 95% CI
# without controlling for the correlation between measures
cohens.d(dat1$x1, dat1$x2, paired = TRUE, weighted = FALSE, cor = FALSE,
         correct = TRUE)

# Example 34: Cohen's d.z with two-sided 95% CI
# SD of the difference scores, by group1 separately
cohens.d(dat1$x1, dat1$x2, paired = TRUE, group = dat1$group1)

# Example 35: Cohen's d.z with two-sided 95% CI
# SD of the difference scores, split analysis by group1
cohens.d(dat1$x1, dat1$x2, paired = TRUE, split = dat1$group1)

# Example 36: Cohen's d.z with two-sided 95% CI
# SD of the difference scores, by group1 separately, split analysis by group2
cohens.d(dat1$x1, dat1$x2, paired = TRUE,
         group = dat1$group1, split = dat1$group2)
```

Description

This function computes a correlation matrix based on Pearson product-moment correlation coefficient, Spearman's rank-order correlation coefficient, Kendall's Tau-b correlation coefficient, Kendall-Stuart's Tau-c correlation coefficient, tetrachoric correlation coefficient, or polychoric correlation coefficient and computes significance values (p -values) for testing the hypothesis $H_0: \rho = 0$ for all pairs of variables.

Usage

```
cor.matrix(..., data = NULL,
           method = c("pearson", "spearman", "kendall-b", "kendall-c", "tetra", "poly"),
           na.omit = FALSE, group = NULL, sig = FALSE, alpha = 0.05,
           print = c("all", "cor", "n", "stat", "df", "p"),
           tri = c("both", "lower", "upper"),
           p.adj = c("none", "bonferroni", "holm", "hochberg", "hommel",
                    "BH", "BY", "fdr"), continuity = TRUE,
           digits = 2, p.digits = 3, as.na = NULL,
           write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

...	a matrix or data frame. Alternatively, an expression indicating the variable names in data e.g., <code>cor.matrix(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a matrix or data frame for the argument <code>...</code> .
method	a character vector indicating which correlation coefficient is to be computed, i.e. "pearson" for Pearson product-moment correlation coefficient (default), "spearman" for Spearman's rank-order correlation coefficient, "kendall-b" for Kendall's Tau-b correlation coefficient, "kendall-c" for Kendall-Stuart's Tau-c correlation coefficient, "tetra" for tetrachoric correlation coefficient, and "poly" for polychoric correlation coefficient.
na.omit	logical: if <code>TRUE</code> , incomplete cases are removed before conducting the analysis (i.e., listwise deletion); if <code>FALSE</code> (default), pairwise deletion is used.
group	either a character string indicating the variable name of the grouping variable in <code>...</code> or <code>data</code> , or a vector representing the grouping variable. Note that the grouping variable is limited to two groups.
sig	logical: if <code>TRUE</code> , statistically significant correlation coefficients are shown in boldface on the console. Note that this function does not provide statistical significance testing for tetrachoric or polychoric correlation coefficients.
alpha	a numeric value between 0 and 1 indicating the significance level at which correlation coefficients are printed boldface when <code>sig = TRUE</code> .
print	a character string or character vector indicating which results to show on the console, i.e. "all" for all results, "cor" for correlation coefficients, "n" for the

	sample sizes, "stat" for the test statistic, "df" for the degrees of freedom, and "p" for p -values. Note that the function does not provide p -values for tetrachoric or polychoric correlation coefficients.
tri	a character string indicating which triangular of the matrix to show on the console, i.e., both for upper and lower triangular, lower (default) for the lower triangular, and upper for the upper triangular.
p.adjust	a character string indicating an adjustment method for multiple testing based on p.adjust , i.e., none, bonferroni, holm (default), hochberg, hommel, BH, BY, or fdr.
continuity	logical: if TRUE (default), continuity correction is used for testing Spearman's rank-order correlation coefficient and Kendall's Tau-b correlation.
digits	an integer value indicating the number of decimal places to be used for displaying correlation coefficients.
p.digits	an integer value indicating the number of decimal places to be used for displaying p -values.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

Note that unlike the `cor.test` function, this function does not compute an exact p -value for Spearman's rank-order correlation coefficient or Kendall's Tau-b correlation coefficient, but uses the asymptotic t approximation.

Statistically significant correlation coefficients can be shown in boldface on the console when specifying `sig = TRUE`. However, this option is not supported when using R Markdown, i.e., the argument `sig` will switch to FALSE.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
data	data frame used for the current analysis
args	specification of function arguments
result	list with result tables, i.e., cor for the correlation matrix, n for a matrix with the sample sizes, stat for a matrix with the test statistics, df for a matrix with the degrees of freedom, and p-value for the matrix with the significance values (p -values)

Note

This function uses the polychoric() function in the **psych** package by William Revelle to estimate tetrachoric and polychoric correlation coefficients.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

Revelle, W. (2018) *psych: Procedures for personality and psychological research*. Northwestern University, Evanston, Illinois, USA, <https://CRAN.R-project.org/package=psych> Version = 1.8.12.

See Also

[write.result](#), [cohens.d](#), [effsize](#), [multilevel.icc](#), [na.auxiliary](#), [size.cor](#).

Examples

```
# Example 1a: Pearson product-moment correlation coefficient between 'Ozone' and 'Solar.R'
cor.matrix(airquality[, c("Ozone", "Solar.R")])

# Example 1b: Alternative specification using the 'data' argument
cor.matrix(Ozone, Solar.R, data = airquality)

# Example 2a: Pearson product-moment correlation matrix using pairwise deletion
cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")])

# Example 2b: Alternative specification using the 'data' argument
cor.matrix(Ozone:Wind, data = airquality)

# Example 3: Spearman's rank-order correlation matrix
cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")], method = "spearman")

# Example 4: Pearson product-moment correlation matrix
# highlight statistically significant result at alpha = 0.05
cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")], sig = TRUE)

# Example 5: Pearson product-moment correlation matrix
# highlight statistically significant result at alpha = 0.05
cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")], sig = TRUE, alpha = 0.10)

# Example 6: Pearson product-moment correlation matrix
# print sample size and significance values
cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")], print = "all")

# Example 7: Pearson product-moment correlation matrix using listwise deletion,
# print sample size and significance values
cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")], na.omit = TRUE, print = "all")
```

```

# Example 8: Pearson product-moment correlation matrix
# print sample size and significance values with Bonferroni correction
cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")], na.omit = TRUE,
           print = "all", p.adj = "bonferroni")

# Example 9a: Pearson product-moment correlation matrix for 'mpg', 'cyl', and 'disp'
# results for group "0" and "1" separately
cor.matrix(mtcars[, c("mpg", "cyl", "disp")], group = mtcars$vs)

# Example 9b: Alternative specification using the 'data' argument
cor.matrix(mpg:disp, data = mtcars, group = "vs")

## Not run:
# Example 10a: Write results into a text file
cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")], print = "all", write = "Correlation.txt")

# Example 10b: Write results into an Excel file
cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")], print = "all", write = "Correlation.xlsx")

result <- cor.matrix(airquality[, c("Ozone", "Solar.R", "Wind")], print = "all", output = FALSE)
write.result(result, "Correlation.xlsx")

## End(Not run)

```

crosstab

Cross Tabulation

Description

This function creates a two-way and three-way cross tabulation with absolute frequencies and row-wise, column-wise and total percentages.

Usage

```

crosstab(..., data = NULL, print = c("no", "all", "row", "col", "total"),
         freq = TRUE, split = FALSE, na.omit = TRUE, digits = 2, as.na = NULL,
         write = NULL, append = TRUE, check = TRUE, output = TRUE)

```

Arguments

...	a matrix or data frame with two or three columns. Alternatively, an expression indicating the variable names in data. Note, variable names are specified without quotes ' ' or double quotes "", e.g., <code>crosstab(x1, x2, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a matrix or data frame for the argument ...

<code>print</code>	a character string or character vector indicating which percentage(s) to be printed on the console, i.e., no percentages (<code>"no"</code>) (default), all percentages (<code>"all"</code>), row-wise percentages (<code>"row"</code>), column-wise percentages (<code>"col"</code>), and total percentages (<code>"total"</code>).
<code>freq</code>	logical: if TRUE (default), absolute frequencies will be included in the cross tabulation.
<code>split</code>	logical: if TRUE, output table is split in absolute frequencies and percentage(s).
<code>na.omit</code>	logical: if TRUE (default), incomplete cases are removed before conducting the analysis (i.e., listwise deletion).
<code>digits</code>	an integer indicating the number of decimal places digits to be used for displaying percentages.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
<code>write</code>	a character string naming a file for writing the output into either a text file with file extension <code>".txt"</code> (e.g., <code>"Output.txt"</code>) or Excel file with file extension <code>".xlsx"</code> (e.g., <code>"Output.xlsx"</code>). If the file name does not contain any file extension, an Excel file will be written.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension <code>.txt</code> specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is printed on the console.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	matrix or data frame specified in . . .
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>crosstab</code> for the cross tabulation, <code>freq.a</code> for the absolute frequencies, <code>perc.r</code> for the row-wise percentages, <code>perc.c</code> for the column-wise percentages, <code>perc.t</code> for the total percentages

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

[write.result](#), [freq](#), [descript](#), [multilevel.descript](#), [na.descript](#).

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

Examples

```

#-----
# Two-Dimensional Table

# Example 1a: Cross Tabulation for 'vs' and 'am'
crosstab(mtcars[, c("vs", "am")])

# Example 1b: Alternative specification using the 'data' argument
crosstab(vs, am, data = mtcars)

# Example 2: Cross Tabulation, print all percentages
crosstab(mtcars[, c("vs", "am")], print = "all")

# Example 3: Cross Tabulation, print row-wise percentages
crosstab(mtcars[, c("vs", "am")], print = "row")

# Example 4: Cross Tabulation, print col-wise percentages
crosstab(mtcars[, c("vs", "am")], print = "col")

# Example 5: Cross Tabulation, print total percentages
crosstab(mtcars[, c("vs", "am")], print = "total")

# Example 6: Cross Tabulation, print all percentages, split output table
crosstab(mtcars[, c("vs", "am")], print = "all", split = TRUE)

#-----
# Three-Dimensional Table

# Example 7a: Cross Tabulation for 'vs', 'am', and 'gear'
crosstab(mtcars[, c("vs", "am", "gear")])

# Example 7b: Alternative specification using the 'data' argument
crosstab(vs:gear, data = mtcars)

# Example 8: Cross Tabulation, print all percentages
crosstab(mtcars[, c("vs", "am", "gear")], print = "all")

# Example 9: Cross Tabulation, print all percentages, split output table
crosstab(mtcars[, c("vs", "am", "gear")], print = "all", split = TRUE)

## Not run:
# Example 10a: Write results into a text file
crosstab(mtcars[, c("vs", "am")], print = "all", write = "Crosstab.txt")

# Example 10b: Write results into an Excel file
crosstab(mtcars[, c("vs", "am")], print = "all", write = "Crosstab.xlsx")

result <- crosstab(mtcars[, c("vs", "am")], print = "all", output = FALSE)
write.result(result, "Crosstab.xlsx")

## End(Not run)

```

descript	<i>Descriptive Statistics</i>
----------	-------------------------------

Description

This function computes summary statistics for one or more than one variables, optionally by a grouping and/or split variable.

Usage

```
descript(..., data = NULL,
         print = c("all", "n", "nNA", "pNA", "m", "se.m", "var", "sd", "min",
                  "p25", "med", "p75", "max", "range", "iqr", "skew", "kurt"),
         group = NULL, split = NULL, sort.var = FALSE, na.omit = FALSE, digits = 2,
         as.na = NULL, write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

...	a numeric vector, matrix or data frame with numeric variables, i.e., factors and character variables are excluded from ... before conducting the analysis. Alternatively, an expression indicating the variable names in data e.g., <code>descript(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a numeric vector, matrix, or data frame for the argument ...
print	a character vector indicating which statistical measures to be printed on the console, i.e. <code>n</code> (number of observations), <code>nNA</code> (number of missing values), <code>pNA</code> (percentage of missing values), <code>m</code> (arithmetic mean), <code>se.m</code> (standard error of the arithmetic mean), <code>var</code> (variance), <code>sd</code> (standard deviation), <code>med</code> (median), <code>min</code> (minimum), <code>p25</code> (25th percentile, first quartile), <code>p75</code> (75th percentile, third quartile), <code>max</code> (maximum), <code>range</code> (range), <code>iqr</code> (interquartile range), <code>skew</code> (skewness), and <code>kurt</code> (excess kurtosis). The default setting is <code>print = ("n", "nNA", "pNA", "m", "sd", "min", "max", "skew", "kurt")</code> .
group	a numeric vector, character vector or factor as grouping variable. Alternatively, a character string indicating the variable name of the grouping variable in data can be specified.
split	a numeric vector, character vector or factor as split variable. Alternatively, a character string indicating the variable name of the split variable in data can be specified.
sort.var	logical: if TRUE, output table is sorted by variables when specifying group.
na.omit	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion).
digits	an integer value indicating the number of decimal places to be used.

<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>...</code> , but not to <code>group</code> or <code>split</code> .
<code>write</code>	a character string naming a file for writing the output into either a text file with file extension <code>".txt"</code> (e.g., <code>"Output.txt"</code>) or Excel file with file extension <code>".xlsx"</code> (e.g., <code>"Output.xlsx"</code>). If the file name does not contain any file extension, an Excel file will be written.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension <code>.txt</code> specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	list with the input specified in <code>...</code> , <code>group</code> , and <code>split</code>
<code>args</code>	specification of function arguments
<code>result</code>	result table(s)

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

See Also

[ci.mean](#), [ci.mean.diff](#), [ci.median](#), [ci.prop](#), [ci.prop.diff](#), [ci.var](#), [ci.sd](#), [freq](#), [crosstab](#), [multilevel.descript](#), [na.descript](#).

Examples

```
# Example 1a: Descriptive statistics for 'mpg'
descript(mtcars$mpg)

# Example 1b: Alternative specification using the 'data' argument
descript(mpg, data = mtcars)

# Example 2: Descriptive statistics, print results with 3 digits
descript(mtcars$mpg, digits = 3)

# Example 3: Descriptive statistics for x1, print all available statistical measures
```

```

descript(mtcars$mpg, print = "all")

# Example 4a: Descriptive statistics for 'mpg', 'cyl', and 'disp'
descript(mtcars[, c("mpg", "cyl", "disp")])

# Example 4b: Alternative specification using the 'data' argument
descript(mpg:disp, data = mtcars)

# Example 5a: Descriptive statistics, analysis by 'vs' separately
descript(mtcars[, c("mpg", "cyl", "disp")], group = mtcars$vs)

# Example 5b: Alternative specification using the 'data' argument
descript(mpg:disp, data = mtcars, group = "vs")

# Example 6: Descriptive statistics, analysis by 'vs' separately, sort by variables
descript(mtcars[, c("mpg", "cyl", "disp")], group = mtcars$vs, sort.var = TRUE)

# Example 7: Descriptive statistics, split analysis by 'am'
descript(mtcars[, c("mpg", "cyl", "disp")], split = mtcars$am)

# Example 8a: Descriptive statistics, analysis by 'vs' separately, split analysis by 'am'
descript(mtcars[, c("mpg", "cyl", "disp")], group = mtcars$vs, split = mtcars$am)

# Example 8b: Alternative specification using the 'data' argument
descript(mpg:disp, data = mtcars, group = "vs", split = "am")

## Not run:
# Example 11a: Write results into a text file
descript(mtcars[, c("mpg", "cyl", "disp")], write = "Descript.txt")

# Example 11b: Write results into an Excel file
descript(mtcars[, c("mpg", "cyl", "disp")], write = "Descript.xlsx")

result <- descript(mtcars[, c("mpg", "cyl", "disp")], output = FALSE)
write.result(result, "Descript.xlsx")

## End(Not run)

```

df.duplicated

Extract Duplicated or Unique Rows

Description

The function `df.duplicated` extracts duplicated rows and the function `df.unique` extracts unique rows from a matrix or data frame.

Usage

```
df.duplicated(..., data, first = TRUE, keep.all = TRUE, from.last = FALSE,
              keep.row.names = TRUE, check = TRUE)
```

```
df.unique(..., data, keep.all = TRUE, from.last = FALSE,  
          keep.row.names = TRUE, check = TRUE)
```

Arguments

...	an expression indicating the variable names in data used to determine duplicated or unique rows.e.g., <code>df.duplicated(x1, x2, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see Details in the df.subset function.
data	a data frame.
first	logical: if TRUE (default), the <code>df.duplicated()</code> function will return duplicated rows including the first of identical rows.
keep.all	logical: if TRUE (default), the function will return all variables in x after extracting duplicated or unique rows based on the variables specified in the argument
from.last	logical: if TRUE, duplication will be considered from the reversed side, i.e., the last of identical rows would correspond to <code>duplicated = FALSE</code> . Note that this argument is only used when <code>first = FALSE</code> .
keep.row.names	logical: if TRUE (default), the row names from x are kept, otherwise they are set to NULL.
check	logical: if TRUE (default), argument specification is checked.

Details

Note that `df.unique(x)` is equivalent to `unique(x)`. That is, the main difference between the `df.unique()` and the `unique()` function is that the `df.unique()` function provides the `...` argument to specify a variable or multiple variables which are used to determine unique rows.

Value

Returns duplicated or unique rows of the data frame in `...` or `data`.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole.

See Also

[df.merge](#), [df.move](#), [df.rbind](#), [df.rename](#), [df.sort](#), [df.subset](#)

Examples

```
dat <- data.frame(x1 = c(1, 1, 2, 1, 4),
                 x2 = c(1, 1, 2, 1, 6),
                 x3 = c(2, 2, 3, 2, 6),
                 x4 = c(1, 1, 2, 2, 4),
                 x5 = c(1, 1, 4, 4, 3))

#-----
# df.duplicated() function

# Example 1: Extract duplicated rows based on all variables
df.duplicated(., data = dat)

# Example 2: Extract duplicated rows based on x4
df.duplicated(x4, data = dat)

# Example 3: Extract duplicated rows based on x2 and x3
df.duplicated(x2, x3, data = dat)

# Example 4: Extract duplicated rows based on all variables
# exclude first of identical rows
df.duplicated(., data = dat, first = FALSE)

# Example 5: Extract duplicated rows based on x2 and x3
# do not return all variables
df.duplicated(x2, x3, data = dat, keep.all = FALSE)

# Example 6: Extract duplicated rows based on x4
# consider duplication from the reversed side
df.duplicated(x4, data = dat, first = FALSE, from.last = TRUE)

# Example 7: Extract duplicated rows based on x2 and x3
# set row names to NULL
df.duplicated(x2, x3, data = dat, keep.row.names = FALSE)

#-----
# df.unique() function

# Example 8: Extract unique rows based on all variables
df.unique(., data = dat)

# Example 9: Extract unique rows based on x4
df.unique(x4, data = dat)

# Example 10: Extract unique rows based on x1, x2, and x3
df.unique(x1, x2, x3, data = dat)

# Example 11: Extract unique rows based on x2 and x3
# do not return all variables
df.unique(x2, x3, data = dat, keep.all = FALSE)

# Example 12: Extract unique rows based on x4
```

```
# consider duplication from the reversed side
df.unique(x4, data = dat, from.last = TRUE)

# Example 13: Extract unique rows based on x2 and x3
# set row names to NULL
df.unique(x2, x3, data = dat, keep.row.names = FALSE)
```

df.merge *Merge Multiple Data Frames*

Description

This function merges data frames by a common column (i.e., matching variable).

Usage

```
df.merge(..., by, all = TRUE, check = TRUE, output = TRUE)
```

Arguments

...	a sequence of matrices or data frames and/or matrices to be merged to one.
by	a character string indicating the column used for merging (i.e., matching variable), see 'Details'.
all	logical: if TRUE (default), then extra rows with NAs will be added to the output for each row in a data frame that has no matching row in another data frame.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

There are following requirements for merging multiple data frames: First, each data frame has the same matching variable specified in the by argument. Second, matching variable in the data frames have all the same class. Third, there are no duplicated values in the matching variable in each data frame. Fourth, there are no missing values in the matching variables. Last, there are no duplicated variable names across the data frames except for the matching variable.

Note that it is possible to specify data frames matrices and/or in the argument ... However, the function always returns a data frame.

Value

Returns a merged data frame.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

See Also

[df.duplicated](#), [df.move](#), [df.rbind](#), [df.rename](#), [df.sort](#), [df.subset](#)

Examples

```

adat <- data.frame(id = c(1, 2, 3),
                  x1 = c(7, 3, 8))

bdat <- data.frame(id = c(1, 2),
                  x2 = c(5, 1))

cdat <- data.frame(id = c(2, 3),
                  y3 = c(7, 9))

ddat <- data.frame(id = 4,
                  y4 = 6)

# Merge adat, bdat, cdat, and data by the variable id
df.merge(adat, bdat, cdat, ddat, by = "id")

# Do not show output on the console
df.merge(adat, bdat, cdat, ddat, by = "id", output = FALSE)

adat <- data.frame(id = c(1, 2, 3),
                  x1 = c(7, 3, 8))

bdat <- data.frame(id = c(1, 2),
                  x2 = c(5, 1))

cdat <- data.frame(id = c(2, 3),
                  y3 = c(7, 9))

ddat <- data.frame(id = 4,
                  y4 = 6)

# Example 1: Merge adat, bdat, cdat, and data by the variable id
df.merge(adat, bdat, cdat, ddat, by = "id")

# Example 2: Do not show output on the console
df.merge(adat, bdat, cdat, ddat, by = "id", output = FALSE)

## Not run:
#-----
# Error messages

adat <- data.frame(id = c(1, 2, 3),
                  x1 = c(7, 3, 8))

bdat <- data.frame(code = c(1, 2, 3),
                  x2 = c(5, 1, 3))

cdat <- data.frame(id = factor(c(1, 2, 3)),

```

```

x3 = c(5, 1, 3))

ddat <- data.frame(id = c(1, 2, 2),
                  x2 = c(5, 1, 3))

edat <- data.frame(id = c(1, NA, 3),
                  x2 = c(5, 1, 3))

fdat <- data.frame(id = c(1, 2, 3),
                  x1 = c(5, 1, 3))

# Error 1: Data frames do not have the same matching variable specified in 'by'.
df.merge(adat, bdat, by = "id")

# Error 2: Matching variable in the data frames do not all have the same class.
df.merge(adat, cdat, by = "id")

# Error 3: There are duplicated values in the matching variable specified in 'by'.
df.merge(adat, ddat, by = "id")

# Error 4: There are missing values in the matching variable specified in 'by'.
df.merge(adat, edat, by = "id")

# Error 5: There are duplicated variable names across data frames.
df.merge(adat, fdat, by = "id")

## End(Not run)

```

df.move

*Move Variable(s) in a Data Frame***Description**

This function moves variables to a different position in the data frame, i.e., changes the column positions in the data frame. By default, variables specified in the first argument `...` are moved to the first position in the data frame specified in the argument `data`.

Usage

```
df.move(..., data = NULL, before = NULL, after = NULL, first = TRUE, check = FALSE)
```

Arguments

<code>...</code>	an expression indicating the variable names in <code>data</code> to move. Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see Details in the df.subset function.
<code>data</code>	a data frame.
<code>before</code>	a character string indicating a variable in <code>data</code> . Variable(s) specified in <code>...</code> are moved to the left-hand side of this variable.

after	a character string indicating a variable in data. Variable(s) specified in ... are moved to the right-hand side of this variable.
first	logical: if TRUE (default), variable(s) specified in ... will be moved to the first position in 'data', if FALSE, variable(s) specified in ... will be moved to the last position in 'data'.
check	logical: if TRUE (default), argument specification is checked.

Value

Returns the data frame in data with columns in a different place.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole.

See Also

[df.duplicated](#), [df.merge](#), [df.rbind](#), [df.rename](#), [df.sort](#), [df.subset](#)

Examples

```
# Example 1: Move variables 'hp' and 'am' to the first position
df.move(hp, am, data = mtcars)

# Example 2: Move variables 'hp' and 'am' to the last position
df.move(hp, am, data = mtcars, first = FALSE)

# Example 3: Move variables 'hp' and 'am' to the left-hand side of 'disp'
df.move(hp, am, data = mtcars, before = "disp")

# Example 4: Move variables 'hp' and 'am' to the right-hand side of 'disp'
df.move(hp, am, data = mtcars, after = "disp")
```

df.rbind

Combine Data Frames by Rows, Filling in Missing Columns

Description

This function takes a sequence of data frames and combines them by rows, while filling in missing columns with NAs.

Usage

```
df.rbind(...)
```

Arguments

... a sequence of data frame to be row bind together. This argument can be a list of data frames, in which case all other arguments are ignored. Any NULL inputs are silently dropped. If all inputs are NULL, the output is also NULL.

Details

This is an enhancement to `rbind` that adds in columns that are not present in all inputs, accepts a sequence of data frames, and operates substantially faster.

Column names and types in the output will appear in the order in which they were encountered.

Unordered factor columns will have their levels unified and character data bound with factors will be converted to character. POSIXct data will be converted to be in the same time zone. Array and matrix columns must have identical dimensions after the row count. Aside from these there are no general checks that each column is of consistent data type.

Value

Returns a single data frame

Note

This function is a copy of the `rbind.fill()` function in the **plyr** package by Hadley Wickham.

Author(s)

Hadley Wickham

References

Wickham, H. (2011). The split-apply-combine strategy for data analysis. *Journal of Statistical Software*, 40, 1-29. <https://doi.org/10.18637/jss.v040.i01>

Wickham, H. (2019). *plyr: Tools for Splitting, Applying and Combining Data*. R package version 1.8.5.

See Also

[df.duplicated](#), [df.merge](#), [df.move](#), [df.rename](#), [df.sort](#), [df.subset](#)

Examples

```
adat <- data.frame(id = c(1, 2, 3),
                  a = c(7, 3, 8),
                  b = c(4, 2, 7))
```

```
bdat <- data.frame(id = c(4, 5, 6),
                  a = c(2, 4, 6),
                  c = c(4, 2, 7))
```

```
cdat <- data.frame(id = c(7, 8, 9),
```

```
a = c(1, 4, 6),  
d = c(9, 5, 4))  
  
# Example 1  
df.rbind(adat, bdat, cdat)
```

df.rename

Rename Columns in a Matrix or Variables in a Data Frame

Description

This function renames columns in a matrix or variables in a data frame by specifying a character string or character vector indicating the columns or variables to be renamed and a character string or character vector indicating the corresponding replacement values.

Usage

```
df.rename(x, from, to, check = TRUE)
```

Arguments

x	a matrix or data frame.
from	a character string or character vector indicating the column(s) or variable(s) to be renamed.
to	a character string or character vector indicating the corresponding replacement values for the column(s) or variable(s) specified in the argument name.
check	logical: if TRUE (default), argument specification is checked.

Value

Returns a matrix or data frame with renamed columns or variables.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

See Also

[df.duplicated](#), [df.merge](#), [df.move](#), [df.rbind](#), [df.sort](#), [df.subset](#)

Examples

```
dat <- data.frame(a = c(3, 1, 6),
                 b = c(4, 2, 5),
                 c = c(7, 3, 1))

# Example 1: Rename variable b in the data frame 'dat' to y
df.rename(dat, from = "b", to = "y")

# Example 2: Rename variable a, b, and c in the data frame 'dat' to x, y, and z
df.rename(dat, from = c("a", "b", "c"), to = c("x", "y", "z"))
```

df.sort

Data Frame Sorting

Description

This function arranges a data frame in increasing or decreasing order according to one or more variables.

Usage

```
df.sort(x, ..., decreasing = FALSE, check = TRUE)
```

Arguments

x	a data frame.
...	a sorting variable or a sequence of sorting variables which are specified without quotes ' ' or double quotes "".
decreasing	logical: if TRUE, the sort is decreasing.
check	logical: if TRUE (default), argument specification is checked.

Value

Returns data frame x sorted according to the variables specified in ..., a matrix will be coerced to a data frame.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole.

Knuth, D. E. (1998) *The Art of Computer Programming, Volume 3: Sorting and Searching* (2nd ed.). Addison-Wesley.

See Also

[df.duplicated](#), [df.merge](#), [df.move](#), [df.rbind](#), [df.rename](#), [df.subset](#)

Examples

```
dat <- data.frame(x = c(5, 2, 5, 5, 7, 2),
                 y = c(1, 6, 2, 3, 2, 3),
                 z = c(2, 1, 6, 3, 7, 4))

# Example 1: Sort data frame 'dat' by "x" in increasing order
df.sort(dat, x)

# Example 2: Sort data frame 'dat' by "x" in decreasing order
df.sort(dat, x, decreasing = TRUE)

# Example 3: Sort data frame 'dat' by "x" and "y" in increasing order
df.sort(dat, x, y)

# Example 4: Sort data frame 'dat' by "x" and "y" in decreasing order
df.sort(dat, x, y, decreasing = TRUE)
```

df.subset

Subsetting Data Frames

Description

This function returns subsets of data frames which meet conditions.

Usage

```
df.subset(..., data, subset = NULL, drop = TRUE, check = TRUE)
```

Arguments

...	an expression indicating variables to select from the data frame specified in <code>data</code> . See Details for the list of operators used in this function, i.e., <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> .
<code>data</code>	a data frame that contains the variables specified in the argument <code>...</code> . Note that if <code>data = NULL</code> , only the variables specified in <code>...</code> are returned.
<code>subset</code>	character string with a logical expression indicating rows to keep, e.g., <code>"x == 1"</code> , <code>"x1 == 1 & x2 == 3"</code> , or <code>"gender == 'female'"</code> . By default, all rows of the data frame specified in <code>data</code> are kept. Note that logical queries for rows resulting in missing values are not select.
<code>drop</code>	logical: if TRUE (default), data frame with a single column is converted into a vector.
<code>check</code>	logical: if TRUE (default), argument specification is checked.

Details

The argument `...` is used to specify an expression indicating the variables to select from the data frame specified in `data`, e.g., `df.subset(x1, x2, x3, data = dat)`. There are seven operators which can be used in the expression `...`:

Dot (.) Operator The dot operator is used to select all variables from the data frame specified in `data`. For example, `df.subset(., data = dat)` selects all variables in `dat`. Note that this operator is similar to the function `everything()` from the **tidyselect** package.

Plus (+) Operator The plus operator is used to select variables matching a prefix from the data frame specified in `data`. For example, `df.subset(+x, data = dat)` selects all variables with the prefix `x`. Note that this operator is equivalent to the function `starts_with()` from the **tidyselect** package.

Minus (-) Operator The minus operator is used to select variables matching a suffix from the data frame specified in `data`. For example, `df.subset(-y, data = dat)` selects all variables with the suffix `y`. Note that this operator is equivalent to the function `ends_with()` from the **tidyselect** package.

Tilde (~) Operator The tilde operator is used to select variables containing a word from the data frame specified in `data`. For example, `df.subset(?al, data = dat)` selects all variables with the word `al`. Note that this operator is equivalent to the function `contains()` from the **tidyselect** package.

Colon (:) operator The colon operator is used to select a range of consecutive variables from the data frame specified in `data`. For example, `df.subset(x:z, data = dat)` selects all variables from `x` to `z`. Note that this operator is equivalent to the `:` operator from the `select` function in the **dplyr** package.

Double Colon (: :) Operator The double colon operator is used to select numbered variables from the data frame specified in `data`. For example, `df.subset(x1:x3, data = dat)` selects the variables `x1`, `x2`, and `x3`. Note that this operator is similar to the function `num_range()` from the **tidyselect** package.

Exclamation Point (!) Operator The exclamation point operator is used to drop variables from the data frame specified in `data` or for taking the complement of a set of variables. For example, `df.subset(., !x, data = dat)` selects all variables but `x` in `dat`., `df.subset(., !~x, data = dat)` selects all variables but variables with the prefix `x`, or `df.subset(x:z, !x1:x3, data = dat)` selects all variables from `x` to `z` but excludes all variables from `x1` to `x3`. Note that this operator is equivalent to the `!` operator from the `select` function in the **dplyr** package.

Note that operators can be combined within the same function call. For example, `df.subset(+x, -y, !x2:x4, z, data = dat)` selects all variables with the prefix `x` and with the suffix `y` but excludes variables from `x2` to `x4` and select variable `z`.

Value

Returns a data frame containing the variables and rows selected in the argument `...` and rows selected in the argument `subset`.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole.

See Also

[df.duplicated](#), [df.merge](#), [df.move](#), [df.rbind](#), [df.rename](#), [df.sort](#)

Examples

```
## Not run:
#-----
# Select single variables

# Example 1: Select 'Sepal.Length' and 'Petal.Width'
df.subset(Sepal.Length, Petal.Width, data = iris)

#-----
# Select all variables using the \code{.} operator

# Example 2a: Select all variables, select rows with 'Species' equal 'setosa'
# Note that single quotation marks (\code{''}) are needed to specify 'setosa'
df.subset(., data = iris, subset = "Species == 'setosa'")

# Example 2b: Select all variables, select rows with 'Petal.Length' smaller 1.2
df.subset(., data = iris, subset = "Petal.Length < 1.2")

#-----
# Select variables matching a prefix using the \code{+} operator

# Example 3: Select variables with prefix 'Petal'
df.subset(+Petal, data = iris)

#-----
# Select variables matching a suffix using the \code{-} operator

# Example 4: Select variables with suffix 'Width'
df.subset(-Width, data = iris)

#-----
# Select variables containing a word using the \code{~} operator
# Example 5: Select variables containing 'al'
df.subset(~al, data = iris)

#-----
# Select consecutive variables using the \code{:} operator

# Example 6: Select all variables from 'Sepal.Width' to 'Petal.Width'
df.subset(Sepal.Width:Petal.Width, data = iris)

#-----
# Select numbered variables using the \code{:} operator
```

```

# Example 7: Select all variables from 'x1' to 'x3' and 'y1' to 'y3'
df.subset(x1::x3, y1::y3, data = anscombe)

#-----
# Drop variables using the \code{!} operator

# Example 8a: Select all variables but 'Sepal.Width'
df.subset(., !Sepal.Width, data = iris)

# Example 8b: Select all variables but 'Sepal.Width' to 'Petal.Width'
df.subset(., !Sepal.Width:Petal.Width, data = iris)

#-----
# Combine \code{+}, \code{-} , \code{!}, and \code{:} operators

# Example 9: Select variables with prefix 'x' and suffix '3', but exclude
# variables from 'x2' to 'x3'
df.subset(+x, -3, !x2:x3, data = anscombe)

## End(Not run)

```

dominance

Dominance Analysis

Description

This function conducts dominance analysis (Budescu, 1993; Azen & Budescu, 2003) for linear models estimated by using the `lm()` function to determine the relative importance of predictor variables. By default, the function reports general dominance, but conditional and complete dominance can be requested by specifying the argument `print`.

Usage

```

dominance(model, print = c("all", "gen", "cond", "comp"), digits = 3,
          write = NULL, append = TRUE, check = TRUE, output = TRUE)

```

Arguments

<code>model</code>	a fitted model of class <code>lm</code> .
<code>print</code>	a character string or character vector indicating which results to show on the console, i.e. "all" for all results, "gen" for general dominance, "cond" for conditional dominance, and "comp" for complete dominance.
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying results. Note that the percentage relative importance of predictors are printed with <code>digits</code> minus 1 decimal places.

write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Details

Dominance analysis (Budescu, 1993; Azen & Budescu, 2003) is used to determine the relative importance of predictor variables in a statistical model by examining the additional contribution of predictors in R -squared relative to each other in all of the possible $2^{(p-2)}$ subset models with p being the number of predictors. Three levels of dominance can be established through pairwise comparison of all predictors in a regression model:

Complete Dominance A predictor completely dominates another predictor if its additional contribution in R -Squared is higher than that of the other predictor across all possible subset models that do not include both predictors. For example, in a regression model with four predictors, X_1 completely dominates X_2 if the additional contribution in R -squared for X_1 is higher compared to X_2 in (1) the null model without any predictors, (2) the model including X_3 , (3) the model including X_4 , and (4) the model including both X_3 and X_4 . Note that complete dominance cannot be established if one predictor's additional contribution is greater than the other's for some, but not all of the subset models. In this case, dominance is undetermined and the result will be NA

Conditional Dominance A predictor conditionally dominates another predictor if its average additional contribution in R -squared is higher within each model size than that of the other predictor. For example, in a regression model with four predictors, X_1 conditionally dominates X_2 if the average additional contribution in R -squared is higher compared to X_2 in (1) the null model without any predictors, (2) the four models including one predictor, (3) the six models including two predictors, and (4) the four models including three predictors.

General Dominance A predictor generally dominates another predictor if its overall averaged additional contribution in R -squared is higher than that of the other predictor. For example, in a regression model with four predictors, X_1 generally dominates X_2 if the average across the four conditional values (i.e., null model, model with one predictor, model with two predictors, and model with three predictors) is higher than that of X_2 . Note that the general dominance measures represent the proportional contribution that each predictor makes to the R -squared since their sum across all predictors equals the R -squared of the full model.

The three levels of dominance are related to each other in a hierarchical fashion: Complete dominance implies conditional dominance, which in turn implies general dominance. However, the converse may not hold for more than three predictors. That is, general dominance does not imply conditional dominance, and conditional dominance does not necessarily imply complete dominance.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
model	model specified in model
args	specification of function arguments
result	list with results, i.e., gen for general dominance, cond for conditional dominance, comp for complete dominance, and condtsat for the statistics of the conditional dominance

Note

This function is based on the `domir` function from the `domir` package (Luchman, 2023).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Azen, R., & Budescu, D. V. (2003). The dominance analysis approach for comparing predictors in multiple regression. *Psychological Methods*, 8(2), 129–148. <https://doi.org/10.1037/1082-989X.8.2.129>

Budescu, D. V. (1993). Dominance analysis: A new approach to the problem of relative importance of predictors in multiple regression. *Psychological Bulletin*, 114(3), 542–551. <https://doi.org/10.1037/0033-2909.114.3.542>

Luchman J (2023). *domir: Tools to support relative importance analysis*. R package version 1.0.1, <https://CRAN.R-project.org/package=domir>.

See Also

[dominance.manual](#), [std.coef](#), [write.result](#)

Examples

```
#-----
# Example 1: Dominance analysis for a linear model

mod <- lm(mpg ~ cyl + disp + hp, data = mtcars)
dominance(mod)

# Print all results
dominance(mod, print = "all")

## Not run:
#-----
# Example 2: Write results into a text file

dominance(mod, write = "Dominance.txt", output = FALSE)

#-----
```

```
# Example 3: Write results into an Excel file

dominance(mod, write = "Dominance.xlsx", output = FALSE)

result <- dominance(mod, print = "all", output = FALSE)
write.result(result, "Dominance.xlsx")

## End(Not run)
```

dominance.manual

Dominance Analysis, Manually Inputting a Correlation Matrix

Description

This function conducts dominance analysis (Budescu, 1993; Azen & Budescu, 2003) based on a (model-implied) correlation matrix of the manifest or latent variables. Note that the function only provides general dominance.

Usage

```
dominance.manual(x, out = NULL, digits = 3, write = NULL, append = TRUE,
                 check = TRUE, output = TRUE)
```

Arguments

<code>x</code>	a matrix or data frame with the (model-implied) correlation matrix of the manifest or latent variables. Note that column names need to represent the variables names in <code>x</code> .
<code>out</code>	a character string representing the outcome variable. By default, the first row and column represents the outcome variable.
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying results. Note that the percentage relative importance of predictors are printed with <code>digits</code> minus 1 decimal places.
<code>write</code>	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension ".txt" specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>x</code>	correlation matrix specified in <code>x</code>
<code>args</code>	specification of function arguments
<code>result</code>	results table for the general dominance

Note

This function implements the function provided in Appendix 1 of Gu (2022) and copied the function `combinations()` from the `gtools` package (Bolker, Warnes, & Lumley, 2022).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Azen, R., & Budescu, D. V. (2003). The dominance analysis approach for comparing predictors in multiple regression. *Psychological Methods*, 8(2), 129–148. <https://doi.org/10.1037/1082-989X.8.2.129>

Bolker, B., Warnes, G., & Lumley, T. (2022). *gtools: Various R Programming Tools*. R package version 3.9.4, <https://CRAN.R-project.org/package=gtools>

Budescu, D. V. (1993). Dominance analysis: A new approach to the problem of relative importance of predictors in multiple regression. *Psychological Bulletin*, 114(3), 542–551. <https://doi.org/10.1037/0033-2909.114.3.542>

Gu, X. (2022). Assessing the relative importance of predictors in latent regression models. *Structural Equation Modeling: A Multidisciplinary Journal*, 4, 569-583. <https://doi.org/10.1080/10705511.2021.2025377>

See Also

[dominance](#), [std.coef](#), [write.result](#)

Examples

```
## Not run:
#-----
# Linear model

# Example 1a: Dominance analysis, 'mpg' predicted by 'cyl', 'disp', and 'hp'
dominance.manual(cor(mtcars[, c("mpg", "cyl", "disp", "hp")]))

# Example 1b: Equivalent results using the dominance() function
mod <- lm(mpg ~ cyl + disp + hp, data = mtcars)
dominance(mod)
```

```

# Example 1c: Dominance analysis, 'hp' predicted by 'mpg', 'cyl', and 'disp'
dominance.manual(cor(mtcars[, c("mpg", "cyl", "disp", "hp")]), out = "hp")

# Example 1d: Write results into a text file
dominance.manual(cor(mtcars[, c("mpg", "cyl", "disp", "hp")]),
                 write = "Dominance_Manual.txt")

#-----
# Example 2: Structural equation modeling

library(lavaan)

#.....
# Latent variables

# Model specification
model <- '# Measurement model
         ind60 =~ x1 + x2 + x3
         dem60 =~ y1 + y2 + y3 + y4
         dem65 =~ y5 + y6 + y7 + y8
         # regressions
         ind60 ~ dem60 + dem65'

# Model estimation
fit <- sem(model, data = PoliticalDemocracy)

# Model-implied correlation matrix of the latent variables
fit.cor <- lavInspect(fit, what = "cor.lv")

# Dominance analysis
dominance.manual(fit.cor)

#.....
# Example 3: Latent and manifest variables

# Model specification, convert manifest to latent variable
model <- '# Measurement model
         ind60 =~ x1 + x2 + x3
         dem60 =~ y1 + y2 + y3 + y4
         # Manifest as latent variable
         ly5 =~ 1*y5
         y5 ~~ 0*y5
         # Regressions
         ind60 ~ dem60 + ly5'

# Model estimation
fit <- sem(model, data = PoliticalDemocracy)

# Model-implied correlation matrix of the latent variables
fit.cor <- lavInspect(fit, what = "cor.lv")

# Dominance analysis
dominance.manual(fit.cor)

```

```

#-----
# Example 4: Multilevel modeling

# Model specification
model <- 'level: 1
      fw =~ y1 + y2 + y3
      # Manifest as latent variables
      lx1 =~ 1*x1
      lx2 =~ 1*x2
      lx3 =~ 1*x3
      x1 ~~ 0*x1
      x2 ~~ 0*x2
      x3 ~~ 0*x3
      # Regression
      fw ~ lx1 + lx2 + lx3
level: 2
      fb =~ y1 + y2 + y3
      # Manifest as latent variables
      lw1 =~ 1*w1
      lw2 =~ 1*w2
      # Regression
      fb ~ lw1 + lw2'

# Model estimation
fit <- sem(model, data = Demo.twolevel, cluster = "cluster")

# Model-implied correlation matrix of the latent variables
fit.cor <- lavInspect(fit, what = "cor.lv")

# Dominance analysis Within
dominance.manual(fit.cor$within)

# Dominance analysis Between
dominance.manual(fit.cor$cluster)

#-----
# Example 5: Mplus
#
# In Mplus, the model-implied correlation matrix of the latent variables
# can be requested by OUTPUT: TECH4 and imported into R by using the
# MplusAutomation package, for example:

library(MplusAutomation)

# Read Mplus output
output <- readModels()

# Extract model-implied correlation matrix of the latent variables
fit.cor <- output$tech4$latCorEst

## End(Not run)

```

Description

This function computes effect sizes for one or more than one categorical variable, i.e., (adjusted) phi coefficient, (bias-corrected) Cramer's V , (bias-corrected) Tschuprow's T , (adjusted) Pearson's contingency coefficient, Cohen's w , and Fei . By default, the function computes Fei based on a chi-square goodness-of-fit test for one categorical variable, phi coefficient based on a chi-square test of independence for two dichotomous variables, and Cramer's V based on a chi-square test of independence for two variables with at least one polytomous variable.

Usage

```
effsize(..., data = NULL, type = c("phi", "cramer", "tschuprow", "cont", "w", "fei"),
        alternative = c("two.sided", "less", "greater"), conf.level = 0.95,
        adjust = TRUE, indep = TRUE, p = NULL, digits = 3, as.na = NULL,
        write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

...	a vector, factor, matrix or data frame. Alternatively, an expression indicating the variable names in data e.g., <code>as.na(x1, x2, data = dat)</code> . When specifying more than one variable, the first variable is always the focal variable in the Chi-square test of independence which association with all other variables is investigated. Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a vector, factor, matrix, array, data frame, or list for the argument <code>...</code>
type	a character string indicating the type of effect size, i.e., <code>phi</code> for phi coefficient, <code>cramer</code> for Cramer's V , <code>tschuprow</code> for Tschuprow's T , <code>cont</code> for Pearson's contingency coefficient, <code>w</code> for Cohen's w , and <code>Fei</code> for Fei .
alternative	a character string specifying the alternative hypothesis, must be one of <code>"two.sided"</code> (default), <code>"greater"</code> or <code>"less"</code> .
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
adjust	logical: if <code>TRUE</code> (default), phi coefficient and Pearson's contingency coefficient are adjusted by relating the coefficient to the possible maximum, or Cramer's V and Tschuprow's T are corrected for small-sample bias.
indep	logical: if <code>TRUE</code> , effect size computation is based on a chi-square test of independence (default when specifying two variable in <code>...</code>), if <code>FALSE</code> effect size computation is based on a chi-square goodness-of-fit test (default when specifying one variable in <code>...</code>).
p	a numeric vector specifying the expected proportions in each category of the categorical variable when conducting a chi-square goodness-of-fit test. By default, the expected proportions in each category are assumed to be equal.

digits	an integer value indicating the number of decimal places digits to be used for displaying the results.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Note

This function is based on modified copies of the functions `chisq_to_phi`, `chisq_to_cramers_v`, `chisq_to_tschuprows_t`, `chisq_to_pearsons_c`, `chisq_to_cohens_w`, and `chisq_to_fei` from the **effectsize** package (Ben-Shachar, Lüdtke & Makowski, 2020).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Bergsma, W. (2013). A bias correction for Cramer's V and Tschuprow's T. *Journal of the Korean Statistical Society*, 42, 323-328. <https://doi.org/10.1016/j.jkss.2012.10.002>
- Ben-Shachar M. S., Lüdtke D., Makowski D. (2020). effectsize: Estimation of Effect Size Indices and Standardized Parameters. *Journal of Open Source Software*, 5 (56), 2815. <https://doi.org/10.21105/joss.02815>
- Ben-Shachar, M. S., Patil, I., Theriault, R., Wiernik, B. M., Lüdtke, D. (2023). Phi, Fei, Fo, Fum: Effect sizes for categorical data that use the chi-squared statistic. *Mathematics*, 11, 1982. <https://doi.org/10.3390/math11091982>
- Cureton, E. E. (1959). Note on Phi/Phi max. *Psychometrika*, 24, 89-91.
- Davenport, E. C., & El-Sanhurry, N. A. (1991). Phi/Phimax: Review and synthesis. *Educational and Psychological Measurement*, 51, 821-828. <https://doi.org/10.1177/001316449105100403>
- Sakoda, J.M. (1977). Measures of association for multivariate contingency tables. *Proceedings of the Social Statistics Section of the American Statistical Association (Part III)*, 777-780.

See Also

[cor.matrix](#), [cohens.d](#)

Examples

```

# Example 1a: Phi coefficient for 'vs' and 'am'
effsize(mtcars[, c("vs", "am")])

# Example 1a: Alternative specification using the 'data' argument
effsize(vs, am, data = mtcars)

# Example 2: Bias-corrected Cramer's V for 'gear' and 'carb'
effsize(gear, carb, data = mtcars)

# Example 3: Cramer's V (without bias-correction) for 'gear' and 'carb'
effsize(gear, carb, data = mtcars, adjust = FALSE)

# Example 4: Adjusted Pearson's contingency coefficient for 'gear' and 'carb'
effsize(gear, carb, data = mtcars, type = "cont")

# Example 5: Fei for 'gear'
effsize(gear, data = mtcars)

# Example 6a: Bias-corrected Cramer's V for 'cyl' and 'vs', 'am', 'gear', and 'carb'
effsize(mtcars[, c("cyl", "vs", "am", "gear", "carb")])

# Example 6b: Alternative specification using the 'data' argument
effsize(cyl, vs:carb, data = mtcars)

## Not run:
# Example 7a: Write Results into a text file
effsize(cyl, vs:carb, data = mtcars, write = "Cramer.txt")

# Example 7b: Write Results into a Excel file
effsize(cyl, vs:carb, data = mtcars, write = "Cramer.xlsx")

## End(Not run)

```

freq

Frequency Table

Description

This function computes a frequency table with absolute and percentage frequencies for one or more than one variable.

Usage

```

freq(..., data = NULL, print = c("no", "all", "perc", "v.perc"), freq = TRUE,
      split = FALSE, labels = TRUE, val.col = FALSE, round = 3, exclude = 15,
      digits = 2, as.na = NULL, write = NULL, append = TRUE, check = TRUE,
      output = TRUE)

```

Arguments

...	a vector, factor, matrix or data frame. Alternatively, an expression indicating the variable names in data e.g., <code>freq(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a vector, factor, matrix or data frame for the argument ...
print	a character string indicating which percentage(s) to be printed on the console, i.e., no percentages ("no"), all percentages ("all"), percentage frequencies ("print"), and valid percentage frequencies ("v.perc"). Default setting when specifying one variable in ... is <code>print = "all"</code> , while default setting when specifying more than one variable in ... is <code>print = "no"</code> unless <code>split = TRUE</code> .
freq	logical: if TRUE (default), absolute frequencies will be shown on the console.
split	logical: if TRUE, output table is split by variables when specifying more than one variable in ...
labels	logical: if TRUE (default), labels for the factor levels will be used.
val.col	logical: if TRUE, values are shown in the columns, variables in the rows.
round	an integer value indicating the number of decimal places to be used for rounding numeric variables.
exclude	an integer value indicating the maximum number of unique values for variables to be included in the analysis when specifying more than one variable in ... i.e., variables with the number of unique values exceeding <code>exclude</code> will be excluded from the analysis. It is also possible to specify <code>exclude = FALSE</code> to include all variables in the analysis.
digits	an integer value indicating the number of decimal places to be used for displaying percentages.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

By default, the function displays the absolute and percentage frequencies when specifying one variable in the argument ..., while the function displays only the absolute frequencies when more than one variable is specified. The function displays valid percentage frequencies only in the presence of missing values and excludes variables with all values missing from the analysis. Note that it is

possible to mix numeric variables, factors, and character variables in the data frame specified in the argument By default, numeric variables are rounded to three digits before computing the frequency table.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	data frame used for the current analysis
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>freq</code> for absolute frequencies, <code>perc</code> for percentages, and <code>v.perc</code> for valid percentages

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Becker, R. A., Chambers, J. M., & Wilks, A. R. (1988). *The New S Language*. Wadsworth & Brooks/Cole.

See Also

[write.result](#), [crosstab](#), [descript](#), [multilevel.descript](#), [na.descript](#).

Examples

```
# Example 1a: Frequency table for 'cyl'
freq(mtcars$cyl)

# Example 1b: Alternative specification using the 'data' argument
freq(cyl, data = mtcars)

# Example 2: Frequency table, values shown in columns
freq(mtcars$cyl, val.col = TRUE)

# Example 3: Frequency table, use 3 digit for displaying percentages
freq(mtcars$cyl, digits = 3)

# Example 4a: Frequency table for 'cyl', 'gear', and 'carb'
freq(mtcars[, c("cyl", "gear", "carb")])

# Example 4b: Alternative specification using the 'data' argument
freq(cyl, gear, carb, data = mtcars)

# Example 5: Frequency table, with percentage frequencies
freq(mtcars[, c("cyl", "gear", "carb")], print = "all")
```

```

# Example 6: Frequency table, split output table
freq(mtcars[, c("cyl", "gear", "carb")], split = TRUE)

# Example 7: Frequency table, exclude variables with more than 5 unique values
freq(mtcars, exclude = 5)

## Not run:
# Example 8a: Write results into a text file
freq(mtcars[, c("cyl", "gear", "carb")], split = TRUE, write = "Frequencies.txt")

# Example 8b: Write results into an Excel file
freq(mtcars[, c("cyl", "gear", "carb")], split = TRUE, write = "Frequencies.xlsx")

result <- freq(mtcars[, c("cyl", "gear", "carb")], split = TRUE, output = FALSE)
write.result(result, "Frequencies.xlsx")

## End(Not run)

```

indirect

*Confidence Intervals for the Indirect Effect***Description**

This function computes confidence intervals for the indirect effect based on the asymptotic normal method, distribution of the product method and the Monte Carlo method. By default, the function uses the distribution of the product method for computing the two-sided 95% asymmetric confidence intervals for the indirect effect product of coefficient estimator $\hat{a}\hat{b}$.

Usage

```

indirect(a, b, se.a, se.b, print = c("all", "asyp", "dop", "mc"),
         se = c("sobel", "aroian", "goodman"), nrep = 100000,
         alternative = c("two.sided", "less", "greater"), seed = NULL,
         conf.level = 0.95, digits = 3, write = NULL, append = TRUE,
         check = TRUE, output = TRUE)

```

Arguments

<code>a</code>	a numeric value indicating the coefficient a , i.e., effect of X on M .
<code>b</code>	a numeric value indicating the coefficient b , i.e., effect of M on Y adjusted for X .
<code>se.a</code>	a positive numeric value indicating the standard error of a .
<code>se.b</code>	a positive numeric value indicating the standard error of b .
<code>print</code>	a character string or character vector indicating which confidence intervals (CI) to show on the console, i.e. "all" for all CIs, "asyp" for the CI based on the asymptotic normal method, "dop" (default) for the CI based on the distribution of the product method, and "mc" for the CI based on the Monte Carlo method.

se	a character string indicating which standard error (SE) to compute for the asymptotic normal method, i.e., "sobel" for the approximate standard error by Sobel (1982) using the multivariate delta method based on a first order Taylor series approximation, "aroiian" (default) for the exact standard error by Aroian (1947) based on a first and second order Taylor series approximation, and "goodman" for the unbiased standard error by Goodman (1960).
nrep	an integer value indicating the number of Monte Carlo repetitions.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
seed	a numeric value specifying the seed of the random number generator when using the Monte Carlo method.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
digits	an integer value indicating the number of decimal places to be used for displaying
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

In statistical mediation analysis (MacKinnon & Tofighi, 2013), the indirect effect refers to the effect of the independent variable X on the outcome variable Y transmitted by the mediator variable M . The magnitude of the indirect effect ab is quantified by the product of the coefficient a (i.e., effect of X on M) and the coefficient b (i.e., effect of M on Y adjusted for X). In practice, researchers are often interested in confidence limit estimation for the indirect effect. This function offers three different methods for computing the confidence interval for the product of coefficient estimator $\hat{a}\hat{b}$:

(1) Asymptotic normal method

In the asymptotic normal method, the standard error for the product of the coefficient estimator $\hat{a}\hat{b}$ is computed which is used to create a symmetrical confidence interval based on the z-value of the standard normal (z) distribution assuming that the indirect effect is normally distributed. Note that the function provides three formulas for computing the standard error by specifying the argument `se`:

"sobel" Approximate standard error by Sobel (1982) using the multivariate delta method based on a first order Taylor series approximation:

$$\sqrt{(a^2\sigma_a^2 + b^2\sigma_b^2)}$$

"aroiian" Exact standard error by Aroian (1947) based on a first and second order Taylor series approximation:

$$\sqrt{(a^2\sigma_a^2 + b^2\sigma_b^2 + \sigma_a^2\sigma_b^2)}$$

"goodman" Unbiased standard error by Goodman (1960):

$$\sqrt{(a^2\sigma_a^2 + b^2\sigma_b^2 - \sigma_a^2\sigma_b^2)}$$

Note that the unbiased standard error is often negative and is hence undefined for zero or small effects or small sample sizes.

The asymptotic normal method is known to have low statistical power because the distribution of the product $\hat{a}\hat{b}$ is not normally distributed. (Kisbu-Sakarya, MacKinnon, & Miocevic, 2014). In the null case, where both random variables have mean equal to zero, the distribution is symmetric with kurtosis of six. When the product of the means of the two random variables is nonzero, the distribution is skewed (up to a maximum value of ± 1.5) and has a excess kurtosis (up to a maximum value of 6). However, the product approaches a normal distribution as one or both of the ratios of the means to standard errors of each random variable get large in absolute value (MacKinnon, Lockwood & Williams, 2004).

(2) Distribution of the product method

The distribution of the product method (MacKinnon et al., 2002) relies on an analytical approximation of the distribution of the product of two normally distributed variables. The method uses the standardized a and b coefficients to compute ab and then uses the critical values for the distribution of the product (Meeker, Cornwell, & Aroian, 1981) to create asymmetric confidence intervals. The distribution of the product approaches the gamma distribution (Aroian, 1947). The analytical solution for the distribution of the product is provided by the Bessel function used to the solution of differential equations and is approximately proportional to the Bessel function of the second kind with a purely imaginary argument (Craig, 1936).

(3) Monte Carlo method

The Monte Carlo (MC) method (MacKinnon et al., 2004) relies on the assumption that the parameters a and b have a joint normal sampling distribution. Based on the parametric assumption, a sampling distribution of the product ab using random samples with population values equal to the sample estimates \hat{a} , \hat{b} , $\hat{\sigma}_a$, and $\hat{\sigma}_b$ is generated. Percentiles of the sampling distribution are identified to serve as limits for a $100(1 - \alpha)\%$ asymmetric confidence interval about the sample $\hat{a}\hat{b}$ (Preacher & Selig, 2012). Note that parametric assumptions are invoked for \hat{a} and \hat{b} , but no parametric assumptions are made about the distribution of $\hat{a}\hat{b}$.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	list with the input specified in <code>a</code> , <code>b</code> , <code>se.a</code> , and <code>se.b</code>
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>asyp</code> with CI based on the asymptotic normal method, <code>dop</code> with CI based on the distribution of the product method, and <code>mc</code> for CI based on the Monte Carlo method

Note

The function was adapted from the `medci()` function in the **RMediation** package by Davood Tofighi and David P. MacKinnon (2016).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Aroian, L. A. (1947). The probability function of the product of two normally distributed variables. *Annals of Mathematical Statistics*, 18, 265-271. <https://doi.org/10.1214/aoms/1177730442>
- Craig, C.C. (1936). On the frequency function of xy . *Annals of Mathematical Statistics*, 7, 1-15. <https://doi.org/10.1214/aoms/1177732541>
- Goodman, L. A. (1960). On the exact variance of products. *Journal of the American Statistical Association*, 55, 708-713. <https://doi.org/10.1080/01621459.1960.10483369>
- Kisbu-Sakarya, Y., MacKinnon, D. P., & Miocevic M. (2014). The distribution of the product explains normal theory mediation confidence interval estimation. *Multivariate Behavioral Research*, 49, 261-268. <https://doi.org/10.1080/00273171.2014.903162>
- MacKinnon, D. P., Lockwood, C. M., Hoffman, J. M., West, S. G., & Sheets, V. (2002). Comparison of methods to test mediation and other intervening variable effects. *Psychological Methods*, 7, 83-104. <https://doi.org/10.1037/1082-989x.7.1.83>
- MacKinnon, D. P., Lockwood, C. M., & Williams, J. (2004). Confidence limits for the indirect effect: Distribution of the product and resampling methods. *Multivariate Behavioral Research*, 39, 99-128. https://doi.org/10.1207/s15327906mbr3901_4
- MacKinnon, D. P., & Tofighi, D. (2013). Statistical mediation analysis. In J. A. Schinka, W. F. Velicer, & I. B. Weiner (Eds.), *Handbook of psychology: Research methods in psychology* (pp. 717-735). John Wiley & Sons, Inc..
- Meeker, W. Q., Jr., Cornwell, L. W., & Aroian, L. A. (1981). The product of two normally distributed random variables. In W. J. Kennedy & R. E. Odeh (Eds.), *Selected tables in mathematical statistics* (Vol. 7, pp. 1-256). Providence, RI: American Mathematical Society.
- Preacher, K. J., & Selig, J. P. (2012). Advantages of Monte Carlo confidence intervals for indirect effects. *Communication Methods and Measures*, 6, 77-98. <http://dx.doi.org/10.1080/19312458.2012.679848>
- Sobel, M. E. (1982). Asymptotic confidence intervals for indirect effects in structural equation models. In S. Leinhardt (Ed.), *Sociological methodology 1982* (pp. 290-312). Washington, DC: American Sociological Association.
- Tofighi, D. & MacKinnon, D. P. (2011). RMediation: An R package for mediation analysis confidence intervals. *Behavior Research Methods*, 43, 692-700. <https://doi.org/10.3758/s13428-011-0076-x>

See Also

[multilevel.indirect](#)

Examples

```
# Example 1: Distribution of the Product Method
indirect(a = 0.35, b = 0.27, se.a = 0.12, se.b = 0.18)

# Example 2: Monte Carlo Method
indirect(a = 0.35, b = 0.27, se.a = 0.12, se.b = 0.18, print = "mc")
```

```
# Example 3: Asymptotic Normal Method
indirect(a = 0.35, b = 0.27, se.a = 0.12, se.b = 0.18, print = "asypm")

## Not run:
# Example 4: Write results into a text file
indirect(a = 0.35, b = 0.27, se.a = 0.12, se.b = 0.18, write = "Indirect.txt")

## End(Not run)
```

item.alpha

Coefficient Alpha and Item Statistics

Description

This function computes point estimate and confidence interval for the (ordinal) coefficient alpha (aka Cronbach's alpha) along with the corrected item-total correlation and coefficient alpha if item deleted.

Usage

```
item.alpha(..., data = NULL, exclude = NULL, std = FALSE, ordered = FALSE,
  na.omit = FALSE, print = c("all", "alpha", "item"), digits = 2,
  conf.level = 0.95, as.na = NULL, write = NULL, append = TRUE,
  check = TRUE, output = TRUE)
```

Arguments

...	a matrix, data frame, variance-covariance or correlation matrix. Note that raw data is needed to compute ordinal coefficient alpha, i.e., <code>ordered = TRUE</code> . Alternatively, an expression indicating the variable names in data e.g., <code>item.alpha(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is <code>NULL</code> when specifying a matrix, data frame, variance-covariance or correlation matrix for the argument ...
exclude	a character vector indicating items to be excluded from the analysis.
std	logical: if <code>TRUE</code> , the standardized coefficient alpha is computed.
ordered	logical: if <code>TRUE</code> , variables are treated as ordered (ordinal) variables to compute ordinal coefficient alpha.
na.omit	logical: if <code>TRUE</code> , incomplete cases are removed before conducting the analysis (i.e., listwise deletion); if <code>FALSE</code> (default), pairwise deletion is used.
print	a character vector indicating which results to show, i.e. "all" (default), for all results "alpha" for the coefficient alpha, and "item" for item statistics.
digits	an integer value indicating the number of decimal places to be used for displaying coefficient alpha and item-total correlations.

<code>conf.level</code>	a numeric value between 0 and 1 indicating the confidence level of the interval.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
<code>write</code>	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown.

Details

Ordinal coefficient alpha was introduced by Zumbo, Gadermann and Zeisser (2007) which is obtained by applying the formula for computing coefficient alpha to the polychoric correlation matrix instead of the variance-covariance or product-moment correlation matrix. Note that Chalmers (2018) highlighted that the ordinal coefficient alpha should be interpreted only as a hypothetical estimate of an alternative reliability, whereby a test's ordinal categorical response options have been modified to include an infinite number of ordinal response options and concludes that coefficient alpha should not be reported as a measure of a test's reliability. However, Zumbo and Kroc (2019) argued that Chalmers' critique of ordinal coefficient alpha is unfounded and that ordinal coefficient alpha may be the most appropriate quantifier of reliability when using Likert-type measurement to study a latent continuous random variable. Confidence intervals are computed using the procedure by Feldt, Woodruff and Salih (1987). When computing confidence intervals using pairwise deletion, the average sample size from all pairwise samples is used. Note that there are at least 10 other procedures for computing the confidence interval (see Kelley and Pornprasertmanit, 2016), which are implemented in the `ci.reliability()` function in the **MBESS** package by Ken Kelley (2019).

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	data frame used for the current analysis
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., alpha for a table with coefficient alpha and <code>itemstat</code> for a table with item statistics

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Chalmers, R. P. (2018). On misconceptions and the limited usefulness of ordinal alpha. *Educational and Psychological Measurement*, 78, 1056-1071. <https://doi.org/10.1177/0013164417727036>
- Cronbach, L.J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, 16, 297-334. <https://doi.org/10.1007/BF02310555>
- Cronbach, L.J. (2004). My current thoughts on coefficient alpha and successor procedures. *Educational and Psychological Measurement*, 64, 391-418. <https://doi.org/10.1177/0013164404266386>
- Feldt, L. S., Woodruff, D. J., & Salih, F. A. (1987). Statistical inference for coefficient alpha. *Applied Psychological Measurement*, 11 93-103. <https://doi.org/10.1177/014662168701100107>
- Kelley, K., & Pornprasertmanit, S. (2016). Confidence intervals for population reliability coefficients: Evaluation of methods, recommendations, and software for composite measures. *Psychological Methods*, 21, 69-92. <https://doi.org/10.1037/a0040086>.
- Ken Kelley (2019). *MBESS: The MBESS R Package*. R package version 4.6.0. <https://CRAN.R-project.org/package=MBESS>
- Zumbo, B. D., & Kroc, E. (2019). A measurement is a choice and Stevens' scales of measurement do not help make it: A response to Chalmers. *Educational and Psychological Measurement*, 79, 1184-1197. <https://doi.org/10.1177/0013164419844305>
- Zumbo, B. D., Gadermann, A. M., & Zeisser, C. (2007). Ordinal versions of coefficients alpha and theta for Likert rating scales. *Journal of Modern Applied Statistical Methods*, 6, 21-29. <https://doi.org/10.22237/jmasm/1177992180>

See Also

[write.result](#), [item.cfa](#), [item.omega](#), [item.reverse](#), [item.scores](#)

Examples

```
dat <- data.frame(item1 = c(4, 2, 3, 4, 1, 2, 4, 2),
                 item2 = c(4, 3, 3, 3, 2, 2, 4, 1),
                 item3 = c(3, 2, 4, 2, 1, 3, 4, 1),
                 item4 = c(4, 1, 2, 3, 2, 3, 4, 2))

# Example 1a: Compute unstandardized coefficient alpha and item statistics
item.alpha(dat)

# Example 1b: Alternative specification using the 'data' argument
item.alpha(., data = dat)

# Example 2: Compute standardized coefficient alpha and item statistics
item.alpha(dat, std = TRUE)

# Example 3: Compute unstandardized coefficient alpha
item.alpha(dat, print = "alpha")

# Example 4: Compute item statistics
item.alpha(dat, print = "item")

# Example 5: Compute unstandardized coefficient alpha and item statistics while excluding item3
```

```

item.alpha(dat, exclude = "item3")

# Example 6: Compute variance-covariance matrix
dat.cov <- cov(dat)
# Compute unstandardized coefficient alpha based on the variance-covariance matrix
item.alpha(dat.cov)

# Compute correlation matrix
dat.cor <- cor(dat)
# Example 7: Compute standardized coefficient alpha based on the correlation matrix
item.alpha(dat.cor)

# Example 8: Compute ordinal coefficient alpha
item.alpha(dat, ordered = TRUE)

## Not run:
# Example 9a: Write results into a text file
result <- item.alpha(dat, write = "Alpha.txt")

# Example 9b: Write results into a Excel file
result <- item.alpha(dat, write = "Alpha.xlsx")

result <- item.alpha(dat, output = FALSE)
write.result(result, "Alpha.xlsx")

## End(Not run)

```

item.cfa

Confirmatory Factor Analysis

Description

This function is a wrapper function for conducting confirmatory factor analysis with continuous and/or ordered-categorical indicators by calling the `cfa` function in the R package **lavaan**.

Usage

```

item.cfa(..., data = NULL, model = NULL, rescov = NULL, hierarch = FALSE,
  meanstructure = TRUE, ident = c("marker", "var", "effect"),
  parameterization = c("delta", "theta"), ordered = NULL, cluster = NULL,
  estimator = c("ML", "MLM", "MLMV", "MLMVS", "MLF", "MLR",
    "GLS", "WLS", "DWLS", "WLSM", "WLSMV",
    "ULS", "ULSM", "ULSMV", "DLS", "PML"),
  missing = c("listwise", "pairwise", "fiml",
    "two.stage", "robust.two.stage", "doubly.robust"),
  print = c("all", "summary", "coverage", "descript", "fit", "est",
    "modind", "resid"),
  mod.minval = 6.63, resid.minval = 0.1, digits = 3, p.digits = 3,
  as.na = NULL, write = NULL, append = TRUE, check = TRUE, output = TRUE)

```

Arguments

...	a matrix or data frame. If <code>model = NULL</code> , confirmatory factor analysis based on a measurement model with one factor labeled <code>f</code> comprising all variables in the matrix or data frame is conducted. Note that the cluster variable is excluded from <code>x</code> when specifying <code>cluster</code> . If <code>model</code> is specified, the matrix or data frame needs to contain all variables used in the argument <code>model</code> and the cluster variable when specifying <code>cluster</code> . Alternatively, an expression indicating the variable names in data e.g., <code>item.cfa(x1, x2, x3, data = dat)</code> . Note that the operators <code>..</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
<code>data</code>	a data frame when specifying one or more variables in the argument ... Note that the argument is <code>NULL</code> when specifying a vector, factor, matrix, array, data frame, or list for the argument ...
<code>model</code>	a character vector specifying a measurement model with one factor, or a list of character vectors for specifying a measurement model with more than one factor, e.g., <code>model = c("x1", "x2", "x3", "x4")</code> for specifying a measurement model with one factor labeled <code>f</code> comprising four indicators, or <code>model = list(factor1 = c("x1", "x2", "x3", "x4"), factor2 = c("x5", "x6", "x7", "x8"))</code> for specifying a measurement model with two latent factors labeled <code>factor1</code> and <code>factor2</code> each comprising four indicators. Note that the name of each list element is used to label factors, i.e., all list elements need to be named, otherwise factors are labeled with <code>"f1"</code> , <code>"f2"</code> , <code>"f3"</code> and so on.
<code>rescov</code>	a character vector or a list of character vectors for specifying residual covariances, e.g. <code>rescov = c("x1", "x2")</code> for specifying a residual covariance between items <code>x1</code> and <code>x2</code> , or <code>rescov = list(c("x1", "x2"), c("x3", "x4"))</code> for specifying residual covariances between items <code>x1</code> and <code>x2</code> , and items <code>x3</code> and <code>x4</code> .
<code>hierarch</code>	logical: if <code>TRUE</code> , a second-order factor model is specified given at least three first-order factors were specified in <code>model</code> . Note that it is not possible to specify more than one second-order factor.
<code>meanstructure</code>	logical: if <code>TRUE</code> (default), intercept/means of observed variables means of latent variables will be added to the model. Note that <code>meanstructure = FALSE</code> is only applicable when the missing is listwise, pairwise, or doubly-robust.
<code>ident</code>	a character string indicating the method used for identifying and scaling latent variables, i.e., <code>"marker"</code> for the marker variable method fixing the first factor loading of each latent variable to 1, <code>"var"</code> for the fixed variance method fixing the variance of each latent variable to 1, or <code>"effect"</code> for the effects-coding method using equality constraints so that the average of the factor loading for each latent variable equals 1. By default, fixed variance method is used when <code>hierarch = FALSE</code> , whereas marker variable method is used when <code>hierarch = TRUE</code> .
<code>parameterization</code>	a character string indicating the method used for identifying and scaling latent variables when indicators are ordered, i.e., <code>"delta"</code> (default) for delta parameterization and <code>"theta"</code> for theta parameterization.

ordered	if NULL (default), all indicators of the measurement model are treated as continuous. If TRUE, all indicators of the measurement model are treated as ordered (ordinal). Alternatively, a character vector indicating which variables to treat as ordered (ordinal) variables can be specified.
cluster	either a character string indicating the variable name of the cluster variable in . . . or data, or a vector representing the nested grouping structure (i.e., group or cluster variable) for computing cluster-robust standard errors. Note that cluster-robust standard errors are not available when treating indicators of the measurement model as ordered (ordinal).
estimator	a character string indicating the estimator to be used (see 'Details'). By default, "MLR" is used for CFA models with continuous indicators (i.e., ordered = FALSE) and "WLSMV" is used for CFA model with ordered-categorical indicators (i.e., ordered = TRUE).
missing	a character string indicating how to deal with missing data, i.e., "listwise" for listwise deletion, "pairwise" for pairwise deletion, "fiml" for full information maximum likelihood method, two.stage for two-stage maximum likelihood method, robust.two.stage for robust two-stage maximum likelihood method, and doubly-robust for doubly-robust method (see 'Details'). By default, "fiml" is used for CFA models with continuous indicators which are estimated by using estimator = "MLR", and "pairwise" for CFA models with ordered-categorical indicators which are estimated by using estimator = "pairwise" by default.
print	a character string or character vector indicating which results to show on the console, i.e. "all" for all results, "summary" for a summary of the specification of the estimation method and missing data handling in lavaan, "coverage" for the variance-covariance coverage of the data, "descript" for descriptive statistics, "fit" for model fit, "est" for parameter estimates, "modind" for modification indices and "resid" for the residual correlation matrix and standardized residual means. By default, a summary of the specification, model fit, and parameter estimates are printed. By default, a summary of the specification, model fit, and parameter estimates are printed.
mod.minval	numeric value to filter modification indices and only show modifications with a modification index value equal or higher than this minimum value. By default, modification indices equal or higher 6.63 are printed. Note that a modification index value of 6.63 is equivalent to a significance level of $\alpha = .01$.
resid.minval	numeric value indicating the minimum absolute residual correlation coefficients and standardized means to highlight in boldface. By default, absolute residual correlation coefficients and standardized means equal or higher 0.1 are highlighted. Note that highlighting can be disabled by setting the minimum value to 1.
digits	an integer value indicating the number of decimal places to be used for displaying results.
p.digits	an integer value indicating the number of decimal places to be used for displaying the <i>p</i> -value.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that as.na() function is only applied to x but not to cluster.

write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Details

Estimator The R package **lavaan** provides seven estimators that affect the estimation, namely "ML", "GLS", "WLS", "DWLS", "ULS", "DLS", and "PML". All other options for the argument estimator combine these estimators with various standard error and chi-square test statistic computation. Note that the estimators also differ in how missing values can be dealt with (e.g., listwise deletion, pairwise deletion, or full information maximum likelihood, FIML).

- "ML": Maximum likelihood with conventional standard errors and conventional test statistic. For both complete and incomplete data using pairwise deletion or FIML.
- "MLM": Maximum likelihood parameter estimates with conventional robust standard errors and a Satorra-Bentler scaled test statistic that are robust to non-normality. For complete data only.
- "MLMV": Maximum likelihood parameter estimates with conventional robust standard errors and a mean and a variance adjusted test statistic using a scale-shifted approach that are robust to non-normality. For complete data only.
- "MLMVS": Maximum likelihood parameter estimates with conventional robust standard errors and a mean and a variance adjusted test statistic using the Satterthwaite approach that are robust to non-normality. For complete data only.
- "MLF": Maximum likelihood parameter estimates with standard errors approximated by first-order derivatives and conventional test statistic. For both complete and incomplete data using pairwise deletion or FIML.
- "MLR": Maximum likelihood parameter estimates with Huber-White robust standard errors a test statistic which is asymptotically equivalent to the Yuan-Bentler T2* test statistic that are robust to non-normality and non-independence of observed when specifying a cluster variable using the argument cluster. For both complete and incomplete data using pairwise deletion or FIML.
- "GLS": Generalized least squares parameter estimates with conventional standard errors and conventional test statistic that uses a normal-theory based weight matrix. For complete data only. and conventional chi-square test. For both complete and incomplete data.
- "WLS": Weighted least squares parameter estimates (sometimes called ADF estimation) with conventional standard errors and conventional test statistic that uses a full weight matrix. For complete data only.
- "DWLS": Diagonally weighted least squares parameter estimates which uses the diagonal of the weight matrix for estimation with conventional standard errors and conventional test statistic. For both complete and incomplete data using pairwise deletion.
- "WLSM": Diagonally weighted least squares parameter estimates which uses the diagonal of the weight matrix for estimation, but uses the full weight matrix for computing the

conventional robust standard errors and a Satorra-Bentler scaled test statistic. For both complete and incomplete data using pairwise deletion.

- "WLSMV": Diagonally weighted least squares parameter estimates which uses the diagonal of the weight matrix for estimation, but uses the full weight matrix for computing the conventional robust standard errors and a mean and a variance adjusted test statistic using a scale-shifted approach. For both complete and incomplete data using pairwise deletion.
- "ULS": Unweighted least squares parameter estimates with conventional standard errors and conventional test statistic. For both complete and incomplete data using pairwise deletion.
- "ULSM": Unweighted least squares parameter estimates with conventional robust standard errors and a Satorra-Bentler scaled test statistic. For both complete and incomplete data using pairwise deletion.
- "ULSMV": Unweighted least squares parameter estimates with conventional robust standard errors and a mean and a variance adjusted test statistic using a scale-shifted approach. For both complete and incomplete data using pairwise deletion.
- "DLS": Distributionally-weighted least squares parameter estimates with conventional robust standard errors and a Satorra-Bentler scaled test statistic. For complete data only.
- "PML": Pairwise maximum likelihood parameter estimates with Huber-White robust standard errors and a mean and a variance adjusted test statistic using the Satterthwaite approach. For both complete and incomplete data using pairwise deletion.

Missing Data The R package **lavaan** provides six methods for dealing with missing data:

- "listwise": Listwise deletion, i.e., all cases with missing values are removed from the data before conducting the analysis. This is only valid if the data are missing completely at random (MCAR).
- "pairwise": Pairwise deletion, i.e., each element of a variance-covariance matrix is computed using cases that have data needed for estimating that element. This is only valid if the data are missing completely at random (MCAR).
- "fiml": Full information maximum likelihood (FIML) method, i.e., likelihood is computed case by case using all available data from that case. FIML method is only applicable for following estimators: "ML", "MLF", and "MLR".
- "two.stage": Two-stage maximum likelihood estimation, i.e., sample statistics is estimated using EM algorithm in the first step. Then, these estimated sample statistics are used as input for a regular analysis. Standard errors and test statistics are adjusted correctly to reflect the two-step procedure. Two-stage method is only applicable for following estimators: "ML", "MLF", and "MLR".
- "robust.two.stage": Robust two-stage maximum likelihood estimation, i.e., two-stage maximum likelihood estimation with standard errors and a test statistic that are robust against non-normality. Robust two-stage method is only applicable for following estimators: "ML", "MLF", and "MLR".
- "doubly.robust": Doubly-robust method only applicable for pairwise maximum likelihood estimation (i.e., estimator = "PML").

Convergence and model identification checks In line with the R package **lavaan**, this functions provides several checks for model convergence and model identification:

- Degrees of freedom: An error message is printed if the number of degrees of freedom is negative, i.e., the model is not identified.

- Model convergence: An error message is printed if the optimizer has not converged, i.e., results are most likely unreliable.
- Standard errors: An error message is printed if the standard errors could not be computed, i.e., the model might not be identified.
- Variance-covariance matrix of the estimated parameters: A warning message is printed if the variance-covariance matrix of the estimated parameters is not positive definite, i.e., the smallest eigenvalue of the matrix is smaller than zero or very close to zero.
- Negative variances of observed variables: A warning message is printed if the estimated variances of the observed variables are negative.
- Variance-covariance matrix of observed variables: A warning message is printed if the estimated variance-covariance matrix of the observed variables is not positive definite, i.e., the smallest eigenvalue of the matrix is smaller than zero or very close to zero.
- Negative variances of latent variables: A warning message is printed if the estimated variances of the latent variables are negative.
- Variance-covariance matrix of latent variables: A warning message is printed if the estimated variance-covariance matrix of the latent variables is not positive definite, i.e., the smallest eigenvalue of the matrix is smaller than zero or very close to zero.

Note that unlike the R package **lavaan**, the `item.cfa` function does not provide any results when the degrees of freedom is negative, the model has not converged, or standard errors could not be computed.

Model Fit The `item.cfa` function provides the chi-square test, incremental fit indices (i.e., CFI and TLI), and absolute fit indices (i.e., RMSEA, and SRMR) to evaluate overall model fit. However, different versions of the CFI, TLI, and RMSEA are provided depending on the estimator. Unlike the R package **lavaan**, the different versions are labeled with Standard, Scaled, and Robust in the output:

- "Standard": CFI, TLI, and RMSEA without any non-normality corrections. These fit measures based on the normal theory maximum likelihood test statistic are sensitive to deviations from multivariate normality of endogenous variables. Simulation studies by Brosseau-Liard et al. (2012), and Brosseau-Liard and Savalei (2014) showed that the uncorrected fit indices are affected by non-normality, especially at small and medium sample sizes (e.g., $n < 500$).
- "Scaled": Population-corrected robust CFI, TLI, and RMSEA with ad hoc non-normality corrections that simply replace the maximum likelihood test statistic with a robust test statistic (e.g., mean-adjusted chi-square). These fit indices change the population value being estimated depending on the degree of non-normality present in the data. Brosseau-Liard et al. (2012) demonstrated that the ad hoc corrected RMSEA increasingly accepts poorly fitting models as non-normality in the data increases, while the effect of the ad hoc correction on the CFI and TLI is less predictable with non-normality making fit appear worse, better, or nearly unchanged (Brosseau-Liard & Savalei, 2014).
- "Robust": Sample-corrected robust CFI, TLI, and RMSEA with non-normality corrections based on formula provided by Li and Bentler (2006) and Brosseau-Liard and Savalei (2014). These fit indices do not change the population value being estimated and can be interpreted the same way as the uncorrected fit indices when the data would have been normal.

In conclusion, the use of sample-corrected fit indices (Robust) instead of population-corrected fit indices (Scaled) is recommended. Note that when sample size is very small (e.g., $n < 200$),

non-normality correction does not appear to adjust fit indices sufficiently to counteract the effect of non-normality (Brosseau-Liard & Savalei, 2014).

Modification Indices and Residual Correlation Matrix The `item.cfa` function provides modification indices and the residual correlation matrix when requested by using the `print` argument. Modification indices (aka score tests) are univariate Lagrange Multipliers (LM) representing a chi-square statistic with a single degree of freedom. LM approximates the amount by which the chi-square test statistic would decrease if a fixed or constrained parameter is freely estimated (Kline, 2023). However, (standardized) expected parameter change (EPC) values should also be inspected since modification indices are sensitive to sample size. EPC values are an estimate of how much the parameter would be expected to change if it were freely estimated (Brown, 2023). The residual correlation matrix is computed by separately converting the sample covariance and model-implied covariance matrices to correlation matrices before calculation differences between observed and predicted covariances (i.e., `type = "cor.bollen"`). As a rule of thumb, absolute correlation residuals greater than .10 indicate possible evidence for poor local fit, whereas smaller correlation residuals than 0.05 indicate negligible degree of model misfit (Maydeu-Olivares, 2017). There is no reliable connection between the size of diagnostic statistics (i.e., modification indices and residuals) and the type or amount of model misspecification since (1) diagnostic statistics are themselves affected by misspecification, (2) misspecification in one part of the model distorts estimates in other parts of the model (i.e., error propagation), and (3) equivalent models have identical residuals but contradict the pattern of causal effects (Kline, 2023). Note that according to Kline' (2023) "any report of the results without information about the residuals is deficient" (p. 172).

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	matrix or data frame specified in <code>x</code>
<code>args</code>	specification of function arguments
<code>model</code>	specified model
<code>model.fit</code>	fitted lavaan object (<code>mod.fit</code>)
<code>check</code>	results of the convergence and model identification check
<code>result</code>	list with result tables, i.e., summary for the specification of the estimation method and missing data handling in lavaan, "coverage" for the variance-covariance coverage of the data, "descript" for descriptive statistics, <code>itemfreq</code> for absolute frequencies (<code>freq</code>), percentages (<code>perc</code>), and (<code>v.perc</code>) valid percentages, "fit" for model fit, "param" for parameter estimates, and "modind" for modification indices.

Note

The function uses the functions `cfa`, `lavInspect`, `lavTech`, `modindices`, `parameterEstimates`, and `standardizedsolution` provided in the R package **lavaan** by Yves Rosseel (2012).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Brosseau-Liard, P. E., Savalei, V., & Li, L. (2012). An investigation of the sample performance of two nonnormality corrections for RMSEA, *Multivariate Behavioral Research*, 47, 904-930. <https://doi.org/10.1080/00273171.2014.933697>
- Brosseau-Liard, P. E., & Savalei, V. (2014) Adjusting incremental fit indices for nonnormality. *Multivariate Behavioral Research*, 49, 460-470. <https://doi.org/10.1080/00273171.2014.933697>
- Brown, T. A. (2023). Confirmatory factor analysis. In R. H. Hoyle (Ed.), *Handbook of structural equation modeling* (2nd ed.) (pp. 361–379). The Guilford Press.
- Kline, R. B. (2023). *Principles and practice of structural equation modeling* (5th ed.). Guilford Press.
- Li, L., & Bentler, P. M. (2006). Robust statistical tests for evaluating the hypothesis of close fit of misspecified mean and covariance structural models. *UCLA Statistics Preprint #506*. University of California.
- Maydeu-Olivares, A. (2017). Assessing the size of model misfit in structural equation models. *Psychometrika*, 82(3), 533–558. <https://doi.org/10.1007/s11336-016-9552-7>
- Rosseel, Y. (2012). lavaan: An R Package for Structural Equation Modeling. *Journal of Statistical Software*, 48, 1-36. <https://doi.org/10.18637/jss.v048.i02>

See Also

[item.alpha](#), [item.omega](#), [item.scores](#)

Examples

```
## Not run:
# Load data set "HolzingerSwineford1939" in the lavaan package
data("HolzingerSwineford1939", package = "lavaan")

#-----
# Measurement model with one factor

# Example 1a: Specification using the argument 'x'
item.cfa(HolzingerSwineford1939[, c("x1", "x2", "x3")])

# Example 1b: Alternative specification using the 'data' argument
item.cfa(x1:x3, data = HolzingerSwineford1939)

# Example 1c: Alternative specification using the argument 'model'
item.cfa(HolzingerSwineford1939, model = c("x1", "x2", "x3"))

# Example 1d: Alternative specification using the 'data' and 'model' argument
item.cfa(., data = HolzingerSwineford1939, model = c("x1", "x2", "x3"))

# Example 1e: Alternative specification using the argument 'model'
```

```

item.cfa(HolzingerSwineford1939, model = list(visual = c("x1", "x2", "x3")))

# Example 1f: Alternative specification using the 'data' and 'model' argument
item.cfa(., data = HolzingerSwineford1939, model = list(visual = c("x1", "x2", "x3")))

#-----
# Measurement model with three factors

# Example 2: Specification using the argument 'model'
item.cfa(HolzingerSwineford1939,
         model = list(visual = c("x1", "x2", "x3"),
                     textual = c("x4", "x5", "x6"),
                     speed = c("x7", "x8", "x9")))

#-----
# Residual covariances

# Example 3a: One residual covariance
item.cfa(HolzingerSwineford1939,
         model = list(visual = c("x1", "x2", "x3"),
                     textual = c("x4", "x5", "x6"),
                     speed = c("x7", "x8", "x9")),
         rescov = c("x1", "x2"))

# Example 3b: Two residual covariances
item.cfa(HolzingerSwineford1939,
         model = list(visual = c("x1", "x2", "x3"),
                     textual = c("x4", "x5", "x6"),
                     speed = c("x7", "x8", "x9")),
         rescov = list(c("x1", "x2"), c("x4", "x5")))

#-----
# Second-order factor model based on three first-order factors

# Example 4
item.cfa(HolzingerSwineford1939,
         model = list(visual = c("x1", "x2", "x3"),
                     textual = c("x4", "x5", "x6"),
                     speed = c("x7", "x8", "x9")),
         hierarch = TRUE)

#-----
# Measurement model with ordered-categorical indicators

# Example 5
item.cfa(round(HolzingerSwineford1939[, c("x4", "x5", "x6")]), ordered = TRUE)

#-----
# Cluster-robust standard errors

# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

```

```

# Example 6a: Specification using a variable in 'x'
item.cfa(Demo.twolevel[, c("y4", "y5", "y6", "cluster")], cluster = "cluster")

# Example 6b: Specification of the cluster variable in 'cluster'
item.cfa(Demo.twolevel[, c("y4", "y5", "y6")], cluster = Demo.twolevel$cluster)

# Example 6c: Alternative specification using the 'data' argument
item.cfa(y4:y6, data = Demo.twolevel, cluster = "cluster")

#-----
# Print argument

# Example 7a: Request all results
item.cfa(HolzingerSwineford1939[, c("x1", "x2", "x3")], print = "all")

# Example 7b: Request modification indices with value equal or higher than 5
item.cfa(HolzingerSwineford1939[, c("x1", "x2", "x3", "x4")],
         print = "modind", mod.minval = 5)

#-----
# lavaan summary of the estimated model

# Example 8
mod <- item.cfa(HolzingerSwineford1939[, c("x1", "x2", "x3")], output = FALSE)

lavaan::summary(mod$model.fit, standardized = TRUE, fit.measures = TRUE)

#-----
# Write Results

# Example 9a: Write results into a text file
item.cfa(HolzingerSwineford1939[, c("x1", "x2", "x3")], write = "CFA.txt")

# Example 9b: Write results into an Excel file
item.cfa(HolzingerSwineford1939[, c("x1", "x2", "x3")], write = "CFA.xlsx")

result <- item.cfa(HolzingerSwineford1939[, c("x1", "x2", "x3")], output = FALSE)
write.result(result, "CFA.xlsx")

## End(Not run)

```

item.invar

Between-Group and Longitudinal Measurement Invariance Evaluation

Description

This function is a wrapper function for evaluating configural, metric, scalar, and strict between-group or longitudinal (partial) measurement invariance using confirmatory factor analysis with continuous indicators by calling the `cfa` function in the R package **lavaan**. By default, the function

evaluates configural, metric, and scalar measurement invariance by providing a table with model fit information (i.e., chi-square test, fit indices based on a proper null model, and information criteria) and model comparison (i.e., chi-square difference test, change in fit indices, and change in information criteria). Additionally, variance-covariance coverage of the data, descriptive statistics, parameter estimates, modification indices, and residual correlation matrix can be requested by specifying the argument `print`.

Usage

```
item.invar(..., data = NULL, model = NULL, rescov = NULL, rescov.long = TRUE,
  group = NULL, long = FALSE, cluster = NULL,
  invar = c("config", "metric", "scalar", "strict"),
  partial = NULL, ident = c("marker", "var", "effect"),
  estimator = c("ML", "MLM", "MLMV", "MLMVS", "MLF", "MLR",
    "GLS", "WLS", "DWLS", "WLSM", "WLSMV",
    "ULS", "ULSM", "ULSMV", "DLS", "PML"),
  missing = c("listwise", "pairwise", "fiml", "two.stage",
    "robust.two.stage", "doubly.robust"), null.model = TRUE,
  print = c("all", "summary", "coverage", "descript", "fit", "est",
    "modind", "resid"),
  print.fit = c("all", "standard", "scaled", "robust"),
  mod.minval = 6.63, resid.minval = 0.1, digits = 3, p.digits = 3,
  as.na = NULL, write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

...	a matrix or data frame. If <code>model = NULL</code> , confirmatory factor analysis based on a measurement model with one factor labeled <code>f</code> comprising all variables in the matrix or data frame specified in <code>x</code> for evaluating between-group measurement invariance for the grouping variable specified in the argument <code>group</code> is conducted. Longitudinal measurement invariance evaluation can only be conducted by specifying the model using the argument <code>model</code> . Note that the cluster variable is excluded from <code>x</code> when specifying <code>cluster</code> . If <code>model</code> is specified, the matrix or data frame needs to contain all variables used in the argument <code>model</code> and the cluster variable when specifying the name of the cluster variable in the argument <code>cluster</code> . Alternatively, an expression indicating the variable names in data e.g., <code>item.invar(x1, x2, x2, data = dat)</code> . Note that the operators <code>..</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is <code>NULL</code> when specifying a vector, factor, matrix, array, data frame, or list for the argument ...
model	a character vector specifying a measurement model with one factor, or a list of character vectors for specifying a measurement model with more than one factor for evaluating between-group measurement invariance when <code>long = FALSE</code> or a list of character vectors for specifying a measurement model with one factor for each time of measurement for evaluating longitudinal measurement invariance when specifying <code>long = TRUE</code> . For example, <code>model = c("x1", "x2",</code>

"x3", "x4") for specifying a measurement model with one factor labeled `f` comprising four indicators, or `model = list(factor1 = c("x1", "x2", "x3", "x4"), factor2 = c("x5", "x6", "x7", "x8"))` for specifying a measurement model with two latent factors labeled `factor1` and `factor2` each comprising four indicators for evaluating between-group measurement invariance, or `model = list(time1 = c("ax1", "ax2", "ax3", "ax4"), time2 = c("bx1", "bx2", "bx3", "bx4"), time3 = c("cx1", "cx2", "cx3", "cx4"))` for specifying a longitudinal measurement model with three time points comprising four indicators at each time point. This function cannot evaluate longitudinal measurement invariance for a measurement model with more than one factor. Note that the name of each list element is used to label factors, i.e., all list elements need to be named, otherwise factors are labeled with "f1", "f2", "f3" when `long = FALSE` and with "t1", "t2", "t3" when `long = TRUE` and so on.

<code>rescov</code>	a character vector or a list of character vectors for specifying residual covariances, e.g., <code>rescov = c("x1", "x2")</code> for specifying a residual covariance between items <code>x1</code> and <code>x2</code> , or <code>rescov = list(c("x1", "x2"), c("x3", "x4"))</code> for specifying residual covariances between items <code>x1</code> and <code>x2</code> , and items <code>x3</code> and <code>x4</code> .
<code>rescov.long</code>	logical: if <code>TRUE</code> (default), residual covariances between parallel indicators are estimated across time when evaluating longitudinal measurement invariance (<code>long = TRUE</code>), i.e., residual variances of the same indicators that are measured at different time points are correlated across all possible time points. Note that residual covariances should be estimated even if the parameter estimates are statistically not significant since indicator-specific systematic variance is likely to correlate with itself over time (Little, 2013, p. 164).
<code>group</code>	either a character string indicating the variable name of the grouping variable in the matrix or data frame specified in <code>x</code> or a vector representing the groups for conducting multiple-group analysis to evaluate between-group measurement invariance.
<code>long</code>	logical: if <code>TRUE</code> , longitudinal measurement invariance evaluation is conducted. The longitudinal measurement model is specified by using the argument <code>model</code> . Note that this function can only evaluate either between-group or longitudinal measurement invariance, but not both at the same time.
<code>cluster</code>	either a character string indicating the variable name of the cluster variable in <code>...</code> or <code>data</code> , or a vector representing the nested grouping structure (i.e., <code>group</code> or <code>cluster</code> variable) for computing cluster-robust standard errors. Note that cluster-robust standard errors are not available when treating indicators of the measurement model as ordered (ordinal).
<code>invar</code>	a character string indicating the level of measurement invariance to be evaluated, i.e., <code>config</code> to evaluate configural measurement invariance (i.e., same factor structure across groups or time), <code>metric</code> to evaluate configural and metric measurement invariance (i.e., equal factor loadings across groups or time), <code>scalar</code> (default) to evaluate configural, metric and scalar measurement invariance (i.e., equal intercepts or thresholds across groups or time), and <code>strict</code> to evaluate configural, metric, scalar, and strict measurement invariance (i.e., equal residual variances across groups or time).

partial	a character string or character vector containing the labels of the parameters which should be free in all groups or across time to specify a partial measurement invariance model. Note that the labels of the parameters need to match the labels shown in the output, i.e., "L" with a number for factor loadings, "T" with a number for intercepts, and "E" with a number for factor residual variances. The number attached to the "L", "T", or "E" label corresponds to the number of the indicator in the measurement model (e.g., "T3" for the intercept of the third indicator). When specifying the model using the argument <code>model</code> , however, the number for the factor loading is a combination of the number of the factor and the number of the indicator (e.g., "L23" is the third indicator of the second factor). Note that at least two invariant indicators are needed for a partial measurement invariance model. Otherwise there might be issues with model non-identification.
ident	a character string indicating the method used for identifying and scaling latent variables, i.e., "marker" for the marker variable method fixing the first factor loading of each latent variable to 1, "var" (default) for the fixed variance method fixing the variance of each latent variable to 1, or "effect" for the effects-coding method using equality constraints so that the average of the factor loading for each latent variable equals 1.
estimator	a character string indicating the estimator to be used (see 'Details' in the help page of the <code>item.cfa()</code> function). By default, "MLR" is used for CFA models with continuous indicators.
missing	a character string indicating how to deal with missing data, i.e., "listwise" for listwise deletion, "pairwise" for pairwise deletion, "fiml" for full information maximum likelihood method, <code>two.stage</code> for two-stage maximum likelihood method, <code>robust.two.stage</code> for robust two-stage maximum likelihood method, and <code>doubly-robust</code> for doubly-robust method (see 'Details' in the help page of the <code>item.cfa()</code> function). By default, "fiml" is used for CFA models with continuous indicators which are estimated by using <code>estimator = "MLR"</code> . However, argument <code>missing</code> switches to <code>listwise</code> when the data set is complete, i.e., it is not possible to use FIML in complete data. Note that the robust CFI, TLI, and RMSEA are different in complete data depending on whether FIML or listwise deletion was specified when estimating the model in lavaan.
null.model	logical: if TRUE (default), the proper null model for computing incremental fit indices (i.e., CFI and TLI) is used, i.e., means and variances of the indicators are constrained to be equal across group or time in the null model (Little, 2013, p. 112).
print	a character string or character vector indicating which results to show on the console, i.e. "all" for all results, "summary" for a summary of the specification of the estimation method and missing data handling in lavaan, "coverage" for the variance-covariance coverage of the data, "descript" for descriptive statistics, "fit" for model fit and model comparison, "est" for parameter estimates, "modind" for modification indices, and "resid" for the residual correlation matrix and standardized residual means. By default, a summary of the specification, model fit, and parameter estimates are printed. Note that parameter estimates, modification indices, and residual correlation matrix is only provided for the model investigating the level of measurement invariance specified in the argument "invar".

<code>print.fit</code>	a character string or character vector indicating which version of the CFI, TLI, and RMSEA to show on the console when using a robust estimation method involving a scaling correction factor, i.e., "all" for all versions of the CFI, TLI, and RMSEA, "standard" (default when estimator is one of "ML", "MLF", "GLS", "WLS", "DWLS", "ULS", "PML") for fit indices without any non-normality correction, "scaled" for population-corrected robust fit indices with ad hoc non-normality correction, and robust (default when estimator is one of "MLM", "MLMV", "MLMVS", "MLR", "WLSM", "WLSMV", "ULSM", "ULSMV", "DLS") for sample-corrected robust fit indices based on formula provided by Li and Bentler (2006) and Brosseau-Liard and Savalei (2014).
<code>mod.minval</code>	numeric value to filter modification indices and only show modifications with a modification index value equal or higher than this minimum value. By default, modification indices equal or higher 6.63 are printed. Note that a modification index value of 6.63 is equivalent to a significance level of $\alpha = .01$.
<code>resid.minval</code>	numeric value indicating the minimum absolute residual correlation coefficients and standardized means to highlight in boldface. By default, absolute residual correlation coefficients and standardized means equal or higher 0.1 are highlighted. Note that highlighting can be disabled by setting the minimum value to 1.
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying results. Note that information criteria and chi-square test statistic are printed with <code>digits</code> minus 1 decimal places.
<code>p.digits</code>	an integer value indicating the number of decimal places to be used for displaying <i>p</i> -values, covariance coverage (i.e., <code>p.digits - 1</code>), and residual correlation coefficients.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e., these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>x</code> but not to <code>group</code> or <code>cluster</code> .
<code>write</code>	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked and convergence and model identification checks are conducted for all estimated models.
<code>output</code>	logical: if TRUE (default), output is shown.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	data frame including all variables used in the analysis, i.e., indicators for the factor, grouping variable and cluster variable

args	specification of function arguments
model	list with specified model for the configural, metric, scalar, and strict invariance model
model.fit	list with fitted lavaan object of the configural, metric, scalar, and strict invariance model
check	list with the results of the convergence and model identification check for the configural, metric, scalar, and strict invariance model
result	list with result tables, i.e., summary for the summary of the specification of the estimation method and missing data handling in lavaan, coverage for the variance-covariance coverage of the data, <code>descript</code> for descriptive statistics, <code>fit</code> for a list with model fit based on standard, scaled, and robust fit indices, <code>est</code> for a list with parameter estimates for the configural, metric, scalar, and strict invariance model, <code>modindices</code> for the list with modification indices for the configural, metric, scalar, and strict invariance model, <code>score</code> for the list with result of the score tests for constrained parameters for the configural, metric, scalar, and strict invariance model, and <code>resid</code> for the list with residual correlation matrices and standardized residual means for the configural, metric, scalar, and strict invariance model

Note

The function uses the functions `cfa`, `fitmeasures`, `lavInspect`, `lavTech`, `lavTestLRT`, `lavTestScore`, `modindices`, `parameterEstimates`, `parTable`, and `standardizedsolution` provided in the R package **lavaan** by Yves Rosseel (2012).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Brosseau-Liard, P. E., & Savalei, V. (2014). Adjusting incremental fit indices for nonnormality. *Multivariate Behavioral Research*, *49*, 460-470. <https://doi.org/10.1080/00273171.2014.933697>
- Li, L., & Bentler, P. M. (2006). Robust statistical tests for evaluating the hypothesis of close fit of misspecified mean and covariance structural models. *UCLA Statistics Preprint #506*. University of California.
- Little, T. D. (2013). *Longitudinal structural equation modeling*. Guilford Press.
- Rosseel, Y. (2012). lavaan: An R Package for Structural Equation Modeling. *Journal of Statistical Software*, *48*, 1-36. <https://doi.org/10.18637/jss.v048.i02>

See Also

[item.cfa](#), [multilevel.invar](#), [write.result](#)

Examples

```

## Not run:
# Load data set "HolzingerSwineford1939" in the lavaan package
data("HolzingerSwineford1939", package = "lavaan")

#-----
# Between-Group Measurement Invariance Evaluation

#.....
# Measurement model with one factor

# Example 1a: Specification of the grouping variable in 'x'
item.invar(HolzingerSwineford1939[, c("x1", "x2", "x3", "x4", "sex")], group = "sex")

# Example 1b: Specification of the grouping variable in 'group'
item.invar(HolzingerSwineford1939[, c("x1", "x2", "x3", "x4")],
           group = HolzingerSwineford1939$sex)

# Example 1c: Alternative specification using the 'data' argument
item.invar(x1:x4, data = HolzingerSwineford1939, group = "sex")

# Example 1d: Alternative specification using the argument 'model'
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"), group = "sex")

# Example 1e: Alternative specification using the 'data' and 'model' argument
item.invar(., data = HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"), group = "sex")

#.....
# Measurement model with two factors

item.invar(HolzingerSwineford1939,
           model = list(c("x1", "x2", "x3", "x4"),
                       c("x5", "x6", "x7", "x8")), group = "sex")

#.....
# Configural, metric, scalar, and strict measurement invariance

# Example 2: Evaluate configural, metric, scalar, and strict measurement invariance
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", invar = "strict")

#.....
# Partial measurement invariance

# Example 3: Free second factor loading (L2) and third intercept (T3)
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", partial = c("L2", "T3"), print = c("fit", "est"))

#.....
# Residual covariances

# Example 4a: One residual covariance

```

```

item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           rescov = c("x3", "x4"), group = "sex")

# Example 4b: Two residual covariances
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           rescov = list(c("x1", "x2"), c("x3", "x4")), group = "sex")

#.....
# Scaled test statistic and cluster-robust standard errors

# Example 5a: Specify cluster variable using a variable name in 'x'
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", cluster = "agemo")

# Example 5b: Specify vector of the cluster variable in the argument 'cluster'
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", cluster = HolzingerSwineford1939$agemo)

#.....
# Default Null model

# Example 6: Specify default null model for computing incremental fit indices
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", null.model = FALSE)

#.....
# Print argument

# Example 7a: Request all results
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", print = "all")

# Example 7b: Request fit indices with ad hoc non-normality correction
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", print.fit = "scaled")

# Example 7c: Request modification indices with value equal or higher than 10
# and highlight residual correlations equal or higher than 0.3
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", print = c("modind", "resid"),
           mod.minval = 10, resid.minval = 0.3)

#.....
# Model syntax and lavaan summary of the estimated model

# Example 8
mod <- item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
                 group = "sex", output = FALSE)

# lavaan model syntax scalar invariance model
cat(mod$model$scalar)

# lavaan summary of the scalar invariance model

```

```

lavaan::summary(mod$model.fit$scalar, standardized = TRUE, fit.measures = TRUE)

#-----
# Longitudinal Measurement Invariance Evaluation

# Example 9: Two time points with three indicators at each time point
item.invar(HolzingerSwineford1939,
           model = list(c("x1", "x2", "x3"),
                       c("x5", "x6", "x7")), long = TRUE)

#-----
# Write Results

# Example 10a: Write results into a text file
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", print = "all", write = "Invariance.txt", output = FALSE)

# Example 10b: Write results into an Excel file
item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
           group = "sex", print = "all", write = "Invariance.xlsx", output = FALSE)

result <- item.invar(HolzingerSwineford1939, model = c("x1", "x2", "x3", "x4"),
                    group = "sex", print = "all", output = FALSE)
write.result(result, "Invariance.xlsx")

## End(Not run)

```

item.omega

Coefficient Omega, Hierarchical Omega, and Categorical Omega

Description

This function computes point estimate and confidence interval for the coefficient omega (McDonald, 1978), hierarchical omega (Kelley & Pornprasertmanit, 2016), and categorical omega (Green & Yang, 2009) along with standardized factor loadings and omega if item deleted.

Usage

```

item.omega(..., data = NULL, rescov = NULL, type = c("omega", "hierarch", "categ"),
           exclude = NULL, std = FALSE, na.omit = FALSE,
           print = c("all", "omega", "item"), digits = 2, conf.level = 0.95,
           as.na = NULL, write = NULL, append = TRUE, check = TRUE,
           output = TRUE)

```

Arguments

... a matrix or data frame. Note that at least three items are needed for computing omega. Alternatively, an expression indicating the variable names in data e.g., `item.omega(x1, x2, x3, data = dat)`. Note that the operators `.`, `+`, `-`, `~`, `:`,

	: :, and ! can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument Note that the argument is NULL when specifying a matrix or data frame for the argument
rescov	a character vector or a list of character vectors for specifying residual covariances when computing coefficient omega, e.g. <code>rescov = c("x1", "x2")</code> for specifying a residual covariance between items x1 and x2 or <code>rescov = list(c("x1", "x2"), c("x3", "x4"))</code> for specifying residual covariances between items x1 and x2, and items x3 and x4.
type	a character string indicating the type of omega to be computed, i.e., <code>omega</code> (default) for coefficient omega, <code>hierarch</code> for hierarchical omega, and <code>categ</code> for categorical omega.
exclude	a character vector indicating items to be excluded from the analysis.
std	logical: if TRUE, the standardized coefficient omega is computed.
na.omit	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion); if FALSE, full information maximum likelihood (FIML) is used for computing coefficient omega or hierarchical omega, while pairwise deletion is used for computing categorical omega.
print	a character vector indicating which results to show, i.e. "all" (default), for all results "omega" for omega, and "item" for item statistics.
digits	an integer value indicating the number of decimal places to be used for displaying omega and standardized factor loadings.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Details

Omega is computed by estimating a confirmatory factor analysis model using the `cfa()` function in the **lavaan** package by Yves Rosseel (2019). Maximum likelihood ("ML") estimator is used for computing coefficient omega and hierarchical omega, while diagonally weighted least squares estimator ("DWLS") is used for computing categorical omega.

Approximate confidence intervals are computed using the procedure by Feldt, Woodruff and Salih (1987). Note that there are at least 10 other procedures for computing the confidence interval (see Kelley and Pornprasertmanit, 2016), which are implemented in the `ci.reliability()` function in the **MBESSS** package by Ken Kelley (2019).

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	data frame used for the current analysis
<code>args</code>	specification of function arguments
<code>model.fit</code>	fitted lavaan object (<code>mod.fit</code>)
<code>result</code>	list with result tables, i.e., <code>alpha</code> for a table with coefficient omega and <code>itemstat</code> for a table with item statistics

Note

Computation of the hierarchical and categorical omega is based on the `ci.reliability()` function in the **MBESS** package by Ken Kelley (2019).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Feldt, L. S., Woodruff, D. J., & Salih, F. A. (1987). Statistical inference for coefficient alpha. *Applied Psychological Measurement*, 11 93-103.
- Green, S. B., & Yang, Y. (2009). Reliability of summed item scores using structural equation modeling: An alternative to coefficient alpha. *Psychometrika*, 74, 155-167. <https://doi.org/10.1007/s11336-008-9099-3>
- Kelley, K., & Pornprasertmanit, S. (2016). Confidence intervals for population reliability coefficients: Evaluation of methods, recommendations, and software for composite measures. *Psychological Methods*, 21, 69-92. <http://dx.doi.org/10.1037/a0040086>
- Ken Kelley (2019). *MBESS: The MBESS R Package*. R package version 4.6.0. <https://CRAN.R-project.org/package=MBESS>
- McDonald, R. P. (1978). Generalizability in factorable domains: Domain validity and generalizability. *Educational and Psychological Measurement*, 38, 75-79.

See Also

[write.result](#), [item.alpha](#), [item.cfa](#), [item.reverse](#), [item.scores](#)

Examples

```
## Not run:
dat <- data.frame(item1 = c(5, 2, 3, 4, 1, 2, 4, 2),
                 item2 = c(5, 3, 3, 5, 2, 2, 5, 1),
                 item3 = c(4, 2, 4, 5, 1, 3, 5, 1),
                 item4 = c(5, 1, 2, 5, 2, 3, 4, 2))
```

```
# Example 1a: Compute unstandardized coefficient omega and item statistics
item.omega(dat)

# Example 1b: Alternative specification using the 'data' argument
item.omega(., data = dat)

# Example 2: Compute unstandardized coefficient omega with a residual covariance
# and item statistics
item.omega(dat, rescov = c("item1", "item2"))

# Example 3: Compute unstandardized coefficient omega with residual covariances
# and item statistics
item.omega(dat, rescov = list(c("item1", "item2"), c("item1", "item3")))

# Example 4: Compute unstandardized hierarchical omega and item statistics
item.omega(dat, type = "hierarch")

# Example 5: Compute categorical omega and item statistics
item.omega(dat, type = "categ")

# Example 6: Compute standardized coefficient omega and item statistics
item.omega(dat, std = TRUE)

# Example 7: Compute unstandardized coefficient omega
item.omega(dat, print = "omega")

# Example 8: Compute item statistics
item.omega(dat, print = "item")

# Example 9: Compute unstandardized coefficient omega and item statistics while excluding item3
item.omega(dat, exclude = "item3")

# Example 10: Summary of the CFA model used to compute coefficient omega
lavaan::summary(item.omega(dat, output = FALSE)$model.fit,
  fit.measures = TRUE, standardized = TRUE)

# Example 11a: Write results into a text file
item.omega(dat, write = "Omega.txt")

# Example 11b: Write results into a Excel file
item.omega(dat, write = "Omega.xlsx")

result <- item.omega(dat, output = FALSE)
write.result(result, "Omega.xlsx")

## End(Not run)
```

Description

This function reverse codes inverted items, i.e., items that are negatively worded.

Usage

```
item.reverse(..., data = NULL, min = NULL, max = NULL, keep = NULL, append = TRUE,
             name = ".r", as.na = NULL, table = FALSE, check = TRUE)
```

Arguments

...	a numeric vector for reverse coding an item, matrix or data frame for reverse coding more than one item. Alternatively, an expression indicating the variable names in data e.g., <code>item.reverse(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a numeric vector or data frame for the argument ...
min	an integer indicating the minimum of the item (i.e., lowest possible scale value).
max	an integer indicating the maximum of the item (i.e., highest possible scale value).
keep	a numeric vector indicating values not to be reverse coded.
append	logical: if TRUE (default), recoded variable(s) are appended to the data frame specified in the argument data.
name	a character string or character vector indicating the names of the reverse coded item. By default, variables are named with the ending <code>".r"</code> resulting in e.g. <code>"x1.r"</code> and <code>"x2.r"</code> . Variable names can also be specified using a character vector matching the number of variables specified in ... (e.g., <code>name = c("reverse.x1", "reverse.x2")</code>).
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
table	logical: if TRUE, a cross table item x reverse coded item is printed on the console if only one variable is specified in ...
check	logical: if TRUE (default), argument specification is checked.

Details

If arguments `min` and/or `max` are not specified, empirical minimum and/or maximum is computed from the data Note, however, that reverse coding might fail if the lowest or highest possible scale value is not represented in the data That is, it is always preferable to specify the arguments `min` and `max`.

Value

Returns a numeric vector or data frame with the same length or same number of rows as ... containing the reverse coded scale item(s).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. New York: John Wiley & Sons.

See Also

[item.alpha](#), [item.omega](#), [rec](#), [item.scores](#)

Examples

```
dat <- data.frame(item1 = c(1, 5, 3, 1, 4, 4, 1, 5),
                 item2 = c(1, 1.3, 1.7, 2, 2.7, 3.3, 4.7, 5),
                 item3 = c(4, 2, 4, 5, 1, 3, 5, -99))

# Example 1a: Reverse code item1 and append to 'dat'
dat$item1r <- item.reverse(dat$item1, min = 1, max = 5)

# Example 1b: Alternative specification using the 'data' argument
item.reverse(item1, data = dat, min = 1, max = 5)

# Example 2: Reverse code item3 while keeping the value -99
dat$item3r <- item.reverse(dat$item3, min = 1, max = 5, keep = -99)

# Example 3: Reverse code item3 while keeping the value -99 and check recoding
dat$item3r <- item.reverse(dat$item3, min = 1, max = 5, keep = -99, table = TRUE)

# Example 4a: Reverse code item1, item2, and item 3 and attach to 'dat'
dat <- cbind(dat,
            item.reverse(dat[, c("item1", "item2", "item3")],
                        min = 1, max = 5, keep = -99))

# Example 4b: Alternative specification using the 'data' argument
item.reverse(item1:item3, data = dat, min = 1, max = 5, keep = -99)
```

item.scores

Compute Scale Scores

Description

This function computes (prorated) scale scores by averaging the (available) items that measure a single construct by default.

Usage

```
item.scores(..., data = NULL, fun = c("mean", "sum", "median", "var", "sd", "min", "max"),
            prorated = TRUE, p.avail = NULL, n.avail = NULL, append = TRUE,
            name = "scores", as.na = NULL, check = TRUE)
```

Arguments

...	a matrix or data frame with numeric vectors. Alternatively, an expression indicating the variable names in data e.g., <code>item.scores(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a matrix or data frame for the argument <code>...</code> .
fun	a character string indicating the function used to compute scale scores, default: "mean".
prorated	logical: if <code>TRUE</code> (default), prorated scale scores are computed (see 'Details'); if <code>FALSE</code> , scale scores of only complete cases are computed.
p.avail	a numeric value indicating the minimum proportion of available item responses needed for computing a prorated scale score for each case, e.g. <code>p.avail = 0.8</code> indicates that scale scores are only computed for cases with at least 80% of item responses available. By default prorated scale scores are computed for all cases with at least one item response. Note that either argument <code>p.avail</code> or <code>n.avail</code> is used to specify the proration criterion.
n.avail	an integer indicating the minimum number of available item responses needed for computing a prorated scale score for each case, e.g. <code>n.avail = 2</code> indicates that scale scores are only computed for cases with item responses on at least 2 items. By default prorated scale scores are computed for all cases with at least one item response. Note that either argument <code>p.avail</code> or <code>n.avail</code> is used to specify the proration criterion.
append	logical: if <code>TRUE</code> (default), a variable with scale scores is appended to the data frame specified in the argument <code>data</code> .
name	a character string indicating the names of the variable appended to the data frame specified in the argument <code>data</code> when <code>append = TRUE</code> . By default, the variable is named <code>scores</code> .
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to <code>NA</code> before conducting the analysis.
check	logical: if <code>TRUE</code> (default), argument specification is checked.

Details

Prorated mean scale scores are computed by averaging the available items, e.g., if a participant answers 4 out of 8 items, the prorated scale score is the average of the 4 responses. Averaging the available items is equivalent to substituting the mean of a participant's own observed items for each of the participant's missing items, i.e., *person mean imputation* (Mazza, Enders & Ruehlman, 2015) or *ipsative mean imputation* (Schafer & Graham, 2002).

Proration may be reasonable when (1) a relatively high proportion of the items (e.g., 0.8) and never fewer than half are used to form the scale score, (2) means of the items comprising a scale are similar and (3) the item-total correlations are similar (Enders, 2010; Graham, 2009; Graham, 2012). Results of simulation studies indicate that proration is prone to substantial bias when either the item means or the inter-item correlation vary (Lee, Bartholow, McCarthy, Pederson & Sher, 2014; Mazza et al., 2015).

Value

Returns a numeric vector with the same length as `nrow(x)` containing (prorated) scale scores.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Enders, C. K. (2010). *Applied missing data analysis*. New York, NY: Guilford Press.
- Graham, J. W. (2009). Missing data analysis: Making it work in the real world. *Annual Review of Psychology*, *60*, 549-576. <https://doi.org/10.1146/annurev.psych.58.110405.085530>
- Graham, J. W. (2012). *Missing data: Analysis and design*. New York, NY: Springer
- Lee, M. R., Bartholow, B. D., McCarhy, D. M., Pederson, S. L., & Sher, K. J. (2014). Two alternative approaches to conventional person-mean imputation scoring of the self-rating of the effects of alcohol scale (SRE). *Psychology of Addictive Behaviors*, *29*, 231-236. <https://doi.org/10.1037/adb0000015>
- Mazza, G. L., Enders, C. G., & Ruehlman, L. S. (2015). Addressing item-level missing data: A comparison of proration and full information maximum likelihood estimation. *Multivariate Behavioral Research*, *50*, 504-519. <https://doi.org/10.1080/00273171.2015.1068157>
- Schafer, J. L., & Graham, J. W. (2002). Missing data: Our view of the state of the art. *Psychological Methods*, *7*, 147-177. <https://doi.org/10.1037/1082-989X.7.2.147>

See Also

[cluster.scores](#), [item.alpha](#), [item.cfa](#), [item.omega](#),

Examples

```
dat <- data.frame(item1 = c(3, 2, 4, 1, 5, 1, 3, NA),
                 item2 = c(2, 2, NA, 2, 4, 2, NA, 1),
                 item3 = c(1, 1, 2, 2, 4, 3, NA, NA),
                 item4 = c(4, 2, 4, 4, NA, 2, NA, NA),
                 item5 = c(3, NA, NA, 2, 4, 3, NA, 3))

# Example 1a: Prorated mean scale scores
item.scores(dat)

# Example 1b: Alternative specification using the 'data' argument
item.scores(., data = dat)

# Example 2: Prorated standard deviation scale scores
```

```

item.scores(dat, fun = "sd")

# Example 3: Sum scale scores without proration
item.scores(dat, fun = "sum", prorated = FALSE)

# Example 4: Prorated mean scale scores,
# minimum proportion of available item responses = 0.8
item.scores(dat, p.avail = 0.8)

# Example 5: Prorated mean scale scores,
# minimum number of available item responses = 3
item.scores(dat, n.avail = 3)

```

lagged

Create Lagged Variables

Description

This function computes lagged values of variables by a specified number of observations. By default, the function returns lag-1 values of the vector, matrix, or data frame specified in the first argument.

Usage

```

lagged(..., data = NULL, id = NULL, obs = NULL, day = NULL, lag = 1, time = NULL,
       units = c("secs", "mins", "hours", "days", "weeks"), append = TRUE,
       name = ".lag", name.td = ".td", as.na = NULL, check = TRUE)

```

Arguments

...	a vector for computing a lagged values for a variable, matrix or data frame for computing lagged values for more than one variable. Note that the subject ID variable (<code>id</code>), observation number variable (<code>obs</code>), day number variable (<code>day</code>), and the date and time variable (<code>time</code>) are excluded from ... when specifying the argument the using the names of the variables. Alternatively, an expression indicating the variable names in <code>data</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
<code>data</code>	a data frame when specifying one or more variables in the argument Note that the argument is <code>NULL</code> when specifying a vector, matrix, or data frame for the argument
<code>id</code>	either a character string indicating the variable name of the subject ID variable in '...' or a vector representing the subject IDs, see 'Details'.
<code>obs</code>	either a character string indicating the variable name of the observation number variable in '...' or a vector representing the observations. Note that duplicated values within the same subject ID are not allowed, see 'Details'.

day	either a character string indicating the variable name of the day number variable in '...' or a vector representing the days, see 'Details'.
lag	a numeric value specifying the lag, e.g. lag = 1 (default) returns lag-1 values.
time	a variable of class POSIXct or POSIXlt representing the date and time of the observation used to compute time differences between observations.
units	a character string indicating the units in which the time difference is represented, i.e., "secs" for seconds, "mins" (default) for minutes, "hours" for hours, "days" for days, and "weeks" for weeks.
append	logical: if TRUE (default), lagged variable(s) are appended to the data frame specified in the argument data.
name	a character string or character vector indicating the names of the lagged variables. By default, lagged variables are named with the ending ".lag" resulting in e.g. "x1.lag" and "x2.lag" when specifying two variables. Variable names can also be specified using a character vector matching the number of variables specified in . . ., e.g. name = c("lag.x1", "lag.x2").
name.td	a character string or character vector indicating the names of the time difference variables when specifying a date and time variables for the argument time. By default, time difference variables are named with the ending ".td" resulting in e.g. "x1.td" and "x2.td" when specifying two variables. Variable names can also be specified using a character vector matching the number of variables specified in . . ., e.g. name = c("td.x1", "td.x2").
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that as.na() function is only applied to the argument x, but not to cluster.
check	logical: if TRUE (default), argument specification is checked.

Details

The function is used to create lagged versions of the variable(s) specified via the . . . argument:

If the `id` argument is not specified i.e., `id = NULL`, all observations are assumed to come from the same subject. If the dataset includes multiple subjects, then this variable needs to be specified so that observations are not lagged across subjects

Optional argument `day` If the `day` argument is not specified i.e., `day = NULL`, values of the variable to be lagged are allowed to be lagged across days in case there are multiple observation days.

Optional argument `obs` If the `obs` argument is not specified i.e., `obs = NULL`, consecutive observations from the same subjects are assumed to be one lag apart.

Value

Returns a numeric vector or data frame with the same length or same number of rows as . . . containing the lagged variable(s).

Note

This function is based on the `lagvar()` function in the **esmpack** package by Wolfgang Viechtbauer and Mihail Constantin (2023).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Viechtbauer W, Constantin M (2023). *esmpack: Functions that facilitate preparation and management of ESM/EMA data*. R package version 0.1-20.

See Also

[center](#), [rec](#), [coding](#), [item.reverse](#).

Examples

```
dat <- data.frame(subject = rep(1:2, each = 6),
                 day = rep(1:2, each = 3),
                 obs = rep(1:6, times = 2),
                 time = as.POSIXct(c("2024-01-01 09:01:00", "2024-01-01 12:05:00",
                                     "2024-01-01 15:14:00", "2024-01-02 09:03:00",
                                     "2024-01-02 12:21:00", "2024-01-02 15:03:00",
                                     "2024-01-01 09:02:00", "2024-01-01 12:09:00",
                                     "2024-01-01 15:06:00", "2024-01-02 09:02:00",
                                     "2024-01-02 12:15:00", "2024-01-02 15:06:00")),
                 pos = c(6, 7, 5, 8, NA, 7, 4, NA, 5, 4, 5, 3),
                 neg = c(2, 3, 2, 5, 3, 4, 6, 4, 6, 4, NA, 8))

# Example 1a: Lagged variable for 'pos'
lagged(dat$pos, id = dat$subject, day = dat$day)

# Example 1b: Alternative specification
lagged(dat[, c("pos", "subject", "day")], id = "subject", day = "day")

# Example 1c: Alternative specification using the 'data' argument
lagged(pos, data = dat, id = "subject", day = "day")

# Example 2a: Lagged variable for 'pos' and 'neg'
lagged(dat[, c("pos", "neg")], id = dat$subject, day = dat$day)

# Example 2b: Alternative specification using the 'data' argument
lagged(pos, neg, data = dat, id = "subject", day = "day")

# Example 3: Lag-2 variables for 'pos' and 'neg'
lagged(pos, neg, data = dat, id = "subject", day = "day", lag = 2)

# Example 4: Lagged variable and time difference variable
lagged(pos, neg, data = dat, id = "subject", day = "day", time = "time")

# Example 5: Lagged variables and time difference variables,
# name variables
lagged(pos, neg, data = dat, id = "subject", day = "day", time = "time",
       name = c("p.lag1", "n.lag1"), name.td = c("p.diff", "n.diff"))
```

```
# Example 6: NA observations excluded from the data frame
dat.excl <- dat[!is.na(dat$pos), ]

# Number of observation not taken into account, i.e.,
# - observation 4 used as lagged value for observation 6 for subject 1
# - observation 1 used as lagged value for observation 3 for subject 2
lagged(pos, data = dat.excl, id = "subject", day = "day")

# Number of observation taken into account by specifying the 'ob' argument
lagged(pos, data = dat.excl, id = "subject", day = "day", obs = "obs")
```

libraries

Load and Attach Multiple Packages

Description

This function loads and attaches multiple add-on packages at once.

Usage

```
libraries(..., install = FALSE, quiet = TRUE, check = TRUE, output = TRUE)
```

Arguments

...	the names of the packages to be loaded, given as names (e.g., <code>misty</code> , <code>lavaan</code> , <code>lme4</code>), or literal character strings (e.g., <code>"misty"</code> , <code>"lavaan"</code> , <code>"lme4"</code>), or character vector (e.g., <code>c("misty", "lavaan", "lme4")</code>).
<code>install</code>	logical: if TRUE, missing packages and dependencies are installed.
<code>quiet</code>	logical: if TRUE (default), startup messages when loading package are disabled.
<code>check</code>	logical: if TRUE, argument specification is checked.
<code>output</code>	logical: logical: if TRUE, output is shown on the console.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole.

See Also

[library](#), [require](#)

Examples

```
## Not run:
# Example 1: Load packages using the names of the packages
misty::libraries(misty, lme4, lmerTest)

# Example 2: Load packages using literal character strings
misty::libraries("misty", "lme4", "lmerTest")

# Example 3: Load packages using a character vector
misty::libraries(c("misty", "lme4", "lmerTest"))

# Example 4: Check packages, i.e., TRUE = all depends/imports/suggests installed
misty::libraries(misty, lme4, lmerTest, output = FALSE)$result$restab

# Example 5: Depends, FALSE = not installed, TRUE = installed
misty::libraries(misty, lme4, lmerTest, output = FALSE)$result$depends

# Example 6: Imports, FALSE = not installed, TRUE = installed
misty::libraries(misty, lme4, lmerTest, output = FALSE)$result$imports

# Example 6: Suggests, FALSE = not installed, TRUE = installed
misty::libraries(misty, lme4, lmerTest, output = FALSE)$result$suggests

## End(Not run)
```

mplus.lca

Mplus Model Specification for Latent Class Analysis

Description

This function writes Mplus input files for conducting latent class analysis (LCA) for continuous, count, ordered categorical, and unordered categorical variables. LCA with continuous indicator variables are based on six different variance-covariance structures, while LCA for all other variable types assume local independence. By default, the function conducts LCA with continuous variables and creates folders in the current working directory for each of the six sets of analysis, writes Mplus input files for conducting LCA with $k = 1$ to $k = 6$ classes into these folders, and writes the matrix or data frame specified in `x` into a Mplus data file in the current working directory. Optionally, all models can be estimated by setting the argument `run.mplus` to TRUE.

Usage

```
mplus.lca(x, ind = NULL,
          type = c("continuous", "count", "categorical", "nominal"), cluster = NULL,
          folder = c("A_Invariant-Theta_Diagonal-Sigma",
                    "B_Varying-Theta_Diagonal-Sigma",
                    "C_Invariant-Theta_Invariant-Unrestricted-Sigma",
                    "D_Invariant-Theta_Varying-Unrestricted-Sigma",
                    "E_Varying-Theta_Invariant-Unrestricted-Sigma",
```

```

    "F_Varying-Theta_Varying-Unrestricted-Sigma"),
  file = "Data_LCA.dat", write = c("all", "folder", "data", "input"),
  useobservations = NULL, missing = -99, classes = 6, estimator = "MLR",
  starts = c(100, 50), stiterations = 10, lrtbootstrap = 1000,
  lrtstarts = c(0, 0, 100, 50), processors = 8,
  output = c("all", "SVALUES", "CINTERVAL", "TECH7", "TECH8", "TECH11", "TECH14"),
  replace.inp = FALSE, run.mplus = FALSE, Mplus = "Mplus",
  replace.out = c("always", "never", "modifiedDate"), check = TRUE)

```

Arguments

x	a matrix or data frame. Note that all variable names must be no longer than 8 character.
ind	a character vector indicating the variables names of the latent class indicators in x.
type	a character string indicating the variable type of the latent class indicators, i.e., "continuous" (default) for continuous variables, "count" for count variables, "categorical" for binary or ordered categorical variables, and "nominal" for unordered categorical variables. Note that it is not possible to mix different variable types in the analysis.
cluster	a character string indicating the cluster variable in the matrix or data frame specified in x representing the nested grouping structure for computing cluster-robust standard errors. Note that specifying a cluster variables does not have any effect on the information criteria, but on the Vuong-Lo-Mendell-Rubin likelihood ratio test of model fit.
folder	a character vector with six character strings for specifying the names of the six folder representing different variance-covariance structures for conducting LCA with continuous indicator variables. There is only one folder for LCA with all other variable types which is called "LCA_1-x_Classes" with x being the maximum number of classes specified in the argument classes.
file	a character string naming the Mplus data file with or without the file extension '.dat', e.g., "Data_LCA.dat" (default) or "Data_LCA".
write	a character string or character vector indicating whether to create the six folders specified in the argument folder ("folder"), to write the matrix or data frame specified in x into a Mplus data file ("data"), and write the Mplus input files into the six folders specified in the argument folder ("input"). By default, the function creates the folders, writes the Mplus data file, and writes the Mplus input files into the folders.
useobservations	a character string indicating the conditional statement to select observations.
missing	a numeric value or character string representing missing values (NA) in the Mplus data set. This values or character string will be specified in the Mplus input file as MISSING IS ALL(missing). By default, -99 is used to represent missing values.
classes	an integer value specifying the maximum number of classes for the latent class analysis. By default, LCA with a maximum of 6 classes isspecified (i.e., $k = 1$ to $k = 6$).

estimator	a character string for specifying the ESTIMATOR option in Mplus. By default, the estimator "MLR" is used.
starts	a vector with two integer values for specifying the STARTS option in Mplus. The first number represents the number of random sets of starting values to generate in the initial stage and the second number represents the optimizations to use in the final stage. By default, 500 random sets of starting values are generated and 100 optimizations are carried out in the final stage.
stiterations	an integer value specifying the STITERATIONS option in Mplus. The numeric value represents the maximum number of iterations allowed in the initial stage. By default, 50 iterations are requested.
lrtbootstrap	an integer value for specifying the LRTBOOTSTRAP option in Mplus when requesting a parametric bootstrapped likelihood ratio test (i.e., output = "TECH14"). The value represents the number of bootstrap draws to be used in estimating the p -value of the parametric bootstrapped likelihood ratio test. By default, 1000 bootstrap draws are requested.
lrtstarts	a vector with four integer values for specifying the LRTSTARTS option in Mplus when requesting a parametric bootstrapped likelihood ratio test (i.e., output = "TECH14"). The values specify the number of starting values to use in the initial stage and the number of optimizations to use in the final stage for the $k - 1$ and k classes model when the data generated by bootstrap draws are analyzed. By default, 0 random sets of starting values in the initial stage and 0 optimizations in the final stage are used for the $k - 1$ classes model and 100 random sets of starting values in the initial stage and 50 optimizations in the final stage are used for the k class model.
processors	an integer value for specifying the PROCESSORS option in Mplus. The value specifies the number of processors and threads to be used for parallel computing to increase computational speed. By default, 8 processors and threads are used for parallel computing.
output	a character string or character vector specifying the TECH options in the OUTPUT section in Mplus, i.e., SVALUES to request input statements that contain parameter estimates from the analysis, CINTERVAL to request confidence intervals, TECH7 to request sample statistics for each class using raw data weighted by the estimated posterior probabilities for each class, TECH8 to request the optimization history in estimating the model, TECH11 to request the Lo-Mendell-Rubin likelihood ratio test of model fit, and TECH14 to request a parametric bootstrapped likelihood ratio test. By default, SVALUES and TECH11 are requested. Note that TECH11 is only available for the MLR estimator.
replace.inp	logical: if TRUE, all existing input files in the folder specified in the argument folder are replaced.
run.mplus	logical: if TRUE, all models in the folders specified in the argument folder are estimated by using the run.mplus function in the R package misty.
Mplus	a character string for specifying the name or path of the Mplus executable to be used for running models. This covers situations where Mplus is not in the system's path, or where one wants to test different versions of the Mplus program. Note that there is no need to specify this argument for most users since it has intelligent defaults.

replace.out	a character string for specifying three settings, i.e., "always" to run all models regardless of whether an output file for the model exists, "never" (default) to not run any model that has an existing output file, and "modifiedDate" to only runs a model if the modified date for the input file is more recent than the output file modified date.
check	logical: if TRUE (default), argument specification is checked.

Details

Latent class analysis (LCA) is a model-based clustering and classification method used to identify qualitatively different classes of observations which are unknown and must be inferred from the data. LCA can accommodate continuous, count, binary, ordered categorical, and unordered categorical indicators. LCA with continuous indicator variables are also known as latent profile analysis (LPA). In LPA, the within-profile variance-covariance structures represent different assumptions regarding the variance and covariance of the indicator variables both within and between latent profiles. As the best within-profile variance-covariance structure is not known a priori, all of the different structures must be investigated to identify the best model (Masyn, 2013). This function specifies six different variance-covariance structures labeled A to F (see Table 1 in Patterer et al, 2023):

Model A The within-profile variance is constrained to be profile-invariant and covariances are constrained to be 0 in all profiles (i.e., equal variances across profiles and no covariances among indicator variables). This is the default setting in Mplus.

Model B The within-profile variance is profile-varying and covariances are constrained to be 0 in all profiles (i.e., unequal variances across profiles and no covariances among indicator variables).

Model C The within-profile variance is constrained to be profile-invariant and covariances are constrained to be equal in all profiles (i.e., equal variances and covariances across profiles).

Model D The within-profile variance is constrained to be profile-invariant and covariances are profile-varying (i.e., equal variances across profiles and unequal covariances across profiles).

Model E The within-profile variances are profile-varying and covariances are constrained to be equal in all profiles (i.e., unequal variances across profiles and equal covariances across profiles).

Model F The within-class variance and covariances are both profile-varying (i.e., unequal variances and covariances across profiles).

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
x	matrix or data frame specified in the argument x
args	specification of function arguments
result	list with six entries for each of the variance-covariance structures and Mplus inputs based on different number of profiles in case of continuous indicators or list of Mplus inputs based on different number of classes in case of count, ordered or unordered categorical indicators.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Masyn, K. E. (2013). Latent class analysis and finite mixture modeling. In T. D. Little (Ed.), *The Oxford handbook of quantitative methods: Statistical analysis* (pp. 551–611). Oxford University Press.

Muthen, L. K., & Muthen, B. O. (1998-2017). *Mplus User's Guide* (8th ed.). Muthen & Muthen.

Patterer, A. S., Yanagida, T., Kühnel, J., & Korunka, C. (2023). Daily receiving and providing of social support at work: Identifying support exchange patterns in hierarchical data. *Journal of Work and Organizational Psychology*, 32(4), 489-505. <https://doi.org/10.1080/1359432X.2023.2177537>

See Also

[result.lca](#), [run.mplus](#), [read.mplus](#), [write.mplus](#)

Examples

```
## Not run:
# Load data set "HolzingerSwineford1939" in the lavaan package
data("HolzingerSwineford1939", package = "lavaan")

#-----
# Example 1: LCA with k = 1 to k = 8 profiles, continuous indicators
# Input statements that contain parameter estimates
# Vuong-Lo-Mendell-Rubin LRT and bootstrapped LRT
mplus.lca(HolzingerSwineford1939, ind = c("x1", "x2", "x3", "x4"),
          classes = 8, output = c("SVALUES", "TECH11", "TECH14"))

#-----
# Example 22: LCA with k = 1 to k = 6 profiles, ordered categorical indicators
# Select observations with ageyr <= 13
# Estimate all models in Mplus
mplus.lca(round(HolzingerSwineford1939[, -5]), ind = c("x1", "x2", "x3", "x4"),
          type = "categorical", useobservations = "ageyr <= 13",
          run.mplus = TRUE)

## End(Not run)
```

Description

This function is a wrapper function for conducting multilevel confirmatory factor analysis to investigate four types of constructs, i.e., within-cluster constructs, shared cluster-level constructs, configural cluster constructs, and simultaneous shared and configural cluster constructs by calling the `cfa` function in the R package **lavaan**.

Usage

```
multilevel.cfa(..., data = NULL, cluster, model = NULL, rescov = NULL,
  model.w = NULL, model.b = NULL, rescov.w = NULL, rescov.b = NULL,
  const = c("within", "shared", "config", "shareconf"),
  fix.resid = NULL, ident = c("marker", "var", "effect"),
  ls.fit = TRUE, estimator = c("ML", "MLR"),
  optim.method = c("nlminb", "em"), missing = c("listwise", "fiml"),
  print = c("all", "summary", "coverage", "descript", "fit", "est",
    "modind", "resid"),
  mod.minval = 6.63, resid.minval = 0.1, digits = 3, p.digits = 3,
  as.na = NULL, write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

`...` a matrix or data frame. If `model`, `model.w`, and `model.b` are `NULL`, multilevel confirmatory factor analysis based on a measurement model with one factor labeled `wf` at the Within level and one factor labeled `bf` at the Between level comprising all variables in the matrix or data frame is conducted. Note that the cluster variable specified in `cluster` is excluded from `...` when specifying the argument `cluster` using the variable name of the cluster variable. If `model` or `model.w` and `model.b` is specified, the matrix or data frame needs to contain all variables used in the `model` argument(s). Alternatively, an expression indicating the variable names in `data`. Note that the operators `.`, `+`, `-`, `~`, `:`, `::`, and `!` can also be used to select variables, see 'Details' in the [df.subset](#) function.

`data` a data frame when specifying one or more variables in the argument `...`. Note that the argument is `NULL` when specifying a matrix or data frame for the argument `...`.

`cluster` either a character string indicating the variable name of the cluster variable in `...` or `data`, or a vector representing the nested grouping structure (i.e., group or cluster variable).

`model` a character vector for specifying the same factor structure with one factor at the Within and Between Level, or a list of character vectors for specifying the same measurement model with more than one factor at the Within and Between Level, e.g., `model = c("x1", "x2", "x3", "x4")` for specifying a measurement model with one factor labeled `wf` at the Within level and a measurement model with one factor labeled `bf` at the Between level each comprising four indicators, or `model = list(factor1 = c("x1", "x2", "x3", "x4"), factor2 = c("x5", "x6", "x7", "x8"))` for specifying a measurement model with two latent factors labeled `wfactor1` and `wfactor2` at the Within level and a measurement model with two latent factors labeled `bfactor1` and `bfactor2` at the Between level each comprising four indicators. Note that the name of each list element is used to label factors, where prefixes `w` and `b` are added the labels to distinguish factor labels at the Within and Between level, i.e., all list elements need to be named, otherwise factors are labeled with `"wf1"`, `"wf2"`, `"wf3"` for labels at the Within level and `"bf1"`, `"bf2"`, `"bf3"` for labels at the Between level and so on.

rescov	a character vector or a list of character vectors for specifying residual covariances at the Within level, e.g. <code>rescov = c("x1", "x2")</code> for specifying a residual covariance between indicators x1 and x2 at the Within level or <code>rescov = list(c("x1", "x2"), c("x3", "x4"))</code> for specifying residual covariances between indicators x1 and x2, and indicators x3 and x4 at the Within level. Note that residual covariances at the Between level can only be specified by using the arguments <code>model.w</code> , <code>model.b</code> , and <code>model.b</code> .
model.w	a character vector specifying a measurement model with one factor at the Within level, or a list of character vectors for specifying a measurement model with more than one factor at the Within level.
model.b	a character vector specifying a measurement model with one factor at the Between level, or a list of character vectors for specifying a measurement model with more than one factor at the Between level.
rescov.w	a character vector or a list of character vectors for specifying residual covariances at the Within level.
rescov.b	a character vector or a list of character vectors for specifying residual covariances at the Between level.
const	a character string indicating the type of construct(s), i.e., "within" for within-cluster constructs, "shared" for shared cluster-level constructs, "config" (default) for configural cluster constructs, and "shareconf" for simultaneous shared and configural cluster constructs.
fix.resid	a character vector for specifying residual variances to be fixed at 0 at the Between level, e.g., <code>fix.resid = c("x1", "x3")</code> to fix residual variances of indicators x1 and x2 at the Between level at 0. Note that it is also possible to specify <code>fix.resid = "all"</code> which fixes all residual variances at the Between level at 0 in line with the strong factorial measurement invariance assumption across cluster.
ident	a character string indicating the method used for identifying and scaling latent variables, i.e., "marker" for the marker variable method fixing the first factor loading of each latent variable to 1, "var" for the fixed variance method fixing the variance of each latent variable to 1, or "effect" for the effects-coding method using equality constraints so that the average of the factor loading for each latent variable equals 1.
ls.fit	logical: if TRUE (default) level-specific fit indices are computed when specifying a model using the arguments <code>model.w</code> and <code>model.b</code> given the model does not contain any cross-level equality constraints.
estimator	a character string indicating the estimator to be used: "ML" for maximum likelihood with conventional standard errors and "MLR" (default) for maximum likelihood with Huber-White robust standard errors and a scaled test statistic that is asymptotically equal to the Yuan-Bentler test statistic. Note that by default, full information maximum likelihood (FIML) method is used to deal with missing data when using "ML" (<code>missing = "fiml"</code>), whereas incomplete cases are removed listwise (i.e., <code>missing = "listwise"</code>) when using "MLR".
optim.method	a character string indicating the optimizer, i.e., "nllminb" (default) for the unconstrained and bounds-constrained quasi-Newton method optimizer and "em" for the Expectation Maximization (EM) algorithm.

missing	a character string indicating how to deal with missing data, i.e., "listwise" (default) for listwise deletion or "fiml" for full information maximum likelihood (FIML) method. Note that FIML method is only available when estimator = "ML", that it takes longer to estimate the model using FIML, and that FIML is prone to convergence issues which might be resolved by switching to listwise deletion.
print	a character string or character vector indicating which results to show on the console, i.e. "all" for all results, "summary" for a summary of the specification of the estimation method and missing data handling in lavaan, "coverage" for the variance-covariance coverage of the data, "descript" for descriptive statistics, "fit" for model fit, "est" for parameter estimates, and "modind" for modification indices. By default, a summary of the specification, descriptive statistics, model fit, and parameter estimates are printed.
mod.minval	numeric value to filter modification indices and only show modifications with a modification index value equal or higher than this minimum value. By default, modification indices equal or higher 6.63 are printed. Note that a modification index value of 6.63 is equivalent to a significance level of $\alpha = .01$.
resid.minval	numeric value indicating the minimum absolute residual correlation coefficients and standardized means to highlight in boldface. By default, absolute residual correlation coefficients and standardized means equal or higher 0.1 are highlighted. Note that highlighting can be disabled by setting the minimum value to 1.
digits	an integer value indicating the number of decimal places to be used for displaying results. Note that loglikelihood, information criteria and chi-square test statistic is printed with digits minus 1 decimal places.
p.digits	an integer value indicating the number of decimal places to be used for displaying the p -value.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that as.na() function is only applied to x but not to cluster.
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification, convergence and model identification is checked.
output	logical: if TRUE (default), output is shown.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis

data	data frame used for the current analysis
args	specification of function arguments
model	specified model
model.fit	fitted lavaan object (mod.fit)
check	results of the convergence and model identification check
result	list with result tables, i.e., summary for the summary of the specification of the estimation method and missing data handling in lavaan, coverage for the variance-covariance coverage of the data, <code>descript</code> for descriptive statistics, <code>fit</code> for model fit, <code>est</code> for parameter estimates, and <code>modind</code> for modification indices.

Note

The function uses the functions `cfa`, `lavInspect`, `lavTech`, `modindices`, `parameterEstimates`, and `standardizedsolution` provided in the R package **lavaan** by Yves Rosseel (2012).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rosseel, Y. (2012). lavaan: An R Package for Structural Equation Modeling. *Journal of Statistical Software*, 48, 1-36. <https://doi.org/10.18637/jss.v048.i02>

See Also

[item.cfa](#), [multilevel.fit](#), [multilevel.invar](#), [multilevel.omega](#), [multilevel.cor](#), [multilevel.descript](#)

Examples

```
## Not run:
## Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

#-----
# Model specification using 'x' for a one-factor model
# with the same factor structure with one factor at the Within and Between Level

#.....
# Cluster variable specification

# Example 1a: Cluster variable 'cluster' in 'x'
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4", "cluster")], cluster = "cluster")

# Example 1b: Cluster variable 'cluster' not in 'x'
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster)

# Example 1c: Alternative specification using the 'data' argument
multilevel.cfa(y1:y4, data = Demo.twolevel, cluster = "cluster")
```

```

#.....
# Type of construct

# Example 2a: Within-cluster constructs
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
               const = "within")

# Example 2b: Shared cluster-level construct
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
               const = "shared")

# Example 2c: Configural cluster construct (default)
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
               const = "config")

# Example 2d: Simultaneous shared and configural cluster construct
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
               const = "shareconf")

#.....
# Residual covariances at the Within level

# Example 3a: Residual covariance between 'y1' and 'y3'
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
               rescov = c("y1", "y3"))

# Example 3b: Residual covariance between 'y1' and 'y3', and 'y2' and 'y4'
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
               rescov = list(c("y1", "y3"), c("y2", "y4")))

#.....
# Residual variances at the Between level fixed at 0

# Example 4a: All residual variances fixed at 0
# i.e., strong factorial invariance across clusters
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
               fix.resid = "all")

# Example 4b: Residual variances of 'y1', 'y2', and 'y4' fixed at 0
# i.e., partial strong factorial invariance across clusters
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
               fix.resid = c("y1", "y2", "y4"))

#.....
# Print all results

# Example 5: Set minimum value for modification indices to 1
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
               print = "all", mod.minval = 1)

#.....
# Example 6: lavaan model and summary of the estimated model

```

```

mod <- multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
  output = FALSE)

# lavaan model syntax
cat(mod$model)

# Fitted lavaan object
lavaan::summary(mod$model.fit, standardized = TRUE, fit.measures = TRUE)

#.....
# Write results

# Example 7a: Assign results into an object and write results into an Excel file
mod <- multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
  print = "all", write = "Multilevel_CFA.txt", output = FALSE)

# Example 7b: Assign results into an object and write results into an Excel file
mod <- multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
  print = "all", output = FALSE)

# Write results into an Excel file
write.result(mod, "Multilevel_CFA.xlsx")

# Estimate model and write results into an Excel file
multilevel.cfa(Demo.twolevel[, c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster,
  print = "all", write = "Multilevel_CFA.xlsx")

#-----
# Model specification using 'model' for one or multiple factor model
# with the same factor structure at the Within and Between Level

# Example 8a: One-factor model
multilevel.cfa(Demo.twolevel, cluster = "cluster", model = c("y1", "y2", "y3", "y4"))

# Example 8b: Two-factor model
multilevel.cfa(Demo.twolevel, cluster = "cluster",
  model = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")))

# Example 8c: Two-factor model with user-specified labels for the factors
multilevel.cfa(Demo.twolevel, cluster = "cluster",
  model = list(factor1 = c("y1", "y2", "y3"), factor2 = c("y4", "y5", "y6")))

#.....
# Type of construct

# Example 9a: Within-cluster constructs
multilevel.cfa(Demo.twolevel, cluster = "cluster", const = "within",
  model = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")))

# Example 9b: Shared cluster-level construct
multilevel.cfa(Demo.twolevel, cluster = "cluster", const = "shared",
  model = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")))

```

```

# Example 9c: Configural cluster construct (default)
multilevel.cfa(Demo.twolevel, cluster = "cluster", const = "config",
              model = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")))

# Example 9d: Simultaneous shared and configural cluster construct
multilevel.cfa(Demo.twolevel, cluster = "cluster", const = "shareconf",
              model = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")))

#.....
# Residual covariances at the Within level

# Example 10a: Residual covariance between 'y1' and 'y4' at the Within level
multilevel.cfa(Demo.twolevel, cluster = "cluster",
              model = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")),
              rescov = c("y1", "y4"))

# Example 10b: Fix all residual variances at 0
# i.e., strong factorial invariance across clusters
multilevel.cfa(Demo.twolevel, cluster = "cluster",
              model = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")),
              fix.resid = "all")

#-----
# Model specification using 'model.w' and 'model.b' for one or multiple factor model
# with different factor structure at the Within and Between Level

# Example 11a: Two-factor model at the Within level and one-factor model at the Between level
multilevel.cfa(Demo.twolevel, cluster = "cluster",
              model.w = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")),
              model.b = c("y1", "y2", "y3", "y4", "y5", "y6"))

# Example 11b: Residual covariance between 'y1' and 'y4' at the Within level
# Residual covariance between 'y5' and 'y6' at the Between level
multilevel.cfa(Demo.twolevel, cluster = "cluster",
              model.w = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")),
              model.b = c("y1", "y2", "y3", "y4", "y5", "y6"),
              rescov.w = c("y1", "y4"),
              rescov.b = c("y5", "y6"))

## End(Not run)

```

multilevel.cor

Within-Group and Between-Group Correlation Matrix

Description

This function is a wrapper function for computing the within-group and between-group correlation matrix by calling the `sem` function in the R package **lavaan** and provides standard errors, z test statistics, and significance values (*p*-values) for testing the hypothesis $H_0: \rho = 0$ for all pairs of variables within and between groups.

Usage

```
multilevel.cor(..., data = NULL, cluster, within = NULL, between = NULL,
  estimator = c("ML", "MLR"), optim.method = c("nlminb", "em"),
  missing = c("listwise", "fiml"), sig = FALSE, alpha = 0.05,
  print = c("all", "cor", "se", "stat", "p"), split = FALSE,
  order = FALSE, tri = c("both", "lower", "upper"), tri.lower = TRUE,
  p.adj = c("none", "bonferroni", "holm", "hochberg", "hommel",
    "BH", "BY", "fdr"), digits = 2, p.digits = 3,
  as.na = NULL, write = NULL, append = TRUE, check = TRUE,
  output = TRUE)
```

Arguments

...	a matrix or data frame. Alternatively, an expression indicating the variable names in data e.g., <code>multilevel.cor(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a matrix or data frame for the argument <code>...</code> .
cluster	either a character string indicating the variable name of the cluster variable in <code>...</code> or data, or a vector representing the nested grouping structure (i.e., group or cluster variable).
within	a character vector representing variables that are measured on the within level and modeled only on the within level. Variables not mentioned in <code>within</code> or <code>between</code> are measured on the within level and will be modeled on both the within and between level.
between	a character vector representing variables that are measured on the between level and modeled only on the between level. Variables not mentioned in <code>within</code> or <code>between</code> are measured on the within level and will be modeled on both the within and between level.
estimator	a character string indicating the estimator to be used: <code>"ML"</code> (default) for maximum likelihood with conventional standard errors and <code>"MLR"</code> for maximum likelihood with Huber-White robust standard errors. Note that by default, full information maximum likelihood (FIML) method is used to deal with missing data when using <code>"ML"</code> (<code>missing = "fiml"</code>), whereas incomplete cases are removed listwise (i.e., <code>missing = "listwise"</code>) when using <code>"MLR"</code> .
optim.method	a character string indicating the optimizer, i.e., <code>nlminb</code> (default) for the unconstrained and bounds-constrained quasi-Newton method optimizer and <code>"em"</code> for the Expectation Maximization (EM) algorithm.
missing	a character string indicating how to deal with missing data, i.e., <code>"listwise"</code> for listwise deletion or <code>"fiml"</code> (default) for full information maximum likelihood (FIML) method. Note that FIML method is only available when <code>estimator = "ML"</code> . Note that it takes longer to estimate the model when using FIML and using FIML might cause issues in model convergence, these issues might be resolved by switching to listwise deletion.

<code>sig</code>	logical: if TRUE, statistically significant correlation coefficients are shown in boldface on the console.
<code>alpha</code>	a numeric value between 0 and 1 indicating the significance level at which correlation coefficients are printed boldface when <code>sig = TRUE</code> .
<code>print</code>	a character string or character vector indicating which results to show on the console, i.e. "all" for all results, "cor" for correlation coefficients, "se" for standard errors, "stat" for z test statistics, and "p" for <i>p</i> -values.
<code>split</code>	logical: if TRUE, output table is split in within-group and between-group correlation matrix.
<code>order</code>	logical: if TRUE, variables in the output table are ordered, so that variables specified in the argument between are shown first.
<code>tri</code>	a character string indicating which triangular of the matrix to show on the console when <code>split = TRUE</code> , i.e., both for upper and upper for the upper triangular.
<code>tri.lower</code>	logical: if TRUE (default) and <code>split = FALSE</code> (default), within-group correlations are shown in the lower triangular and between-group correlation are shown in the upper triangular.
<code>p.adj</code>	a character string indicating an adjustment method for multiple testing based on <code>p.adjust</code> , i.e., none (default), bonferroni, holm, hochberg, hommel, BH, BY, or <code>fdr</code> .
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying correlation coefficients.
<code>p.digits</code>	an integer value indicating the number of decimal places to be used for displaying <i>p</i> -values.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>x</code> but not to <code>cluster</code> .
<code>write</code>	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.

Details

The specification of the within-group and between-group variables is in line with the syntax in Mplus. That is, the `within` argument is used to identify the variables in the matrix or data frame specified in `x` that are measured on the individual level and modeled only on the within level. They are specified to have no variance in the between part of the model. The `between` argument is used to identify the variables in the matrix or data frame specified in `x` that are measured on the cluster level and modeled only on the between level. Variables not mentioned in the arguments `within` or `between` are measured on the individual level and will be modeled on both the within and between level.

The function uses maximum likelihood estimation with conventional standard errors (`estimator = "ML"`) which are not robust against non-normality and full information maximum likelihood (FIML) method (`missing = "fiml"`) to deal with missing data by default. FIML method cannot be used when within-group variables have no variance within some clusters. In this cases, the function will switch to listwise deletion. Note that the current lavaan version 0.6-11 supports FIML method only for maximum likelihood estimation with conventional standard errors (`estimator = "ML"`) in multilevel models. Maximum likelihood estimation with Huber-White robust standard errors (`estimator = "MLR"`) uses listwise deletion to deal with missing data. When using FIML method there might be issues in model convergence, which might be resolved by switching to listwise deletion (`missing = "listwise"`).

The lavaan package uses a quasi-Newton optimization method (`"nlmminb"`) by default. If the optimizer does not converge, model estimation will switch to the Expectation Maximization (EM) algorithm.

Statistically significant correlation coefficients can be shown in boldface on the console when specifying `sig = TRUE`. However, this option is not supported when using R Markdown, i.e., the argument `sig` will switch to `FALSE`.

Adjustment method for multiple testing when specifying the argument `p.adj` is applied to the within-group and between-group correlation matrix separately.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	data frame specified in <code>x</code> including the group variable specified in <code>cluster</code>
<code>args</code>	specification of function arguments
<code>model.fit</code>	fitted lavaan object (<code>mod.fit</code>)
<code>result</code>	list with result tables, i.e., <code>summary</code> for the specification of the estimation method and missing data handling in lavaan, <code>wb.cor</code> for the within- and between-group correlations, <code>wb.se</code> for the standard error of the within- and between-group correlations, <code>wb.stat</code> for the test statistic of within- and between-group correlations, <code>wb.p</code> for the significance value of the within- and between-group correlations, <code>with.cor</code> for the within-group correlations, <code>with.se</code> for the standard error of the within-group correlations, <code>with.stat</code> for the test statistic of within-group correlations, <code>with.p</code> for the significance value of the within-group correlations, <code>betw.cor</code> for the between-group correlations, <code>betw.se</code> for the standard error of the between-group correlations, <code>betw.stat</code> for the test statistic of between-group correlations, <code>betw.p</code> for the significance value of the between-group correlations

Note

The function uses the functions `sem`, `lavInspect`, `lavMatrixRepresentation`, `lavTech`, `parameterEstimates`, and `standardizedsolution` provided in the R package **lavaan** by Yves Rosseel (2012).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Hox, J., Moerbeek, M., & van de Schoot, R. (2018). *Multilevel analysis: Techniques and applications* (3rd. ed.). Routledge.

Snijders, T. A. B., & Bosker, R. J. (2012). *Multilevel analysis: An introduction to basic and advanced multilevel modeling* (2nd ed.). Sage Publishers.

See Also

[write.result](#), [multilevel.descript](#), [multilevel.icc](#), [cluster.scores](#)

Examples

```
## Not run:
# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

#-----
# Cluster variable specification

# Example 1a: Cluster variable 'cluster' in 'x'
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3", "cluster")], cluster = "cluster")

# Example 1b: Cluster variable 'cluster' not in 'x'
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3")], cluster = Demo.twolevel$cluster)

# Example 1c: Alternative specification using the 'data' argument
multilevel.cor(x1:x3, data = Demo.twolevel, cluster = "cluster")

#-----
# Example 2: All variables modeled on both the within and between level
# Highlight statistically significant result at alpha = 0.05
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3")], sig = TRUE,
               cluster = Demo.twolevel$cluster)

# Example 3: Split output table in within-group and between-group correlation matrix.
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3")],
               cluster = Demo.twolevel$cluster, split = TRUE)

# Example 4: Print correlation coefficients, standard errors, z test statistics,
# and p-values
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3")],
               cluster = Demo.twolevel$cluster, print = "all")

# Example 5: Print correlation coefficients and p-values
# significance values with Bonferroni correction
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3")],
               cluster = Demo.twolevel$cluster, print = c("cor", "p"),
```

```

p.adj = "bonferroni")

#-----
# Example 6: Variables "y1", "y2", and "y3" modeled on both the within and between level
# Variables "w1" and "w2" modeled on the cluster level
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3", "w1", "w2")],
               cluster = Demo.twolevel$cluster,
               between = c("w1", "w2"))

# Example 7: Show variables specified in the argument 'between' first
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3", "w1", "w2")],
               cluster = Demo.twolevel$cluster,
               between = c("w1", "w2"), order = TRUE)

#-----
# Example 8: Variables "y1", "y2", and "y3" modeled only on the within level
# Variables "w1" and "w2" modeled on the cluster level
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3", "w1", "w2")],
               cluster = Demo.twolevel$cluster,
               within = c("y1", "y2", "y3"), between = c("w1", "w2"))

#-----
# Example 9: lavaan model and summary of the multilevel model used to compute the
# within-group and between-group correlation matrix

mod <- multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3")],
                    cluster = Demo.twolevel$cluster, output = FALSE)

# lavaan model syntax
mod$model

# Fitted lavaan object
lavaan::summary(mod$model.fit, standardized = TRUE)

#-----
# Write Results

# Example 10a: Write results into a text file
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3")],
               cluster = Demo.twolevel$cluster,
               write = "Multilevel_Correlation.txt")

# Example 10b: Write results into an Excel file
multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3")],
               cluster = Demo.twolevel$cluster,
               write = "Multilevel_Correlation.xlsx")

result <- multilevel.cor(Demo.twolevel[, c("y1", "y2", "y3")],
                       cluster = Demo.twolevel$cluster, output = FALSE)
write.result(result, "Multilevel_Correlation.xlsx")

## End(Not run)

```

multilevel.descript *Multilevel Descriptive Statistics for Two-Level and Three-Level Data*

Description

This function computes descriptive statistics for two-level and three-level multilevel data, e.g. average cluster size, variance components, intraclass correlation coefficient, design effect, and effective sample size.

Usage

```
multilevel.descript(..., data = NULL, cluster, type = c("1a", "1b"),
  method = c("aov", "lme4", "nlme"),
  print = c("all", "var", "sd"), REML = TRUE, digits = 2,
  icc.digits = 3, as.na = NULL, write = NULL, append = TRUE,
  check = TRUE, output = TRUE)
```

Arguments

...	a numeric vector, matrix, or data frame. Alternatively, an expression indicating the variable names in data e.g., <code>multilevel.descript(x1, x2, x3, data = dat, cluster = "cluster")</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a numeric vector, matrix, or data frame for the argument <code>...</code> .
cluster	a character string indicating the name of the cluster variable in <code>...</code> or data for two-level data, a character vector indicating the names of the cluster variables in <code>...</code> for three-level data, or a vector or data frame representing the nested grouping structure (i.e., group or cluster variables). Alternatively, a character string or character vector indicating the variable name(s) of the cluster variable(s) in data. Note that the cluster variable at Level 3 come first in a three-level model, i.e., <code>cluster = c("level3", "level2")</code> .
type	a character string indicating the type of intraclass correlation coefficient, i.e., <code>type = "1a"</code> (default) for ICC(1) representing the proportion of variance at Level 2 and Level 3, <code>type = "1b"</code> representing an estimate of the expected correlation between two randomly chosen elements in the same group when specifying a three-level model (i.e., two cluster variables). See 'Details' in the multilevel.icc function for the formula used in this function.
method	a character string indicating the method used to estimate intraclass correlation coefficients, i.e., <code>"aov"</code> ICC estimated using the <code>aov</code> function, <code>"lme4"</code> (default) ICC estimated using the <code>lmer</code> function in the lme4 package, <code>"nlme"</code> ICC estimated using the <code>lme</code> function in the nlme package.
print	a character string or character vector indicating which results to show on the console, i.e. <code>"all"</code> for variances and standard deviations, <code>"var"</code> (default) for variances, or <code>"sd"</code> for standard deviations within and between clusters.

REML	logical: if TRUE (default), restricted maximum likelihood is used to estimate the null model when using the <code>lmer()</code> function in the lme4 package or the <code>lme()</code> function in the nlme package.
digits	an integer value indicating the number of decimal places to be used.
icc.digits	an integer indicating the number of decimal places to be used for displaying intraclass correlation coefficients.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>...</code> but not to <code>cluster</code> .
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension ".txt" specified in <code>write</code> , if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

Two-Level Model In a two-level model, the intraclass correlation coefficients, design effect, and the effective sample size are computed based on the random intercept-only model:

$$Y_{ij} = \gamma_{00} + u_{0j} + r_{ij}$$

where the variance in Y is decomposed into two independent components: $\sigma_{u_0}^2$, which represents the variance at Level 2, and σ_r^2 , which represents the variance at Level 1 (Hox et al., 2018). For the computation of the intraclass correlation coefficients, see 'Details' in the `multilevel.icc` function. The design effect represents the effect of cluster sampling on the variance of parameter estimation and is defined by the equation

$$def f = \left(\frac{SE_{Cluster}}{SE_{Simple}} \right)^2 = 1 + \rho(J - 1)$$

where $SE_{Cluster}$ is the standard error under cluster sampling, SE_{Simple} is the standard error under simple random sampling, ρ is the intraclass correlation coefficient, ICC(1), and J is the average cluster size. The effective sample size is defined by the equation:

$$N_{effective} = \frac{N_{total}}{def f}$$

The effective sample size $N_{effective}$ represents the equivalent total sample size that we should use in estimating the standard error (Snijders & Bosker, 2012).

Three-Level Model In a three-level model, the intraclass correlation coefficients, design effect, and the effective sample size are computed based on the random intercept-only model:

$$Y_{ijk} = \gamma_{000} + v_{0k} + u_{0jk} + r_{ijk}$$

where the variance in Y is decomposed into three independent components: $\sigma_{v_0}^2$, which represents the variance at Level 3, $\sigma_{u_0}^2$, which represents the variance at Level 2, and σ_r^2 , which represents the variance at Level 1 (Hox et al., 2018). For the computation of the intraclass correlation coefficients, see 'Details' in the `multilevel.icc` function. The design effect represents the effect of cluster sampling on the variance of parameter estimation and is defined by the equation

$$deff = \left(\frac{SE_{Cluster}}{SE_{Simple}} \right)^2 = 1 + \rho_{L2}(J - 1) + \rho_{L3}(JK - 1)$$

where ρ_{L2} is the ICC(1) at Level 2, ρ_{L3} is the ICC(1) at Level 3, J is the average cluster size at Level 2, and K is the average cluster size at Level 3.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	data frame specified in . . . including the cluster variable(s) specified in <code>cluster</code>
<code>args</code>	specification of function arguments
<code>model.fit</code>	fitted lavaan object (<code>mod.fit</code>)
<code>result</code>	list with result tables, i.e., <code>no.obs</code> for the number of observations, <code>no.no.miss</code> for the number of missing value, <code>no.cluster.l2</code> and <code>no.cluster.l3</code> for the number of clusters at Level 2 and/or Level 3, <code>m.cluster.size.l2</code> and <code>m.cluster.size.l3</code> for the average cluster size at Level 2 and/or Level 3, <code>sd.cluster.size.l2</code> and <code>sd.cluster.size.l3</code> for the standard deviation of the cluster size at Level 2 and/or Level 3, <code>min.cluster.size.l2</code> <code>min.cluster.size.l3</code> for the minimum cluster size at Level 2 and/or Level 3, <code>max.cluster.size.l2</code> <code>max.cluster.size.l3</code> for the maximum cluster size at Level 2 and/or Level 3, <code>mean.x</code> for the intercept of the multilevel model, <code>var.r</code> for the variance within clusters, <code>var.u</code> for the variance between Level 2 clusters, <code>var.b</code> for the variance between Level 3 clusters, <code>icc1.l2</code> and <code>icc1.l3</code> for ICC(1) at Level 2 and/or Level 3, <code>icc2.l2</code> and <code>icc2.l3</code> for ICC(2) at Level 2 and/or Level 3, <code>deff</code> for the design effect, <code>deff.sqrt</code> for the square root of the design effect, <code>n.effect</code> for the effective sample size

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Hox, J., Moerbeek, M., & van de Schoot, R. (2018). *Multilevel analysis: Techniques and applications* (3rd. ed.). Routledge.
- Snijders, T. A. B., & Bosker, R. J. (2012). *Multilevel analysis: An introduction to basic and advanced multilevel modeling* (2nd ed.). Sage Publishers.


```

#.....
# Cluster variable specification

# Example 7a: Cluster variables 'cluster' in '...'
multilevel.descript(Demo.threelevel[, c("y1", "cluster3", "cluster2")],
                    cluster = c("cluster3", "cluster2"))

# Example 7b: Cluster variables 'cluster' not in '...'
multilevel.descript(Demo.threelevel$y1, cluster = Demo.threelevel[, c("cluster3", "cluster2")])

# Example 7c: Alternative specification using the 'data' argument
multilevel.descript(y1, data = Demo.threelevel, cluster = c("cluster3", "cluster2"))

#-----

# Example 8: Multilevel descriptive statistics for 'y1', 'y2', 'y3', 'w1', and 'w2'
multilevel.descript(y1:y3, w1, w2, data = Demo.threelevel, cluster = c("cluster3", "cluster2"))

#-----

# Write Results

# Example 9a: Write results into a Excel file
multilevel.descript(Demo.twolevel[, c("y1", "y2", "y3", "w1", "w2")],
                    cluster = Demo.twolevel$cluster, write = "Multilevel_Descript.txt")

# Example 9b: Write results into a Excel file
multilevel.descript(Demo.twolevel[, c("y1", "y2", "y3", "w1", "w2")],
                    cluster = Demo.twolevel$cluster, write = "Multilevel_Descript.xlsx")

result <- multilevel.descript(Demo.twolevel[, c("y1", "y2", "y3", "w1", "w2")],
                             cluster = Demo.twolevel$cluster, output = FALSE)
write.result(result, "Multilevel_Descript.xlsx")

## End(Not run)

```

multilevel.fit

Simultaneous and Level-Specific Multilevel Model Fit Information

Description

This function provides simultaneous and level-specific model fit information using the partially saturated model method for multilevel models estimated with the **lavaan** package. Note that level-specific fit indices cannot be computed when the fitted model contains cross-level constraints, e.g., equal factor loadings across levels in line with the metric cross-level measurement invariance assumption.

Usage

```

multilevel.fit(x, print = c("all", "summary", "fit"), digits = 3, p.digits = 3,
              write = NULL, append = TRUE, check = TRUE, output = TRUE)

```

Arguments

x	a fitted model of class "lavaan" from the lavaan package.
print	a character string or character vector indicating which results to show on the console, i.e. "all" for all results, "summary" for a summary of the specification of the estimation method and missing data handling in lavaan and "fit" for model fit.
digits	an integer value indicating the number of decimal places to be used for displaying results. Note that loglikelihood, information criteria and chi-square test statistic is printed with digits minus 1 decimal places.
p.digits	an integer value indicating the number of decimal places to be used for displaying the <i>p</i> -value.
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
x	a fitted model of class "lavaan"
args	specification of function arguments
model	specified models, i.e., <code>mod.11</code> for the model at the Within level, <code>mod.11.syntax</code> for the lavaan syntax for the model at the Between level, <code>mod.12</code> for the model at the Within level, <code>mod.12.syntax</code> for the lavaan syntax for the model at the Between level, <code>mod.112</code> for the model at the Within and Between level, <code>mod.112.syntax</code> for the lavaan syntax for the model at the Within and Between level, <code>11.mod.base</code> for the baseline model at the Within level saturated at the Between level, <code>11.mod.hypo</code> for the hypothesized model at the Within level saturated at the Between level, <code>12.mod.base</code> for the baseline model at the Between level saturated at the Within level, <code>12.mod.hypo</code> for the hypothesized model at the Between level saturated at the Within level
result	list with result tables, i.e., <code>summary</code> for the summary of the specification of the estimation method and missing data handling in lavaan and <code>fit</code> for the model fit information.

Note

The function uses the functions `cfa`, `fitmeasures`, `lavInspect`, `lavTech`, and `parTable` provided in the R package **lavaan** by Yves Rosseel (2012).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rosseel, Y. (2012). lavaan: An R Package for Structural Equation Modeling. *Journal of Statistical Software*, 48, 1-36. <https://doi.org/10.18637/jss.v048.i02>

See Also

[multilevel.cfa](#), [multilevel.invar](#), [multilevel.omega](#), [multilevel.cor](#), [multilevel.descript](#)

Examples

```
## Not run:
# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

# Model specification
model <- 'level: 1
         fw =~ y1 + y2 + y3
         fw ~ x1 + x2 + x3
         level: 2
         fb =~ y1 + y2 + y3
         fb ~ w1 + w2'
```

```
# Example 1: Model estimation with estimator = "ML"
fit1 <- lavaan::sem(model = model, data = Demo.twolevel, cluster = "cluster",
                   estimator = "ML")

# Simultaneous and level-specific multilevel model fit information
ls.fit1 <- multilevel.fit(fit1)

# Write results into a text file
multilevel.fit(fit1, write = "LS-Fit1.txt")

# Write results into an Excel file
write.result(ls.fit1, "LS-Fit1.xlsx")

# Example 2: Model estimation with estimator = "MLR"
fit2 <- lavaan::sem(model = model, data = Demo.twolevel, cluster = "cluster",
                   estimator = "MLR")

# Simultaneous and level-specific multilevel model fit information
# Write results into an Excel file
multilevel.fit(fit2, write = "LS-Fit2.xlsx")

## End(Not run)
```

multilevel.icc *Intraclass Correlation Coefficient, ICC(1) and ICC(2)*

Description

This function computes the intraclass correlation coefficient ICC(1), i.e., proportion of the total variance explained by the grouping structure, and ICC(2), i.e., reliability of aggregated variables in a two-level and three-level model.

Usage

```
multilevel.icc(..., data = NULL, cluster, type = c("1a", "1b", "2"),
  method = c("aov", "lme4", "nlme"), REML = TRUE,
  as.na = NULL, check = TRUE)
```

Arguments

...	a numeric vector, matrix, or data frame. Alternatively, an expression indicating the variable names in data. Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a numeric vector, matrix, or data frame for the argument <code>...</code> .
cluster	a character string indicating the name of the cluster variable in <code>...</code> or data for two-level data, a character vector indicating the names of the cluster variables in <code>...</code> for three-level data, or a vector or data frame representing the nested grouping structure (i.e., group or cluster variables). Alternatively, a character string or character vector indicating the variable name(s) of the cluster variable(s) in data. Note that the cluster variable at Level 3 come first in a three-level model, i.e., <code>cluster = c("level3", "level2")</code> .
type	a character string indicating the type of intraclass correlation coefficient, i.e., <code>type = "1a"</code> (default) for ICC(1) and <code>type = "2"</code> for ICC(2) when specifying a two-level model (i.e., one cluster variable), and <code>type = "1a"</code> (default) for ICC(1) representing the proportion of variance at Level 2 and Level 3, <code>type = "1b"</code> representing an estimate of the expected correlation between two randomly chosen elements in the same group, and <code>type = "2"</code> for ICC(2) when specifying a three-level model (i.e., two cluster variables). See 'Details' for the formula used in this function.
method	a character string indicating the method used to estimate intraclass correlation coefficients, i.e., <code>method = "aov"</code> ICC estimated using the <code>aov</code> function, <code>method = "lme4"</code> (default) ICC estimated using the <code>lmer</code> function in the lme4 package, <code>method = "nlme"</code> ICC estimated using the <code>lme</code> function in the nlme package. Note that if the <code>lme4</code> or <code>nlme</code> package is needed when estimating ICCs in a three-level model.

REML	logical: if TRUE (default), restricted maximum likelihood is used to estimate the null model when using the <code>lmer</code> function in the lme4 package or the <code>lme</code> function in the nlme package.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>x</code> but not to <code>cluster</code> .
check	logical: if TRUE (default), argument specification is checked.

Details

Two-Level Model In a two-level model, the intraclass correlation coefficients are computed in the random intercept-only model:

$$Y_{ij} = \gamma_{00} + u_{0j} + r_{ij}$$

where the variance in Y is decomposed into two independent components: $\sigma_{u_0}^2$, which represents the variance at Level 2, and σ_r^2 , which represents the variance at Level 1 (Hox et al., 2018). These two variances sum up to the total variance and are referred to as variance components. The intraclass correlation coefficient, ICC(1) ρ requested by type = "1a" represents the proportion of the total variance explained by the grouping structure and is defined by the equation

$$\rho = \frac{\sigma_{u_0}^2}{\sigma_{u_0}^2 + \sigma_r^2}$$

The intraclass correlation coefficient, ICC(2) λ_j requested by type = "2" represents the reliability of aggregated variables and is defined by the equation

$$\lambda_j = \frac{\sigma_{u_0}^2}{\sigma_{u_0}^2 + \frac{\sigma_r^2}{n_j}} = \frac{n_j \rho}{1 + (n_j - 1)\rho}$$

where n_j is the average group size (Snijders & Bosker, 2012).

Three-Level Model In a three-level model, the intraclass correlation coefficients are computed in the random intercept-only model:

$$Y_{ijk} = \gamma_{000} + v_{0k} + u_{0jk} + r_{ijk}$$

where the variance in Y is decomposed into three independent components: $\sigma_{v_0}^2$, which represents the variance at Level 3, $\sigma_{u_0}^2$, which represents the variance at Level 2, and σ_r^2 , which represents the variance at Level 1 (Hox et al., 2018). There are two ways to compute the intraclass correlation coefficient in a three-level model. The first method requested by type = "1a" represents the proportion of variance at Level 2 and Level 3 and should be used if we are interested in a decomposition of the variance across levels. The intraclass correlation coefficient, ICC(1) ρ_{L2} at Level 2 is defined as:

$$\rho_{L2} = \frac{\sigma_{u_0}^2}{\sigma_{v_0}^2 + \sigma_{u_0}^2 + \sigma_r^2}$$

The ICC(1) ρ_{L3} at Level 3 is defined as:

$$\rho_{L3} = \frac{\sigma_{v_0}^2}{\sigma_{v_0}^2 + \sigma_{u_0}^2 + \sigma_r^2}$$

The second method requested by type = "1b" represents the expected correlation between two randomly chosen elements in the same group. The intraclass correlation coefficient, ICC(1) ρ_{L2} at Level 2 is defined as:

$$\rho_{L2} = \frac{\sigma_{v_0}^2 + \sigma_{u_0}^2}{\sigma_{v_0}^2 + \sigma_{u_0}^2 + \sigma_r^2}$$

The ICC(1) ρ_{L3} at Level 3 is defined as:

$$\rho_{L3} = \frac{\sigma_{v_0}^2}{\sigma_{v_0}^2 + \sigma_{u_0}^2 + \sigma_r^2}$$

Note that both formula are correct, but express different aspects of the data, which happen to coincide when there are only two levels (Hox et al., 2018).

The intraclass correlation coefficients, ICC(2) requested by type = "2" represent the reliability of aggregated variables at Level 2 and Level 3. The ICC(2) λ_j at Level 2 is defined as:

$$\lambda_j = \frac{\sigma_{u_0}^2}{\sigma_{u_0}^2 + \frac{\sigma_r^2}{n_j}}$$

The ICC(2) λ_k at Level 3 is defined as:

$$\lambda_k = \frac{\sigma_{v_0}^2}{\frac{\sigma_{v_0}^2 + \sigma_{u_0}^2}{n_j} + \frac{\sigma_r^2}{n_k \cdot n_j}}$$

where n_j is the average group size at Level 2 and n_j is the average group size at Level 3 (Hox et al., 2018).

Value

Returns a numeric vector or matrix with intraclass correlation coefficient(s). In a three level model, the label L2 is used for ICCs at Level 2 and L3 for ICCs at Level 3.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Hox, J., Moerbeek, M., & van de Schoot, R. (2018). *Multilevel analysis: Techniques and applications* (3rd. ed.). Routledge.
- Snijders, T. A. B., & Bosker, R. J. (2012). *Multilevel analysis: An introduction to basic and advanced multilevel modeling* (2nd ed.). Sage Publishers.

See Also

[multilevel.cfa](#), [multilevel.cor](#), [multilevel.descript](#)

Examples

```
# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

#-----
# Two-Level Models

#.....
# Cluster variable specification

# Example 1a: Cluster variable 'cluster' in '...'
multilevel.icc(Demo.twolevel[, c("y1", "cluster")], cluster = "cluster")

# Example 1b: Cluster variable 'cluster' not in '...'
multilevel.icc(Demo.twolevel$y1, cluster = Demo.twolevel$cluster)

# Example 1c: Alternative specification using the 'data' argument
multilevel.icc(y1, data = Demo.twolevel, cluster = "cluster")

#.....

# Example 2: ICC(1) for 'y1'
multilevel.icc(Demo.twolevel$y1, cluster = Demo.twolevel$cluster)

# Example 3: ICC(2)
multilevel.icc(Demo.twolevel$y1, cluster = Demo.twolevel$cluster, type = 2)

# Example 4: ICC(1)
# use lme() function in the lme4 package to estimate ICC
multilevel.icc(Demo.twolevel$y1, cluster = Demo.twolevel$cluster, method = "nlme")

# Example 5a: ICC(1) for 'y1', 'y2', and 'y3'
multilevel.icc(Demo.twolevel[, c("y1", "y2", "y3")], cluster = Demo.twolevel$cluster)

# Example 5b: Alternative specification using the 'data' argument
multilevel.icc(y1:y3, data = Demo.twolevel, cluster = "cluster")

#-----
# Three-Level Models

# Create arbitrary three-level data
Demo.threelevel <- data.frame(Demo.twolevel, cluster2 = Demo.twolevel$cluster,
                             cluster3 = rep(1:10, each = 250))

#.....
# Cluster variable specification

# Example 6a: Cluster variables 'cluster' in '...'

```

```

multilevel.icc(Demo.threelevel[, c("y1", "cluster3", "cluster2")],
               cluster = c("cluster3", "cluster2"))

# Example 6b: Cluster variables 'cluster' not in '...'
multilevel.icc(Demo.threelevel$y1, cluster = Demo.threelevel[, c("cluster3", "cluster2")])

# Example 6c: Alternative specification using the 'data' argument
multilevel.icc(y1, data = Demo.threelevel, cluster = c("cluster3", "cluster2"))

#.....

# Example 7a: ICC(1), propotion of variance at Level 2 and Level 3
multilevel.icc(y1, data = Demo.threelevel, cluster = c("cluster3", "cluster2"))

# Example 7b: ICC(1), expected correlation between two randomly chosen elements
# in the same group
multilevel.icc(y1, data = Demo.threelevel, cluster = c("cluster3", "cluster2"),
               type = "1b")

# Example 7c: ICC(2)
multilevel.icc(y1, data = Demo.threelevel, cluster = c("cluster3", "cluster2"),
               type = "2")

```

multilevel.indirect *Confidence Interval for the Indirect Effect in a 1-1-1 Multilevel Mediation Model*

Description

This function computes the confidence interval for the indirect effect in a 1-1-1 multilevel mediation model with random slopes based on the Monte Carlo method.

Usage

```

multilevel.indirect(a, b, se.a, se.b, cov.ab = 0, cov.rand, se.cov.rand,
                  nrep = 100000, alternative = c("two.sided", "less", "greater"),
                  seed = NULL, conf.level = 0.95, digits = 3, write = NULL,
                  append = TRUE, check = TRUE, output = TRUE)

```

Arguments

a	a numeric value indicating the coefficient a , i.e., average effect of X on M on the cluster or between-group level.
b	a numeric value indicating the coefficient b , i.e., average effect of M on Y adjusted for X on the cluster or between-group level.
se.a	a positive numeric value indicating the standard error of a .
se.b	a positive numeric value indicating the standard error of b .
cov.ab	a positive numeric value indicating the covariance between a and b .

cov.rand	a positive numeric value indicating the covariance between the random slopes for a and b .
se.cov.rand	a positive numeric value indicating the standard error of the covariance between the random slopes for a and b .
nrep	an integer value indicating the number of Monte Carlo repetitions.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
seed	a numeric value specifying the seed of the random number generator when using the Monte Carlo method.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
digits	an integer value indicating the number of decimal places to be used for displaying
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

In statistical mediation analysis (MacKinnon & Tofghi, 2013), the indirect effect refers to the effect of the independent variable X on the outcome variable Y transmitted by the mediator variable M . The magnitude of the indirect effect ab is quantified by the product of the coefficient a (i.e., effect of X on M) and the coefficient b (i.e., effect of M on Y adjusted for X). However, mediation in the context of a 1-1-1 multilevel mediation model where variables X , M , and Y are measured at level 1, the coefficients a and b can vary across level-2 units (i.e., random slope). As a result, a and b may covary so that the estimate of the indirect effect is no longer simply the product of the coefficients $\hat{a}\hat{b}$, but $\hat{a}\hat{b} + \tau_{a,b}$, where $\tau_{a,b}$ (i.e., cov.rand) is the level-2 covariance between the random slopes a and b . The covariance term needs to be added to $\hat{a}\hat{b}$ only when random slopes are estimated for both a and b . Otherwise, the simple product is sufficient to quantify the indirect effect, and the `indirect` function can be used instead.

In practice, researchers are often interested in confidence limit estimation for the indirect effect. There are several methods for computing a confidence interval for the indirect effect in a single-level mediation models (see `indirect` function). The Monte Carlo (MC) method (MacKinnon et al., 2004) is a promising method in single-level mediation model which was also adapted to the multilevel mediation model (Bauer, Preacher & Gil, 2006). This method requires seven pieces of information available from the results of a multilevel mediation model:

- a** Coefficient a , i.e., average effect of X on M on the cluster or between-group level. In Mplus, Estimate of the random slope a under Means at the Between Level.
- b** Coefficient a , i.e., average effect of M on Y on the cluster or between-group level. In Mplus, Estimate of the random slope b under Means at the Between Level.
- se.a** Standard error of a . In Mplus, S.E. of the random slope a under Means at the Between Level.
- se.a** Standard error of a . In Mplus, S.E. of the random slope a under Means at the Between Level.

cov.ab Covariance between a and b . In Mplus, the estimated covariance matrix for the parameter estimates (i.e., asymptotic covariance matrix) need to be requested by specifying TECH3 along with TECH1 in the OUTPUT section. In the TECHNICAL 1 OUTPUT under PARAMETER SPECIFICATION FOR BETWEEN, the numbers of the parameter for the coefficients a and b need to be identified under ALPHA to look up cov.ab in the corresponding row and column in the TECHNICAL 3 OUTPUT under ESTIMATED COVARIANCE MATRIX FOR PARAMETER ESTIMATES.

cov.rand Covariance between the random slopes for a and b . In Mplus, Estimate of the covariance a WITH b at the Between Level.

se.cov.rand Standard error of the covariance between the random slopes for a and b . In Mplus, S.E. of the covariance a WITH b at the Between Level.

Note that all pieces of information except cov.ab can be looked up in the standard output of the multilevel mediation model. In order to specify cov.ab, the covariance matrix for the parameter estimates (i.e., asymptotic covariance matrix) is required. In practice, cov.ab will oftentimes be very small so that cov.ab may be set to 0 (i.e., default value) with negligible impact on the results.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
data	list with the input specified in a, b, se.a, se.b, cov.ab, cov.rand, and se.cov.rand
args	specification of function arguments
result	list with result tables, i.e., ab for the simulated ab values and mc for the estimate of the indirect effect and the confidence interval

Note

The function was adapted from the interactive web tool by Preacher and Selig (2010).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Bauer, D. J., Preacher, K. J., & Gil, K. M. (2006). Conceptualizing and testing random indirect effects and moderated Mediation in multilevel models: New procedures and recommendations. *Psychological Methods, 11*, 142-163. <https://doi.org/10.1037/1082-989X.11.2.142>
- Kenny, D. A., Korchmaros, J. D., & Bolger, N. (2003). Lower level Mediation in multilevel models. *Psychological Methods, 8*, 115-128. <https://doi.org/10.1037/1082-989x.8.2.115>
- MacKinnon, D. P., Lockwood, C. M., & Williams, J. (2004). Confidence limits for the indirect effect: Distribution of the product and resampling methods. *Multivariate Behavioral Research, 39*, 99-128. https://doi.org/10.1207/s15327906mbr3901_4
- MacKinnon, D. P., & Tofighi, D. (2013). Statistical mediation analysis. In J. A. Schinka, W. F. Velicer, & I. B. Weiner (Eds.), *Handbook of psychology: Research methods in psychology* (pp. 717-735). John Wiley & Sons, Inc..

Preacher, K. J., & Selig, J. P. (2010). *Monte Carlo method for assessing multilevel Mediation: An interactive tool for creating confidence intervals for indirect effects in 1-1-1 multilevel models* [Computer software]. Available from <http://quantpsy.org/>.

See Also

[indirect](#)

Examples

```
## Not run:
# Example 1: Confidence Interval for the Indirect Effect
multilevel.indirect(a = 0.25, b = 0.20, se.a = 0.11, se.b = 0.13,
                  cov.ab = 0.01, cov.rand = 0.40, se.cov.rand = 0.02)

# Example 2: Save results of the Monte Carlo method
ab <- multilevel.indirect(a = 0.25, b = 0.20, se.a = 0.11, se.b = 0.13,
                       cov.ab = 0.01, cov.rand = 0.40, se.cov.rand = 0.02,
                       output = FALSE)$result$ab

# Histogram of the distribution of the indirect effect
hist(ab)

# Example 3: Write results into a text file
multilevel.indirect(a = 0.25, b = 0.20, se.a = 0.11, se.b = 0.13,
                  cov.ab = 0.01, cov.rand = 0.40, se.cov.rand = 0.02,
                  write = "ML-Indirect.txt")

## End(Not run)
```

multilevel.invar

Cross-Level Measurement Invariance Evaluation

Description

This function is a wrapper function for evaluating configural, metric, and scalar cross-level measurement invariance using multilevel confirmatory factor analysis with continuous indicators by calling the `cfa` function in the R package **lavaan**.

Usage

```
multilevel.invar(..., data = NULL, cluster, model = NULL, rescov = NULL,
                invar = c("config", "metric", "scalar"), fix.resid = NULL,
                ident = c("marker", "var", "effect"),
                estimator = c("ML", "MLR"), optim.method = c("nlminb", "em"),
                missing = c("listwise", "fiml"),
                print = c("all", "summary", "coverage", "descript", "fit",
                        "est", "modind", "resid"),
                print.fit = c("all", "standard", "scaled", "robust"),
```

```
mod.minval = 6.63, resid.minval = 0.1, digits = 3, p.digits = 3,
  as.na = NULL, write = NULL, append = TRUE, check = TRUE,
  output = TRUE)
```

Arguments

...	a matrix or data frame. If <code>model</code> is <code>NULL</code> , multilevel confirmatory factor analysis based on a measurement model with one factor at the Within and Between level comprising all variables in the matrix or data frame is conducted to evaluate cross-level measurement invariance. Note that the cluster variable specified in <code>cluster</code> is excluded from <code>x</code> when specifying the argument <code>cluster</code> using the variable name of the cluster variable. If <code>model</code> is specified, the matrix or data frame needs to contain all variables used in the <code>model</code> argument. Alternatively, an expression indicating the variable names in data e.g., <code>multilevel.invar(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
<code>data</code>	a data frame when specifying one or more variables in the argument ... Note that the argument is <code>NULL</code> when specifying a matrix or data frame for the argument ...
<code>cluster</code>	either a character string indicating the variable name of the cluster variable in ... or <code>data</code> , or a vector representing the nested grouping structure (i.e., group or cluster variable).
<code>model</code>	a character vector specifying the same factor structure with one factor at the Within and Between Level, or a list of character vectors for specifying the same measurement model with more than one factor at the Within and Between Level, e.g., <code>model = c("x1", "x2", "x3", "x4")</code> for specifying a measurement model with one factor labeled <code>wf</code> at the Within level and a measurement model with one factor labeled <code>bf</code> at the Between level each comprising four indicators, or <code>model = list(factor1 = c("x1", "x2", "x3", "x4"), factor2 = c("x5", "x6", "x7", "x8"))</code> for specifying a measurement model with two latent factors labeled <code>wfactor1</code> and <code>wfactor2</code> at the Within level and a measurement model with two latent factors labeled <code>bfactor1</code> and <code>bfactor2</code> at the Between level each comprising four indicators. Note that the name of each list element is used to label factors, where prefixes <code>w</code> and <code>b</code> are added the labels to distinguish factor labels at the Within and Between level, i.e., all list elements need to be named, otherwise factors are labeled with <code>"wf1"</code> , <code>"wf2"</code> , <code>"wf3"</code> for labels at the Within level and <code>"bf1"</code> , <code>"bf2"</code> , <code>"bf3"</code> for labels at the Between level and so on.
<code>rescov</code>	a character vector or a list of character vectors for specifying residual covariances at the Within level, e.g. <code>rescov = c("x1", "x2")</code> for specifying a residual covariance between indicators <code>x1</code> and <code>x2</code> at the Within level or <code>rescov = list(c("x1", "x2"), c("x3", "x4"))</code> for specifying residual covariances between indicators <code>x1</code> and <code>x2</code> , and indicators <code>x3</code> and <code>x4</code> at the Within level. Note that residual covariances at the Between level can only be specified by using the arguments <code>model.w</code> , <code>model.b</code> , and <code>model.b</code> .
<code>invar</code>	a character string indicating the level of measurement invariance to be evaluated, i.e., <code>config</code> to evaluate configural measurement invariance (i.e., same factor structure across levels), <code>metric</code> (default) to evaluate configural and metric

	measurement invariance (i.e., equal factor loadings across level), and scalar to evaluate configural, metric and scalar measurement invariance (i.e., all residual variances at the Between level equal zero).
<code>fix.resid</code>	a character vector for specifying residual variances to be fixed at 0 at the Between level for the configural and metric invariance model, e.g., <code>fix.resid = c("x1", "x3")</code> to fix residual variances of indicators <code>x1</code> and <code>x2</code> at the Between level at 0. Note that it is also possible to specify <code>fix.resid = "all"</code> which fixes all residual variances at the Between level at 0 in line with the strong factorial measurement invariance assumption across cluster.
<code>ident</code>	a character string indicating the method used for identifying and scaling latent variables, i.e., <code>"marker"</code> for the marker variable method fixing the first factor loading of each latent variable to 1, <code>"var"</code> for the fixed variance method fixing the variance of each latent variable to 1, or <code>"effect"</code> for the effects-coding method using equality constraints so that the average of the factor loading for each latent variable equals 1.
<code>estimator</code>	a character string indicating the estimator to be used: <code>"ML"</code> for maximum likelihood with conventional standard errors and <code>"MLR"</code> (default) for maximum likelihood with Huber-White robust standard errors and a scaled test statistic that is asymptotically equal to the Yuan-Bentler test statistic. Note that by default, full information maximum likelihood (FIML) method is used to deal with missing data when using <code>"ML"</code> (<code>missing = "fiml"</code>), whereas incomplete cases are removed listwise (i.e., <code>missing = "listwise"</code>) when using <code>"MLR"</code> .
<code>optim.method</code>	a character string indicating the optimizer, i.e., <code>"nllminb"</code> (default) for the unconstrained and bounds-constrained quasi-Newton method optimizer and <code>"em"</code> for the Expectation Maximization (EM) algorithm.
<code>missing</code>	a character string indicating how to deal with missing data, i.e., <code>"listwise"</code> (default) for listwise deletion or <code>"fiml"</code> for full information maximum likelihood (FIML) method. Note that FIML method is only available when <code>estimator = "ML"</code> , that it takes longer to estimate the model using FIML, and that FIML is prone to convergence issues which might be resolved by switching to listwise deletion.
<code>print</code>	a character string or character vector indicating which results to show on the console, i.e. <code>"all"</code> for all results, <code>"summary"</code> for a summary of the specification of the estimation method and missing data handling in lavaan, <code>"coverage"</code> for the variance-covariance coverage of the data, <code>"descript"</code> for descriptive statistics, <code>"fit"</code> for model fit and model comparison, <code>"est"</code> for parameter estimates, and <code>"modind"</code> for modification indices. By default, a summary of the specification and model fit and model comparison are printed.
<code>print.fit</code>	a character string or character vector indicating which version of the CFI, TLI, and RMSEA to show on the console, i.e., <code>"all"</code> for all versions of the CFI, TLI, and RMSEA, <code>"standard"</code> (default when <code>estimator = "ML"</code>) for fit indices without any non-normality correction, <code>"scaled"</code> for population-corrected robust fit indices with ad hoc non-normality correction, and <code>robust</code> (default when <code>estimator = "MLR"</code>) for sample-corrected robust fit indices based on formula provided by Li and Bentler (2006) and Brosseau-Liard and Savalei (2014).
<code>mod.minval</code>	numeric value to filter modification indices and only show modifications with a modification index value equal or higher than this minimum value. By default,

	modification indices equal or higher 6.63 are printed. Note that a modification index value of 6.63 is equivalent to a significance level of $\alpha = .01$.
resid.minval	numeric value indicating the minimum absolute residual correlation coefficients and standardized means to highlight in boldface. By default, absolute residual correlation coefficients and standardized means equal or higher 0.1 are highlighted. Note that highlighting can be disabled by setting the minimum value to 1.
digits	an integer value indicating the number of decimal places to be used for displaying results. Note that information criteria and chi-square test statistic is printed with <code>digits</code> minus 1 decimal places.
p.digits	an integer value indicating the number of decimal places to be used for displaying the p -value.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to <code>x</code> but not to <code>cluster</code> .
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification, convergence and model identification is checked.
output	logical: if TRUE (default), output is shown.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
data	matrix or data frame specified in <code>x</code>
args	specification of function arguments
model	list with specified model for the configural, metric, and scalar invariance model
model.fit	list with fitted lavaan object of the configural, metric, and scalar invariance model
check	list with the results of the convergence and model identification check for the configural, metric, and scalar invariance model
result	list with result tables, i.e., summary for the summary of the specification of the estimation method and missing data handling in lavaan, coverage for the variance-covariance coverage of the data, <code>descript</code> for descriptive statistics, <code>fit</code> for a list with model fit based on standard, scaled, and robust fit indices, <code>est</code> for a list with parameter estimates for the configural, metric, and scalar invariance model, and <code>modind</code> for the list with modification indices for the configural, metric, and scalar invariance model

Note

The function uses the functions `lavTestLRT` provided in the R package **lavaan** by Yves Rosseel (2012).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rosseel, Y. (2012). lavaan: An R Package for Structural Equation Modeling. *Journal of Statistical Software*, 48, 1-36. <https://doi.org/10.18637/jss.v048.i02>

See Also

[multilevel.cfa](#), [multilevel.fit](#), [multilevel.omega](#), [multilevel.cor](#), [multilevel.descript](#)

Examples

```
## Not run:
# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

#-----
# Cluster variable specification

# Example 1a: Cluster variable 'cluster' in 'x'
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4", "cluster")], cluster = "cluster")

# Example 1b: Cluster variable 'cluster' not in 'x'
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster)

# Example 1c: Alternative specification using the 'data' argument
multilevel.invar(y1:y4, data = Demo.twolevel, cluster = "cluster")

#-----
# Model specification using 'x' for a one-factor model

#.....
# Level of measurement invariance

# Example 2a: Configural invariance
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, invar = "config")

# Example 2b: Metric invariance
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, invar = "metric")

# Example 2c: Scalar invariance
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, invar = "scalar")
```

```

#.....
# Residual covariance at the Within level and residual variance at the Between level

# Example 3a: Residual covariance between "y3" and "y4" at the Within level
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
  cluster = Demo.twolevel$cluster, rescov = c("y3", "y4"))

# Example 3b: Residual variances of 'y1' at the Between level fixed at 0
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
  cluster = Demo.twolevel$cluster, fix.resid = "y1")

#.....
# Example 4: Print all results
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
  cluster = Demo.twolevel$cluster, print = "all")

#.....
# Example 5: lavaan model and summary of the estimated model
mod <- multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
  cluster = Demo.twolevel$cluster, output = FALSE)

# lavaan syntax of the metric invariance model
mod$model$metric

# Fitted lavaan object of the metric invariance model
lavaan::summary(mod$model.fit$metric, standardized = TRUE, fit.measures = TRUE)

#-----
# Model specification using 'model' for one or multiple factor model

# Example 6a: One-factor model
multilevel.invar(Demo.twolevel, cluster = "cluster", model = c("y1", "y2", "y3", "y4"))

# Example 6b: Two-factor model
multilevel.invar(Demo.twolevel, cluster = "cluster",
  model = list(c("y1", "y2", "y3"), c("y4", "y5", "y6")))

#-----
# Write results

# Example 7a: Write results into an Excel file
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
  cluster = Demo.twolevel$cluster, print = "all",
  write = "Multilevel_Invariance.txt")

# Example 7b: Write results into an Excel file
multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
  cluster = Demo.twolevel$cluster, print = "all",
  write = "Multilevel_Invariance.xlsx")

# Assign results into an object and write results into an Excel file
mod <- multilevel.invar(Demo.twolevel[,c("y1", "y2", "y3", "y4")],

```

```

cluster = Demo.twolevel$cluster, print = "all",
output = FALSE)

# Write results into an Excel file
write.result(mod, "Multilevel_Invariance.xlsx")

## End(Not run)

```

multilevel.omega

Multilevel Composite Reliability

Description

This function computes point estimate and Monte Carlo confidence interval for the multilevel composite reliability defined by Lai (2021) for a within-cluster construct, shared cluster-level construct, and configural cluster construct by calling the `cfa` function in the R package **lavaan**.

Usage

```

multilevel.omega(..., data = NULL, cluster, rescov = NULL,
  const = c("within", "shared", "config"),
  fix.resid = NULL, optim.method = c("nlminb", "em"),
  missing = c("listwise", "fiml"), nrep = 100000, seed = NULL,
  conf.level = 0.95, print = c("all", "omega", "item"),
  digits = 2, as.na = NULL, write = NULL, append = TRUE,
  check = TRUE, output = TRUE)

```

Arguments

<code>...</code>	a matrix or data frame. Multilevel confirmatory factor analysis based on a measurement model with one factor at the Within level and one factor at the Between level comprising all variables in the matrix or data frame is conducted. Note that the cluster variable specified in <code>cluster</code> is excluded from <code>x</code> when specifying the argument <code>cluster</code> using the variable name of the cluster variable. Alternatively, an expression indicating the variable names in <code>data</code> e.g., <code>multilevel.omega(x1, x2, x3, data = dat, cluster = "cluster")</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
<code>data</code>	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a matrix or data frame for the argument <code>...</code> .
<code>cluster</code>	either a character string indicating the variable name of the cluster variable in <code>...</code> or <code>data</code> , or a vector representing the nested grouping structure (i.e., group or cluster variable).
<code>rescov</code>	a character vector or a list of character vectors for specifying residual covariances at the Within level, e.g. <code>rescov = c("x1", "x2")</code> for specifying a residual covariance between indicators <code>x1</code> and <code>x2</code> at the Within level or <code>rescov =</code>

`list(c("x1", "x2"), c("x3", "x4"))` for specifying residual covariances between indicators x1 and x2, and indicators x3 and x4 at the Within level. Note that residual covariances at the Between level cannot be specified using this function.

<code>const</code>	a character string indicating the type of construct(s), i.e., "within" for within-cluster constructs, "shared" for shared cluster-level constructs, and "config" (default) for configural cluster constructs.
<code>fix.resid</code>	a character vector for specifying residual variances to be fixed at 0 at the Between level, e.g., <code>fix.resid = c("x1", "x3")</code> to fix residual variances of indicators x1 and x2 at the Between level at 0. Note that it is also possible to specify <code>fix.resid = "all"</code> which fixes all residual variances at the Between level at 0 in line with the strong factorial measurement invariance assumption across cluster.
<code>optim.method</code>	a character string indicating the optimizer, i.e., "nlminb" (default) for the unconstrained and bounds-constrained quasi-Newton method optimizer and "em" for the Expectation Maximization (EM) algorithm.
<code>missing</code>	a character string indicating how to deal with missing data, i.e., "listwise" for listwise deletion or "fiml" (default) for full information maximum likelihood (FIML) method.
<code>nrep</code>	an integer value indicating the number of Monte Carlo repetitions for computing confidence intervals.
<code>seed</code>	a numeric value specifying the seed of the random number generator for computing the Monte Carlo confidence interval.
<code>conf.level</code>	a numeric value between 0 and 1 indicating the confidence level of the interval.
<code>print</code>	a character vector indicating which results to show, i.e. "all" (default), for all results "omega" for omega, and "item" for item statistics.
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying results. Note that loglikelihood, information criteria and chi-square test statistic is printed with digits minus 1 decimal places.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that <code>as.na()</code> function is only applied to x but not to cluster.
<code>write</code>	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification, convergence and model identification is checked.
<code>output</code>	logical: if TRUE (default), output is shown.

Value

`call` function call

type	type of analysis
data	data frame specified in x including the group variable specified in cluster
args	specification of function arguments
model	specified model
model.fit	fitted lavaan object (mod.fit)
check	results of the convergence and model identification check
result	list with result tables, i.e., omega for the coefficient omega including Monte Carlo confidence interval and itemstat for descriptive statistics

Note

The function uses the functions `lavInspect`, `lavTech`, and `lavNames`, provided in the R package **lavaan** by Yves Rosseel (2012). The internal function `.internal.mvrnorm` is a copy of the `mvrnorm` function in the package **MASS** by Venables and Ripley (2002).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Lai, M. H. C. (2021). Composite reliability of multilevel data: It's about observed scores and construct meanings. *Psychological Methods*, 26(1), 90–102. <https://doi.org/10.1037/met0000287>

Rosseel, Y. (2012). lavaan: An R Package for Structural Equation Modeling. *Journal of Statistical Software*, 48, 1-36. <https://doi.org/10.18637/jss.v048.i02>

Venables, W. N., Ripley, B. D. (2002). *Modern Applied Statistics with S* (4th ed.). Springer. <https://www.stats.ox.ac.uk/pub/M>

See Also

[item.omega](#), [multilevel.cfa](#), [multilevel.fit](#), [multilevel.invar](#), [multilevel.cor](#), [multilevel.descript](#)

Examples

```
## Not run:
# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

#-----
# Cluster variable specification

# Example 1a: Cluster variable 'cluster' in 'x'
multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4", "cluster")], cluster = "cluster")

# Example 1b: Cluster variable 'cluster' not in 'x'
multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4")], cluster = Demo.twolevel$cluster)

# Example 1c: Alternative specification using the 'data' argument
multilevel.omega(y1:y4, data = Demo.twolevel, cluster = "cluster")
```

```

#-----
# Type of construct

# Example 2a: Within-Cluster Construct
multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, const = "within")

# Example 2b: Shared Cluster-Level Construct
multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, const = "shared")

# Example 2c: Configural Construct
multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, const = "config")

#-----
# Residual covariance at the Within level and residual variance at the Between level

# Example 3a: Residual covariance between "y4" and "y5" at the Within level
multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, const = "config",
                 rescov = c("y3", "y4"))

# Example 3b: Residual variances of 'y1' at the Between level fixed at 0
multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, const = "config",
                 fix.resid = c("y1", "y2"), digits = 3)

#-----
# Write results

# Example 4a: Write results into a text file
multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, write = "Multilevel_Omega.txt")

# Example 4b: Write results into an Excel file
multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                 cluster = Demo.twolevel$cluster, write = "Multilevel_Omega.xlsx")

# Example 4b: Assign results into an object and write results into an Excel file
mod <- multilevel.omega(Demo.twolevel[,c("y1", "y2", "y3", "y4")],
                       cluster = Demo.twolevel$cluster, output = FALSE)

# Write results into an Excel file
write.result(mod, "Multilevel_Omega.xlsx")

## End(Not run)

```

Description

This function computes R-squared measures by Raudenbush and Bryk (2002), Snijders and Bosker (1994), Nakagawa and Schielzeth (2013) as extended by Johnson (2014), and Rights and Sterba (2019) for multilevel and linear mixed effects models estimated by using the `lmer()` function in the package **lme4** or `lme()` function in the package **nlme**.

Usage

```
multilevel.r2(model, print = c("all", "RB", "SB", "NS", "RS"), digits = 3,
              plot = FALSE, gray = FALSE, start = 0.15, end = 0.85,
              color = c("#D55E00", "#0072B2", "#CC79A7", "#009E73", "#E69F00"),
              write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

<code>model</code>	a fitted model of class "lmerMod" from the lme4 package or "lme" from the nlme package.
<code>print</code>	a character vector indicating which R-squared measures to be printed on the console, i.e., RB for measures from Raudenbush and Bryk (2002), SB for measures from Snijders and Bosker (1994), NS for measures from Nakagawa and Schielzeth (2013) as extended by Johnson (2014), and RS for measures from Rights and Sterba (2019). The default setting is <code>print = "RS"</code> .
<code>digits</code>	an integer value indicating the number of decimal places to be used.
<code>plot</code>	logical: if TRUE, bar chart showing the decomposition of scaled total, within-cluster, and between-cluster outcome variance into five (total), three (within-cluster), and two (between-cluster) proportions is drawn. Note that the ggplot2 package is required to draw the bar chart.
<code>gray</code>	logical: if TRUE, graphical parameter to draw the bar chart in gray scale.
<code>start</code>	a numeric value between 0 and 1, graphical parameter to specify the gray value at the low end of the palette.
<code>end</code>	a numeric value between 0 and 1, graphical parameter to specify the gray value at the high end of the palette.
<code>color</code>	a character vector, graphical parameter indicating the color of bars in the bar chart in the following order: Fixed slopes (Within), Fixed slopes (Between), Slope variation (Within), Intercept variation (Between), and Residual (Within). By default, colors from the colorblind-friendly palettes are used
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.

Details

A number of R-squared measures for multilevel and linear mixed effects models have been developed in the methodological literature (see Rights & Sterba, 2018). Based on these measures, following measures were implemented in the current function:

Raudenbush and Bryk (2002) R-squared measures by Raudenbush and Bryk (2002) are based on the proportional reduction of unexplained variance when predictors are added. More specifically, variance estimates from the baseline/null model (i.e., $\sigma_{e|b}^2$ and $\sigma_{u0|b}^2$) and variance estimates from the model including predictors (i.e., $\sigma_{e|m}^2$ and $\sigma_{u0|m}^2$) are used to compute the proportional reduction in variance between baseline/null model and the complete model by:

$$R_1^2(RB) = \frac{\sigma_{e|b}^2 - \sigma_{e|m}^2}{\sigma_{e|b}^2}$$

for the proportional reduction at level-1 (within-cluster) and by:

$$R_2^2(RB) = \frac{\sigma_{u0|b}^2 - \sigma_{u0|m}^2}{\sigma_{u0|b}^2}$$

for the proportional reduction at level-2 (between-cluster), where $|b$ and $|m$ represent the baseline and full models, respectively (Hox et al., 2018; Roberts et al., 2010).

A major disadvantage of these measures is that adding predictors can increase rather than decrease some of the variance components and it is even possible to obtain negative values for R^2 with these formulas (Snijders & Bosker, 2012). According to Snijders and Bosker (1994) this can occur because the between-group variance is a function of both level-1 and level-2 variance:

$$var(\bar{Y}_j) = \sigma_{u0}^2 + \frac{\sigma_e^2}{n_j}$$

Hence, adding a predictor (e.g., cluster-mean centered predictor) that explains a proportion of the within-group variance will decrease the estimate of σ_e^2 and increase the estimate σ_{u0}^2 if this predictor does not explain a proportion of the between-group variance to balance out the decrease in σ_e^2 (LaHuis et al., 2014). Negative estimates for R^2 can also simply occur due to chance fluctuation in sample estimates from the two models.

Another disadvantage of these measures is that $R_2^2(RB)$ for the explained variance at level-2 has been shown to perform poorly in simulation studies even with $j = 200$ clusters with group cluster size of $n_j = 50$ (LaHuis et al., 2014; Rights & Sterba, 2019).

Moreover, when there is missing data in the level-1 predictors, it is possible that sample sizes for the baseline and complete models differ.

Finally, it should be noted that R-squared measures by Raudenbush and Bryk (2002) are appropriate for random intercept models, but not for random intercept and slope models. For random slope models, Snijders and Bosker (2012) suggested to re-estimate the model as random intercept models with the same predictors while omitting the random slopes to compute the R-squared measures. However, the simulation study by LaHuis (2014) suggested that the R-squared measures showed an acceptable performance when there was little slope variance, but did not perform well in the presence of higher levels of slope variance.

Snijders and Bosker (1994) R-squared measures by Snijders and Bosker (1994) are based on the proportional reduction of mean squared prediction error and is computed using the formula:

$$R_1^2(SB) = \frac{\hat{\sigma}_{e|m}^2 + \hat{\sigma}_{u0|m}^2}{\hat{\sigma}_{e|b}^2 + \hat{\sigma}_{u0|b}^2}$$

for computing the proportional reduction of error at level-1 representing the total amount of explained variance and using the formula:

$$R_2^2(SB) = \frac{\hat{\sigma}_{e|m}^2/n_j + \hat{\sigma}_{u0|m}^2}{\hat{\sigma}_{e|b}^2/n_j + \hat{\sigma}_{u0|b}^2}$$

for computing the proportional reduction of error at level-2 by dividing the $\hat{\sigma}_e^2$ by the group cluster size n_j or by the average cluster size for unbalanced data (Roberts et al., 2010). Note that the function uses the harmonic mean of the group sizes as recommended by Snijders and Bosker (1994). The population values of R^2 based on these measures cannot be negative because the interplay of level-1 and level-2 variance components is considered. However, sample estimates of R^2 can be negative either due to chance fluctuation when sample sizes are small or due to model misspecification (Snijders and Bosker, 2012).

When there is missing data in the level-1 predictors, it is possible that sample sizes for the baseline and complete models differ.

Similar to the R-squared measures by Raudenbush and Bryk (2002), the measures by Snijders and Bosker (1994) are appropriate for random intercept models, but not for random intercept and slope models. Accordingly, for random slope models, Snijders and Bosker (2012) suggested to re-estimate the model as random intercept models with the same predictors while omitting the random slopes to compute the R-squared measures. The simulation study by LaHuis et al. (2014) revealed that the R-squared measures showed an acceptable performance, but it should be noted that $R_2^2(SB)$ the explained variance at level-2 was not investigated in their study.

Nakagawa and Schielzeth (2013) R-squared measures by Nakagawa and Schielzeth (2013) are based on partitioning model-implied variance from a single fitted model and uses the variance of predicted values of $var(\hat{Y}_{ij})$ to form both the outcome variance in the denominator and the explained variance in the numerator of the formulas:

$$R_m^2(NS) = \frac{var(\hat{Y}_{ij})}{var(\hat{Y}_{ij}) + \sigma_{u0}^2 + \sigma_e^2}$$

for marginal total $R_m^2(NS)$ and:

$$R_c^2(NS) = \frac{var(\hat{Y}_{ij}) + \sigma_{u0}^2}{var(\hat{Y}_{ij}) + \sigma_{u0}^2 + \sigma_e^2}$$

for conditional total $R_c^2(NS)$. In the former formula R^2 predicted scores are marginalized across random effects to indicate the variance explained by fixed effects and in the latter formula R^2 predicted scores are conditioned on random effects to indicate the variance explained by fixed and random effects (Rights and Sterba, 2019).

The advantage of these measures is that they can never become negative and that they can also be extended to generalized linear mixed effects models (GLMM) when outcome variables are not continuous (e.g., binary outcome variables). Note that currently the function

does not provide R^2 measures for GLMMs, but these measures can be obtained using the `r.squaredGLMM()` function in the **MuMIn** package.

A disadvantage is that these measures do not allow random slopes and are restricted to the simplest random effect structure (i.e., random intercept model). In other words, these measures do not fully reflect the structure of the fitted model when using random intercept and slope models. However, Johnson (2014) extended these measures to allow random slope by taking into account the contribution of random slopes, intercept-slope covariances, and the covariance matrix of random slope to the variance in Y_{ij} . As a result, R-squared measures by Nakagawa and Schielzeth (2013) as extended by Johnson (2014) can be used for both random intercept, and random intercept and slope models.

The major criticism of the R-squared measures by Nakagawa and Schielzeth (2013) as extended by Johnson (2014) is that these measures do not decompose outcome variance into each of total, within-cluster, and between-cluster variance which precludes from computing level-specific R^2 measures. In addition, these measures do not distinguish variance attributable to level-1 versus level-2 predictors via fixed effects, and they also do not distinguish between random intercept and random slope variation (Rights and Sterba, 2019).

Rights and Sterba (2019) R-squared measures by Rights and Sterba (2019) provide an integrative framework of R-squared measures for multilevel and linear mixed effects models with random intercepts and/or slopes. Their measures are also based on partitioning model implied variance from a single fitted model, but they provide a full partitioning of the total outcome variance to one of five specific sources:

- variance attributable to level-1 predictors via fixed slopes (shorthand: variance attributable to f1)
- variance attributable to level-2 predictors via fixed slopes (shorthand: variance attributable to f2)
- variance attributable to level-1 predictors via random slope variation/ covariation (shorthand: variance attributable to v)
- variance attributable to cluster-specific outcome means via random intercept variation (shorthand: variance attributable to m)
- variance attributable to level-1 residuals

R^2 measures are based on the outcome variance of interest (total, within-cluster, or between-cluster) in the denominator, and the source contributing to explained variance in the numerator:

Total R^2 measures incorporate both within-cluster and between cluster variance in the denominator and quantify variance explained in an omnibus sense:

- $R_t^{2(f_1)}$: Proportion of total outcome variance explained by level-1 predictors via fixed slopes.
- $R_t^{2(f_2)}$: Proportion of total outcome variance explained by level-2 predictors via fixed slopes.
- $R_t^{2(f)}$: Proportion of total outcome variance explained by all predictors via fixed slopes.
- $R_t^{2(v)}$: Proportion of total outcome variance explained by level-1 predictors via random slope variation/covariation.
- $R_t^{2(m)}$: Proportion of total outcome variance explained by cluster-specific outcome means via random intercept variation.

- $R_t^{2(fv)}$: Proportion of total outcome variance explained by predictors via fixed slopes and random slope variation/covariation.
- $R_t^{2(fvm)}$: Proportion of total outcome variance explained by predictors via fixed slopes and random slope variation/covariation and by cluster-specific outcome means via random intercept variation.

Within-Cluster R^2 measures incorporate only within-cluster variance in the denominator and indicate the degree to which within-cluster variance can be explained by a given model:

- $R_w^{2(f_1)}$: Proportion of within-cluster outcome variance explained by level-1 predictors via fixed slopes.
- $R_w^{2(v)}$: Proportion of within-cluster outcome variance explained by level-1 predictors via random slope variation/covariation.
- $R_w^{2(f_1v)}$: Proportion of within-cluster outcome variance explained by level-1 predictors via fixed slopes and random slope variation/covariation.

Between-Cluster R^2 measures incorporate only between-cluster variance in the denominator and indicate the degree to which between-cluster variance can be explained by a given model:

- $R_b^{2(f_2)}$: Proportion of between-cluster outcome variance explained by level-2 predictors via fixed slopes.
- $R_b^{2(m)}$: Proportion of between-cluster outcome variance explained by cluster-specific outcome means via random intercept variation.

The decomposition of the total outcome variance can be visualized in a bar chart by specifying `plot = TRUE`. The first column of the bar chart decomposes scaled total variance into five distinct proportions (i.e., $R_t^{2(f_1)}$, $R_t^{2(f_2)}$, $R_t^{2(f)}$, $R_t^{2(v)}$, $R_t^{2(m)}$, $R_t^{2(fv)}$, and $R_t^{2(fvm)}$), the second column decomposes scaled within-cluster variance into three distinct proportions (i.e., $R_w^{2(f_1)}$, $R_w^{2(v)}$, and $R_w^{2(f_1v)}$), and the third column decomposes scaled between-cluster variance into two distinct proportions (i.e., $R_b^{2(f_2)}$, $R_b^{2(m)}$).

Note that the function assumes that all level-1 predictors are centered within cluster (i.e., group-mean or cluster-mean centering) as has been widely recommended (e.g., Enders & Tofghi, D., 2007; Rights et al., 2019). In fact, it does not matter whether a lower-level predictor is merely a control variable, or is quantitative or categorical (Yaremych et al., 2021), cluster-mean centering should always be used for lower-level predictors to obtain an orthogonal between-within partitioning of a lower-level predictor's variance that directly parallels what happens to a level-1 outcome (Hoffman & Walters, 2022). In the absence of cluster-mean-centering, however, the function provides total R^2 measures, but does not provide any within-cluster or between-cluster R^2 measures.

By default, the function only computes R-squared measures by Rights and Sterba (2019) because the other R-squared measures reflect the same population quantity provided by Rights and Sterba (2019). That is, R-squared measures $R_1^2(RB)$ and $R_2^2(RB)$ by Raudenbush and Bryk (2002) are equivalent to $R_w^{2(f_1v)}$ and $R_b^{2(f_2)}$, R-squared measures $R_1^2(SB)$ and $R_2^2(SB)$ are equivalent to $R_t^{2(f)}$ and $R_b^{2(f_2)}$, and R-squared measures $R_m^2(NS)$ and $R_c^2(NS)$ by Nakagawa and Schielzeth (2013) as extended by Johnson (2014) are equivalent to $R_t^{2(f)}$ and $R_t^{2(fvm)}$ (see Rights and Sterba, Table 3).

Note that none of these measures provide an R^2 for the random slope variance explained by cross-level interactions, a quantity that is frequently of interest (Hoffman & Walters, 2022).

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	matrix or data frame specified in <code>data</code>
<code>plot</code>	<code>ggplot2</code> object for plotting the results
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>rb</code> for the R ² measures by Raudenbush and Bryk (2002), <code>sb</code> for the R ² measures by Snijders and Bosker (1994), <code>ns</code> for the R ² measures by Nakagawa and Schielzeth (2013), and <code>rs</code> for the R ² measures by Rights and Sterba (2019)

Note

This function is based on the `multilevelR2()` function from the **mitml** package by Simon Grund, Alexander Robitzsch and Oliver Luedtke (2021), and a copy of the function `r2mlm` in the **r2mlm** package by Mairead Shaw, Jason Rights, Sonya Sterba, and Jessica Flake.

Author(s)

Simon Grund, Alexander Robitzsch, Oliver Luedtk, Mairead Shaw, Jason D. Rights, Sonya K. Sterba, Jessica K. Flake, and Takuya Yanagida

References

- Enders, C. K., & Tofighi, D. (2007). Centering predictor variables in cross-sectional multilevel models: A new look at an old issue. *Psychological Methods, 12*, 121-138. <https://doi.org/10.1037/1082-989X.12.2.121>
- Hoffmann, L., & Walter, W. R. (2022). Catching up on multilevel modeling. *Annual Review of Psychology, 73*, 629-658. <https://doi.org/10.1146/annurev-psych-020821-103525>
- Hox, J., Moerbeek, M., & van de Schoot, R. (2018). *Multilevel Analysis: Techniques and Applications* (3rd ed.) Routledge.
- Johnson, P. C. D. (2014). Extension of Nakagawa & Schielzeth's R² GLMM to random slopes models. *Methods in Ecology and Evolution, 5*(9), 944-946. <https://doi.org/10.1111/2041-210X.12225>
- LaHuis, D. M., Hartman, M. J., Hakoyama, S., & Clark, P. C. (2014). Explained variance measures for multilevel models. *Organizational Research Methods, 17*, 433-451. <https://doi.org/10.1177/1094428114541701>
- Nakagawa, S., & Schielzeth, H. (2013). A general and simple method for obtaining R² from generalized linear mixed-effects models. *Methods in Ecology and Evolution, 4*(2), 133-142. <https://doi.org/10.1111/j.2041-210x.2012.00261.x>
- Raudenbush, S. W., & Bryk, A. S., (2002). *Hierarchical linear models: Applications and data analysis methods*. Sage.
- Rights, J. D., Preacher, K. J., & Cole, D. A. (2020). The danger of conflating level-specific effects of control variables when primary interest lies in level-2 effects. *British Journal of Mathematical and Statistical Psychology, 73*(Suppl 1), 194-211. <https://doi.org/10.1111/bmsp.12194>

Rights, J. D., & Sterba, S. K. (2019). Quantifying explained variance in multilevel models: An integrative framework for defining R-squared measures. *Psychological Methods*, 24, 309-338. <https://doi.org/10.1037/met0000184>

Roberts, K. J., Monaco, J. P., Stovall, H., & Foster, V. (2011). Explained variance in multilevel models (pp. 219-230). In J. J. Hox & J. K. Roberts (Eds.), *Handbook of Advanced Multilevel Analysis*. Routledge.

Snijders, T. A. B., & Bosker, R. (1994). Modeled variance in two-level models. *Sociological methods and research*, 22, 342-363. <https://doi.org/10.1177/0049124194022003004>

Snijders, T. A. B., & Bosker, R. J. (2012). *Multilevel analysis: An introduction to basic and advanced multilevel modeling* (2nd ed.). Sage.

Yaremych, H. E., Preacher, K. J., & Hedeker, D. (2021). Centering categorical predictors in multi-level models: Best practices and interpretation. *Psychological Methods*. Advance online publication. <https://doi.org/10.1037/met0000434>

See Also

[multilevel.cor](#), [multilevel.descript](#), [multilevel.icc](#), [multilevel.indirect](#)

Examples

```
## Not run:
# Load misty, lme4, nlme, and ggplot2 package
library(misty)
library(lme4)
library(nlme)
library(ggplot2)

# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

#-----
#'
# Cluster mean centering, center() from the misty package
Demo.twolevel$x2.c <- center(Demo.twolevel$x2, type = "CWC",
                           cluster = Demo.twolevel$cluster)

# Compute group means, cluster.scores() from the misty package
Demo.twolevel$x2.b <- cluster.scores(Demo.twolevel$x2,
                                   cluster = Demo.twolevel$cluster)

# Estimate multilevel model using the lme4 package
mod1a <- lmer(y1 ~ x2.c + x2.b + w1 + (1 + x2.c | cluster), data = Demo.twolevel,
             REML = FALSE, control = lmerControl(optimizer = "bobyqa"))

# Estimate multilevel model using the nlme package
mod1b <- lme(y1 ~ x2.c + x2.b + w1, random = ~ 1 + x2.c | cluster, data = Demo.twolevel,
            method = "ML")

#-----
#'
```

```

# Example 1a: R-squared measures according to Rights and Sterba (2019)
multilevel.r2(mod1a)
#'
# Example 1b: R-squared measures according to Rights and Sterba (2019)
multilevel.r2(mod1b)
#'
# Example 1a: Write Results into a text file
multilevel.r2(mod1a, write = "ML-R2.txt")

#-----

# Example 2: Bar chart showing the decomposition of scaled total, within-cluster,
# and between-cluster outcome variance
multilevel.r2(mod1a, plot = TRUE)

# Bar chart in gray scale
multilevel.r2(mod1a, plot = TRUE, gray = TRUE)

# Save bar chart, ggsave() from the ggplot2 package
ggsave("Proportion_of_Variance.png", dpi = 600, width = 5.5, height = 5.5)

#-----

# Example 3: Estimate multilevel model without random slopes
# Note. R-squared measures by Raudenbush and Bryk (2002), and Snijders and
# Bosker (2012) should be computed based on the random intercept model
mod2 <- lmer(y1 ~ x2.c + x2.b + w1 + (1 | cluster), data = Demo.twolevel,
            REML = FALSE, control = lmerControl(optimizer = "bobyqa"))

# Print all available R-squared measures
multilevel.r2(mod2, print = "all")

#-----

# Example 4: Draw bar chart manually
mod1a.r2 <- multilevel.r2(mod1a, output = FALSE)

# Prepare data frame for ggplot()
df <- data.frame(var = factor(rep(c("Total", "Within", "Between"), each = 5),
                             level = c("Total", "Within", "Between")),
                 part = factor(c("Fixed Slopes (Within)", "Fixed Slopes (Between)",
                                "Slope Variation (Within)", "Intercept Variation (Between)",
                                "Residual (Within)"),
                             level = c("Residual (Within)", "Intercept Variation (Between)",
                                "Slope Variation (Within)", "Fixed Slopes (Between)",
                                "Fixed Slopes (Within)")),
                 y = as.vector(mod1a.r2$result$rs$sdecomp))

# Draw bar chart in line with the default setting of multilevel.r2()
ggplot(df, aes(x = var, y = y, fill = part)) +
  theme_bw() +
  geom_bar(stat = "identity") +
  scale_fill_manual(values = c("#E69F00", "#009E73", "#CC79A7", "#0072B2", "#D55E00")) +

```

```

scale_y_continuous(name = "Proportion of Variance", breaks = seq(0, 1, by = 0.1)) +
theme(axis.title.x = element_blank(),
      axis.ticks.x = element_blank(),
      legend.title = element_blank(),
      legend.position = "bottom",
      legend.box.margin = margin(-10, 6, 6, 6)) +
guides(fill = guide_legend(nrow = 2, reverse = TRUE))

## End(Not run)

```

multilevel.r2.manual *R-Squared Measures for Multilevel and Linear Mixed Effects Models by Rights and Sterba (2019), Manually Inputting Parameter Estimates*

Description

This function computes R-squared measures by Rights and Sterba (2019) for multilevel and linear mixed effects models by manually inputting parameter estimates.

Usage

```

multilevel.r2.manual(data, within = NULL, between = NULL, random = NULL,
                    gamma.w = NULL, gamma.b = NULL, tau, sigma2,
                    intercept = TRUE, center = TRUE, digits = 3,
                    plot = FALSE, gray = FALSE, start = 0.15, end = 0.85,
                    color = c("#D55E00", "#0072B2", "#CC79A7", "#009E73", "#E69F00"),
                    write = NULL, append = TRUE, check = TRUE, output = TRUE)

```

Arguments

<code>data</code>	a matrix or data frame with the level-1 and level-2 predictors and outcome variable used in the model.
<code>within</code>	a character vector with the variable names in <code>data</code> or numeric vector with numbers corresponding to the columns in <code>data</code> of the level-1 predictors used in the model. If none used, set to <code>NULL</code> .
<code>between</code>	a character vector with the variable names in <code>data</code> or numeric vector with numbers corresponding to the columns in <code>data</code> of the level-2 predictors used in the model. If none used, set to <code>NULL</code> .
<code>random</code>	a character vector with the variable names in <code>data</code> or numeric vector with numbers corresponding to the columns in <code>data</code> of the level-1 predictors that have random slopes in the model. If no random slopes specified, set to <code>NULL</code> .
<code>gamma.w</code>	a numeric vector of fixed slope estimates for all level-1 predictors, to be entered in the order of the predictors listed in the argument <code>within</code> .
<code>gamma.b</code>	a numeric vector of the intercept and fixed slope estimates for all level-2 predictors, to be entered in the order of the predictors listed in the argument <code>between</code> . Note that the first element is the parameter estimate for the intercept if <code>intercept = TRUE</code> .

<code>tau</code>	a matrix indicating the random effects covariance matrix, the first row/column denotes the intercept variance and covariances (if intercept is fixed, set all to 0) and each subsequent row/column denotes a given random slope's variance and covariances (to be entered in the order listed in the argument <code>random</code>).
<code>sigma2</code>	a numeric value indicating the level-1 residual variance.
<code>intercept</code>	logical: if TRUE (default), the first element in the <code>gamma.b</code> is assumed to be the fixed intercept estimate; if set to FALSE, the first element in the argument <code>gamma.b</code> is assumed to be the first fixed level-2 predictor slope.
<code>center</code>	logical: if TRUE (default), all level-1 predictors are assumed to be cluster-mean-centered and the function will output all decompositions; if set to FALSE, function will output only the total decomposition.
<code>digits</code>	an integer value indicating the number of decimal places to be used.
<code>plot</code>	logical: if TRUE, bar chart showing the decomposition of scaled total, within-cluster, and between-cluster outcome variance into five (total), three (within-cluster), and two (between-cluster) proportions is drawn. Note that the ggplot2 package is required to draw the bar chart.
<code>gray</code>	logical: if TRUE, graphical parameter to draw the bar chart in gray scale.
<code>start</code>	a numeric value between 0 and 1, graphical parameter to specify the gray value at the low end of the palette.
<code>end</code>	a numeric value between 0 and 1, graphical parameter to specify the gray value at the high end of the palette.
<code>color</code>	a character vector, graphical parameter indicating the color of bars in the bar chart in the following order: Fixed slopes (Within), Fixed slopes (Between), Slope variation (Within), Intercept variation (Between), and Residual (Within). By default, colors from the colorblind-friendly palettes are used.
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension ".txt" specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.

Details

A number of R-squared measures for multilevel and linear mixed effects models have been developed in the methodological literature (see Rights & Sterba, 2018). R-squared measures by Rights and Sterba (2019) provide an integrative framework of R-squared measures for multilevel and linear mixed effects models with random intercepts and/or slopes. Their measures are based on partitioning model implied variance from a single fitted model, but they provide a full partitioning of the total outcome variance to one of five specific sources. See the help page of the [multilevel.r2](#) function for more details.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	matrix or data frame specified in <code>data</code>
<code>plot</code>	<code>ggplot2</code> object for plotting the results
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>decomp</code> for the decomposition, <code>total</code> for total R2 measures, <code>within</code> for the within-cluster R2 measures, and <code>between</code>

for the between-cluster R2 measures.

Note

This function is based on a copy of the function `r2mlm_manual()` in the **r2mlm** package by Mairead Shaw, Jason Rights, Sonya Sterba, and Jessica Flake.

Author(s)

Jason D. Rights, Sonya K. Sterba, Jessica K. Flake, and Takuya Yanagida

References

Rights, J. D., & Cole, D. A. (2018). Effect size measures for multilevel models in clinical child and adolescent research: New r-squared methods and recommendations. *Journal of Clinical Child and Adolescent Psychology*, *47*, 863-873. <https://doi.org/10.1080/15374416.2018.1528550>

Rights, J. D., & Sterba, S. K. (2019). Quantifying explained variance in multilevel models: An integrative framework for defining R-squared measures. *Psychological Methods*, *24*, 309-338. <https://doi.org/10.1037/met0000184>

See Also

[multilevel.r2](#), [multilevel.cor](#), [multilevel.descript](#), [multilevel.icc](#), [multilevel.indirect](#)

Examples

```
## Not run:
# Load misty, lme4, nlme, and ggplot2 package
library(misty)
library(lme4)

# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

#-----

# Cluster mean centering, center() from the misty package
Demo.twolevel$x2.c <- center(Demo.twolevel$x2, type = "CWC",
```

```

cluster = Demo.twolevel$cluster)

# Compute group means, cluster.scores() from the misty package
Demo.twolevel$x2.b <- cluster.scores(Demo.twolevel$x2,
                                   cluster = Demo.twolevel$cluster)

# Estimate random intercept model using the lme4 package
mod1 <- lmer(y1 ~ x2.c + x2.b + w1 + (1| cluster), data = Demo.twolevel,
            REML = FALSE, control = lmerControl(optimizer = "bobyqa"))

# Estimate random intercept and slope model using the lme4 package
mod2 <- lmer(y1 ~ x2.c + x2.b + w1 + (1 + x2.c | cluster), data = Demo.twolevel,
            REML = FALSE, control = lmerControl(optimizer = "bobyqa"))

#-----
# Example 1: Random intercept model

# Fixed slope estimates
fixef(mod1)

# Random effects variance-covariance matrix
as.data.frame(VarCorr(mod1))

# R-squared measures according to Rights and Sterba (2019)
multilevel.r2.manual(data = Demo.twolevel,
                    within = "x2.c", between = c("x2.b", "w1"),
                    gamma.w = 0.41127956,
                    gamma.b = c(0.01123245, -0.08269374, 0.17688507),
                    tau = 0.9297401,
                    sigma2 = 1.813245794)

#-----
# Example 2: Random intercept and slope model

# Fixed slope estimates
fixef(mod2)

# Random effects variance-covariance matrix
as.data.frame(VarCorr(mod2))

# R-squared measures according to Rights and Sterba (2019)
multilevel.r2.manual(data = Demo.twolevel,
                    within = "x2.c", between = c("x2.b", "w1"), random = "x2.c",
                    gamma.w = 0.41127956,
                    gamma.b = c(0.01123245, -0.08269374, 0.17688507),
                    tau = matrix(c(0.931008649, 0.004110479, 0.004110479, 0.017068857), ncol = 2),
                    sigma2 = 1.813245794)

## End(Not run)

```

Description

This function computes (1) Pearson product-moment correlation matrix to identify variables related to the incomplete variable and (2) Cohen's d comparing cases with and without missing values to identify variables related to the probability of missingness.

Usage

```
na.auxiliary(..., data = NULL, tri = c("both", "lower", "upper"), weighted = FALSE,
  correct = FALSE, digits = 2, as.na = NULL, write = NULL,
  append = TRUE, check = TRUE, output = TRUE)
```

Arguments

...	a matrix or data frame with incomplete data, where missing values are coded as NA. Alternatively, an expression indicating the variable names in data e.g., <code>na.auxiliary(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a matrix or data frame for the argument ...
tri	a character string indicating which triangular of the correlation matrix to show on the console, i.e., both for upper and lower triangular, lower (default) for the lower triangular, and upper for the upper triangular.
weighted	logical: if TRUE (default), the weighted pooled standard deviation is used.
correct	logical: if TRUE, correction factor for Cohen's d to remove positive bias in small samples is used.
digits	integer value indicating the number of decimal places digits to be used for displaying correlation coefficients and Cohen's d estimates.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

Note that non-numeric variables (i.e., factors, character vectors, and logical vectors) are excluded from to the analysis.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	data frame used for the current analysis
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>cor.mat</code> for the correlation matrix and <code>d.mat</code> for Cohen's d

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Enders, C. K. (2010). *Applied missing data analysis*. Guilford Press.

Graham, J. W. (2009). Missing data analysis: Making it work in the real world. *Annual Review of Psychology*, 60, 549-576. <https://doi.org/10.1146/annurev.psych.58.110405.085530>

van Buuren, S. (2018). *Flexible imputation of missing data* (2nd ed.). Chapman & Hall.

See Also

[as.na](#), [na.as](#), [na.coverage](#), [na.descript](#), [na.indicator](#), [na.pattern](#), [na.prop](#), [na.test](#)

Examples

```
# Example 1a: Auxiliary variables
na.auxiliary(airquality)

# Example 1b: Alternative specification using the 'data' argument
na.auxiliary(., data = airquality)

## Not run:
# Example 2: Write Results into a text file
na.auxiliary(airquality, write = "NA_Auxiliary.txt")

## End(Not run)
```

na.coverage	<i>Variance-Covariance Coverage</i>
-------------	-------------------------------------

Description

This function computes the proportion of cases that contributes for the calculation of each variance and covariance.

Usage

```
na.coverage(..., data = NULL, tri = c("both", "lower", "upper"), digits = 2,
            as.na = NULL, write = NULL, append = TRUE, check = TRUE,
            output = TRUE)
```

Arguments

<code>...</code>	a matrix or data frame with incomplete data, where missing values are coded as NA. Alternatively, an expression indicating the variable names in data e.g., <code>na.coverage(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
<code>data</code>	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is NULL when specifying a matrix or data frame for the argument <code>...</code> .
<code>tri</code>	a character string or character vector indicating which triangular of the matrix to show on the console, i.e., both for upper and lower triangular, lower (default) for the lower triangular, and upper for the upper triangular.
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying proportions.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
<code>write</code>	a character string naming a file for writing the output into either a text file with file extension <code>".txt"</code> (e.g., <code>"Output.txt"</code>) or Excel file with file extension <code>".xlsx"</code> (e.g., <code>"Output.xlsx"</code>). If the file name does not contain any file extension, an Excel file will be written.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension <code>.txt</code> specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
-------------------	---------------

type	type of analysis
data	data frame used for the current analysis
args	specification of function arguments
result	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Enders, C. K. (2010). *Applied missing data analysis*. Guilford Press.

Graham, J. W. (2009). Missing data analysis: Making it work in the real world. *Annual Review of Psychology*, 60, 549-576. <https://doi.org/10.1146/annurev.psych.58.110405.085530>

van Buuren, S. (2018). *Flexible imputation of missing data* (2nd ed.). Chapman & Hall.

See Also

[write.result](#), [as.na](#), [na.as](#), [na.auxiliary](#), [na.descript](#), [na.indicator](#), [na.pattern](#), [na.prop](#), [na.test](#)

Examples

```
# Example 1a: Compute variance-covariance coverage
na.coverage(airquality)

# Example 1b: Alternative specification using the 'data' argument
na.coverage(., data = airquality)

## Not run:
# Example 2a: Write Results into a text file
na.coverage(airquality, write = "Coverage.txt")

# Example 2b: Write Results into an Excel file
na.coverage(airquality, write = "Coverage.xlsx")

result <- na.coverage(airquality, output = FALSE)
write.result(result, "Coverage.xlsx")

## End(Not run)
```

na.descript	<i>Descriptive Statistics for Missing Data in Single-Level, Two-Level and Three-Level Data</i>
-------------	--

Description

This function computes descriptive statistics for missing data in single-level, two-level, and three-level data, e.g. number of incomplete cases, number of missing values, and summary statistics for the number of missing values across all variables.

Usage

```
na.descript(..., data = NULL, cluster = NULL, table = FALSE, digits = 2,
            as.na = NULL, write = NULL, append = TRUE, check = TRUE,
            output = TRUE)
```

Arguments

...	a matrix or data frame with incomplete data, where missing values are coded as NA. Alternatively, an expression indicating the variable names in data e.g., <code>na.descript(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is NULL when specifying a matrix or data frame for the argument <code>...</code> .
cluster	a character string indicating the name of the cluster variable in <code>...</code> or data for two-level data, a character vector indicating the names of the cluster variables in <code>...</code> for three-level data, or a vector or data frame representing the nested grouping structure (i.e., group or cluster variables). Alternatively, a character string or character vector indicating the variable name(s) of the cluster variable(s) in data. Note that the cluster variable at Level 3 come first in a three-level model, i.e., <code>cluster = c("level3", "level2")</code> .
table	logical: if TRUE, a frequency table with number of observed values (" <code>nObs</code> "), percent of observed values (" <code>pObs</code> "), number of missing values (" <code>nNA</code> "), and percent of missing values (" <code>pNA</code> ") is printed for each variable on the console.
digits	an integer value indicating the number of decimal places to be used for displaying percentages.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a file for writing the output into either a text file with file extension <code>".txt"</code> (e.g., " <code>Output.txt</code> ") or Excel file with file extension <code>".xlsx"</code> (e.g., " <code>Output.xlsx</code> "). If the file name does not contain any file extension, an Excel file will be written.

append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
data	data frame used for the current analysis
args	specification of function arguments
result	list with results

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Enders, C. K. (2010). *Applied missing data analysis*. Guilford Press.
- Graham, J. W. (2009). Missing data analysis: Making it work in the real world. *Annual Review of Psychology*, 60, 549-576. <https://doi.org/10.1146/annurev.psych.58.110405.085530>
- van Buuren, S. (2018). *Flexible imputation of missing data* (2nd ed.). Chapman & Hall.

See Also

[write.result](#), [as.na](#), [na.as](#), [na.auxiliary](#), [na.coverage](#), [na.indicator](#), [na.pattern](#), [na.prop](#), [na.test](#)

Examples

```
#-----
# Single-Level Data

# Example 1a: Descriptive statistics for missing data
na.descript(airquality)

# Example 1b: Alternative specification using the 'data' argument
na.descript(., data = airquality)

# Example 2: Descriptive statistics for missing data, print results with 3 digits
na.descript(airquality, digits = 3)

# Example 3: Descriptive statistics for missing data with frequency table
na.descript(airquality, table = TRUE)

#-----
```

```

# Two-Level Data

# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

# Example 4: descriptive statistics for missing data
na.descript(Demo.twolevel, cluster = "cluster")

#-----
# Three-Level Data

# Create arbitrary three-level data
Demo.threelevel <- data.frame(Demo.twolevel, cluster2 = Demo.twolevel$cluster,
                             cluster3 = rep(1:10, each = 250))

# Example 5: descriptive statistics for missing data
na.descript(Demo.threelevel, cluster = c("cluster3", "cluster2"))

#-----
# Write Results

## Not run:
# Example 6a: Write Results into a text file
na.descript(airquality, table = TRUE, write = "NA_Descriptives.txt")

# Example 6b: Write Results into a Excel file
na.descript(airquality, table = TRUE, write = "NA_Descriptives.xlsx")

result <- na.descript(airquality, table = TRUE, output = FALSE)
write.result(result, "NA_Descriptives.xlsx")

## End(Not run)

```

na.indicator

Missing Data Indicator Matrix

Description

This function creates a missing data indicator matrix R that denotes whether values are observed or missing, i.e., $r = 1$ if a value is observed, and $r = 0$ if a value is missing.

Usage

```
na.indicator(..., data = NULL, as.na = NULL, check = TRUE)
```

Arguments

... a matrix or data frame with incomplete data, where missing values are coded as NA. Alternatively, an expression indicating the variable names in data e.g., `na.indicator(x1, x2, x3, data = dat)`. Note that the operators `.`, `+`, `-`, `~`, `:`,

	: :, and ! can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument Note that the argument is NULL when specifying a matrix or data frame for the argument
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
check	logical: if TRUE (default), argument specification is checked.

Value

Returns a matrix or data frame with $r = 1$ if a value is observed, and $r = 0$ if a value is missing.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Enders, C. K. (2010). *Applied missing data analysis*. Guilford Press.
- Graham, J. W. (2009). Missing data analysis: Making it work in the real world. *Annual Review of Psychology*, 60, 549-576. <https://doi.org/10.1146/annurev.psych.58.110405.085530>
- van Buuren, S. (2018). *Flexible imputation of missing data* (2nd ed.). Chapman & Hall.

See Also

[as.na](#), [na.as](#), [na.auxiliary](#), [na.coverage](#), [na.descript](#), [na.pattern](#), [na.prop](#), [na.test](#)

Examples

```
# Example 1a: Create missing data indicator matrix \eqn{R}
na.indicator(airquality)

# Example 1b: Alternative specification using the 'data' argument
na.indicator(., data = airquality)
```

na.pattern

Missing Data Pattern

Description

This function computes a summary of missing data patterns, i.e., number (cases with a specific missing data pattern.

Usage

```
na.pattern(..., data = NULL, order = FALSE, digits = 2, as.na = NULL, write = NULL,
           append = TRUE, check = TRUE, output = TRUE)
```

Arguments

...	a matrix or data frame with incomplete data, where missing values are coded as NA. Alternatively, an expression indicating the variable names in data e.g., <code>na.pattern(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a matrix or data frame for the argument ...
order	logical: if TRUE, variables are ordered from left to right in increasing order of missing values.
digits	an integer value indicating the number of decimal places to be used for displaying percentages.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
data	data frame used for the current analysis
args	specification of function arguments
result	result tables
pattern	group variable of missing data pattern

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Enders, C. K. (2010). *Applied missing data analysis*. Guilford Press.
- Graham, J. W. (2009). Missing data analysis: Making it work in the real world. *Annual Review of Psychology*, 60, 549-576. <https://doi.org/10.1146/annurev.psych.58.110405.085530>
- van Buuren, S. (2018). *Flexible imputation of missing data* (2nd ed.). Chapman & Hall.

See Also

[write.result](#), [as.na](#), [na.as](#), [na.auxiliary](#), [na.coverage](#), [na.descript](#), [na.indicator](#), [na.prop](#), [na.test](#)

Examples

```
## Not run:
# Example 1a: Compute a summary of missing data patterns
dat.pattern <- na.pattern(airquality)

# Example 1b: Alternative specification using the 'data' argument
dat.pattern <- na.pattern(., data = airquality)

# Example 2: Vector of missing data pattern for each case
dat.pattern$pattern

# Data frame without cases with missing data pattern 2 and 4
airquality[!dat.pattern$pattern, ]

# Example 3a: Write Results into a text file
result <- na.pattern(airquality, write = "NA_Pattern.txt")

# Example 3b: Write Results into an Excel file
result <- na.pattern(airquality, write = "NA_Pattern.xlsx")

result <- na.pattern(dat, output = FALSE)
write.result(result, "NA_Pattern.xlsx")

## End(Not run)
```

na.prop

Proportion of Missing Data for Each Case

Description

This function computes the proportion of missing data for each case in a matrix or data frame.

Usage

```
na.prop(..., data = NULL, digits = 2, append = TRUE, name = "na.prop",
        as.na = NULL, check = TRUE)
```

Arguments

... a matrix or data frame with incomplete data, where missing values are coded as NA. Alternatively, an expression indicating the variable names in data e.g., `na.prop(x1, x2, x3, data = dat)`. Note that the operators `.`, `+`, `-`, `~`, `:`, `::`, and `!` can also be used to select variables, see 'Details' in the [df.subset](#) function.

data	a data frame when specifying one or more variables in the argument Note that the argument is NULL when specifying a matrix or data frame for the argument
name	a character string indicating the name of the variable appended to the data frame specified in the argument data when append = TRUE.
.	
append	logical: if TRUE (default), variable with proportion of missing data is appended to the data frame specified in the argument data
digits	an integer value indicating the number of decimal places to be used for displaying proportions.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
check	logical: if TRUE, argument specification is checked.

Value

Returns a numeric vector with the same length as the number of rows in x containing the proportion of missing data.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Enders, C. K. (2010). *Applied missing data analysis*. Guilford Press.
- Graham, J. W. (2009). Missing data analysis: Making it work in the real world. *Annual Review of Psychology*, 60, 549-576. <https://doi.org/10.1146/annurev.psych.58.110405.085530>
- van Buuren, S. (2018). *Flexible imputation of missing data* (2nd ed.). Chapman & Hall.

See Also

[as.na](#), [na.as](#), [na.auxiliary](#), [na.coverage](#), [na.descript](#), [na.indicator](#), [na.pattern](#), [na.test](#)

Examples

```
# Example 1a: Compute proportion of missing data for each case in the data frame
na.prop(airquality)

# Example 1b: Alternative specification using the 'data' argument,
# append proportions to the data frame 'airquality'
na.prop(., data = airquality)
```

na.test	<i>Little's Missing Completely at Random (MCAR) Test</i>
---------	--

Description

This function performs Little's Missing Completely at Random (MCAR) test

Usage

```
na.test(..., data = NULL, digits = 2, p.digits = 3, as.na = NULL, write = NULL,
        append = TRUE, check = TRUE, output = TRUE)
```

Arguments

...	a matrix or data frame with incomplete data, where missing values are coded as NA. Alternatively, an expression indicating the variable names in data e.g., <code>na.test(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the <code>df.subset</code> function.
data	a data frame when specifying one or more variables in the argument <code>...</code> . Note that the argument is NULL when specifying a matrix or data frame for the argument <code>...</code> .
digits	an integer value indicating the number of decimal places to be used for displaying results.
p.digits	an integer value indicating the number of decimal places to be used for displaying the <i>p</i> -value.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a text file with file extension <code>".txt"</code> (e.g., <code>"Output.txt"</code>) for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension <code>.txt</code> specified in <code>write</code> , if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Details

Little (1988) proposed a multivariate test of Missing Completely at Random (MCAR) that tests for mean differences on every variable in the data set across subgroups that share the same missing data pattern by comparing the observed variable means for each pattern of missing data with the expected population means estimated using the expectation-maximization (EM) algorithm (i.e., EM maximum likelihood estimates). The test statistic is the sum of the squared standardized differences between the subsample means and the expected population means weighted by the estimated variance-covariance matrix and the number of observations within each subgroup (Enders, 2010). Under the null hypothesis that data are MCAR, the test statistic follows asymptotically a chi-square distribution with $\sum k_j - k$ degrees of freedom, where k_j is the number of complete variables for

missing data pattern j , and k is the total number of variables. A statistically significant result provides evidence against MCAR.

Note that Little's MCAR test has a number of problems (see Enders, 2010). **First**, the test does not identify the specific variables that violates MCAR, i.e., the test does not identify potential correlates of missingness (i.e., auxiliary variables). **Second**, the test is based on multivariate normality, i.e., under departure from the normality assumption the test might be unreliable unless the sample size is large and is not suitable for categorical variables. **Third**, the test investigates mean differences assuming that the missing data pattern share a common covariance matrix, i.e., the test cannot detect covariance-based deviations from MCAR stemming from a Missing at Random (MAR) or Missing Not at Random (MNAR) mechanism because MAR and MNAR mechanisms can also produce missing data subgroups with equal means. **Fourth**, simulation studies suggest that Little's MCAR test suffers from low statistical power, particularly when the number of variables that violate MCAR is small, the relationship between the data and missingness is weak, or the data are MNAR (Thoemmes & Enders, 2007). **Fifth**, the test can only reject, but cannot prove the MCAR assumption, i.e., a statistically not significant result and failing to reject the null hypothesis of the MCAR test does not prove the null hypothesis that the data is MCAR. **Finally**, under the null hypothesis the data are actually MCAR or MNAR, while a statistically significant result indicates that missing data are MAR or MNAR, i.e., MNAR cannot be ruled out regardless of the result of the test.

This function is based on the `prelim.norm` function in the **norm** package which can handle about 30 variables. With more than 30 variables specified in the argument `x`, the `prelim.norm` function might run into numerical problems leading to results that are not trustworthy. In this case it is recommended to reduce the number of variables specified in the argument `x`. If the number of variables cannot be reduced, it is recommended to use the `LittleMCAR` function in the **BaylorEdPsych** package which can deal with up to 50 variables. However, this package was removed from the CRAN repository and needs to be obtained from the archive along with the **mvnmle** which is needed for using the `LittleMCAR` function. Note that the `mcar_test` function in the **naniar** package is also based on the `prelim.norm` function which results are not trustworthy whenever the warning message `In norm::prelim.norm(data) : NAs introduced by coercion to integer range` is printed on the console.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	matrix or data frame specified in <code>x</code>
<code>args</code>	specification of function arguments
<code>result</code>	result table

Note

Code is adapted from the R function by Eric Stemmler: tinyurl.com/r-function-for-MCAR-test

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Enders, C. K. (2010). *Applied missing data analysis*. Guilford Press.

Thoemmes, F., & Enders, C. K. (2007, April). *A structural equation model for testing whether data are missing completely at random*. Paper presented at the annual meeting of the American Educational Research Association, Chicago, IL.

Little, R. J. A. (1988). A test of Missing Completely at Random for multivariate data with missing values. *Journal of the American Statistical Association*, 83, 1198-1202. <https://doi.org/10.2307/2290157>

See Also

[as.na](#), [na.as](#), [na.auxiliary](#), [na.coverage](#), [na.descript](#), [na.indicator](#), [na.pattern](#), [na.prop](#).

Examples

```
# Example 1a: Conduct Little's MCAR test
na.test(airquality)

# Example b: Alternative specification using the 'data' argument,
na.test(., data = airquality)

## Not run:
# Example 2: Write results into a text file
na.test(airquality, write = "NA_Test.txt")

## End(Not run)
```

print.misty.object *Print misty.object object*

Description

This function prints the misty.object object

Usage

```
## S3 method for class 'misty.object'
print(x,
      print = x$args$print, tri = x$args$tri, freq = x$args$freq,
      hypo = x$args$hypo, descript = x$args$descript, epsilon = x$args$epsilon,
      effsize = x$args$effsize, posthoc = x$args$posthoc, split = x$args$split,
      table = x$args$table, digits = x$args$digits, p.digits = x$args$p.digits,
      icc.digits = x$args$icc.digits, sort.var = x$args$sort.var,
      order = x$args$order, check = TRUE, ...)
```

Arguments

<code>x</code>	misty.object object.
<code>print</code>	a character string or character vector indicating which results to to be printed on the console.
<code>tri</code>	a character string or character vector indicating which triangular of the matrix to show on the console, i.e., both for upper and lower triangular, lower for the lower triangular, and upper for the upper triangular.
<code>freq</code>	logical: if TRUE, absolute frequencies will be included in the cross tabulation (<code>crosstab()</code> function).
<code>hypo</code>	logical: if TRUE, null and alternative hypothesis are shown on the console (<code>test.t</code> , <code>test.welch</code> , <code>test.z</code> function).
<code>descript</code>	logical: if TRUE, descriptive statistics are shown on the console (<code>test.t</code> , <code>test.welch</code> , <code>test.z</code> function).
<code>epsilon</code>	logical: if TRUE, box indices of sphericity (epsilon) are shown on the console (<code>ao.v.w</code>).
<code>effsize</code>	logical: if TRUE, effect size measure(s) is shown on the console (<code>test.t</code> , <code>test.welch</code> , <code>test.z</code> function). <code>test.z</code> function).
<code>posthoc</code>	logical: if TRUE, post hoc test for multiple comparison is shown on the console (<code>test.welch</code>).
<code>split</code>	logical: if TRUE, output table is split by variables when specifying more than one variable in <code>x</code> (<code>freq</code>).
<code>table</code>	logical: if TRUE, a frequency table with number of observed values (" <code>nObs</code> "), percent of observed values (" <code>pObs</code> "), number of missing values (" <code>nNA</code> "), and percent of missing values (" <code>pNA</code> ") is printed for each variable on the console (<code>na.descript()</code> function).
<code>digits</code>	an integer value indicating the number of decimal places digits to be used for displaying results.
<code>p.digits</code>	an integer indicating the number of decimal places to be used for displaying <i>p</i> -values.
<code>icc.digits</code>	an integer indicating the number of decimal places to be used for displaying intraclass correlation coefficients (<code>multilevel.descript()</code> and <code>multilevel.icc()</code> function).
<code>sort.var</code>	logical: if TRUE, output is sorted by variables.
<code>order</code>	logical: if TRUE, variables are ordered from left to right in increasing order of missing values (<code>na.descript()</code> function).
<code>check</code>	logical: if TRUE, argument specification is checked.
<code>...</code>	further arguments passed to or from other methods.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

read.dta	<i>Read Stata DTA File</i>
----------	----------------------------

Description

This function calls the `read_dta` function in the **haven** package by Hadley Wickham, Evan Miller and Danny Smith (2023) to read a Stata DTA file.

Usage

```
read.dta(file, use.value.labels = FALSE, formats = FALSE, label = FALSE, labels = FALSE,  
         missing = FALSE, widths = FALSE, as.data.frame = TRUE, check = TRUE)
```

Arguments

<code>file</code>	a character string indicating the name of the Stata data file with or without file extension '.dta', e.g., "Stata_Data.dta" or "Stata_Data".
<code>use.value.labels</code>	logical: if TRUE, variables with value labels are converted into factors.
<code>formats</code>	logical: if TRUE (default), variable formats are shown in an attribute for all variables.
<code>label</code>	logical: if TRUE, variable labels are shown in an attribute for all variables.
<code>labels</code>	logical: if TRUE, value labels are shown in an attribute for all variables.
<code>missing</code>	logical: if TRUE, convert tagged missing values to regular R NA.
<code>widths</code>	logical: if TRUE, widths are shown in an attribute for all variables.
<code>as.data.frame</code>	logical: if TRUE (default), function returns a regular data frame; if FALSE function returns a tibble.
<code>check</code>	logical: if TRUE (default), argument specification is checked.

Value

Returns a data frame or tibble.

Note

This function is a modified copy of the `read_dta()` function in the **haven** package by Hadley Wickham, Evan Miller and Danny Smith (2023).

Author(s)

Hadley Wickham and Evan Miller

References

Wickham H, Miller E, Smith D (2023). *haven: Import and Export 'SPSS', 'Stata' and 'SAS' Files*. R package version 2.5.3. <https://CRAN.R-project.org/package=haven>

See Also

[read.sav](#), [write.sav](#), [read.xlsx](#), [write.xlsx](#), [read.mplus](#), [write.mplus](#)

Examples

```
## Not run:

read.dta("Stata_Data.dta")
read.dta("Stata_Data")

# Example 2: Read Stata data, convert variables with value labels into factors
read.dta("Stata_Data.dta", use.value.labels = TRUE)

# Example 3: Read Stata data as tibble
read.dta("Stata_Data.dta", as.data.frame = FALSE)

## End(Not run)
```

read.mplus

Read Mplus Data File and Variable Names

Description

This function reads a Mplus data file and/or Mplus input/output file to return a data frame with variable names extracted from the Mplus input/output file. Note that by default -99 in the Mplus data file is replaced with to NA.

Usage

```
read.mplus(file, sep = "", input = NULL, na = -99, print = FALSE, return.var = FALSE,
           fileEncoding = "UTF-8-BOM", check = TRUE)
```

Arguments

file	a character string indicating the name of the Mplus data file with or without the file extension .dat, e.g., "Mplus_Data.dat" or "Mplus_Data". Note that it is not necessary to specify this argument when return.var = TRUE.
sep	a character string indicating the field separator (i.e., delimiter) used in the data file specified in file. By default, the separator is 'white space', i.e., one or more spaces, tabs, newlines or carriage returns.
input	a character string indicating the Mplus input (.inp) or output file (.out) in which the variable names are specified in the VARIABLE: section. Note that if input = NULL, this function is equivalent to read.table(file).
na	a numeric vector indicating values to replace with NA. By default, -99 is replaced with NA. If -99 is not a missing value change the argument to NULL.
print	logical: if TRUE, variable names are printed on the console.

return.var	logical: if TRUE, the function returns the variable names extracted from the Mplus input or output file only.
fileEncoding	character string declaring the encoding used on file so the character data can be re-encoded. See df.sort .
check	logical: if TRUE (default), argument specification is checked.

Value

A data frame containing a representation of the data in the file.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Muthen, L. K., & Muthen, B. O. (1998-2017). *Mplus User's Guide* (8th ed.). Muthen & Muthen.

See Also

[read.dta](#), [write.dta](#), [read.sav](#), [write.sav](#), [read.xlsx](#), [write.xlsx](#)

Examples

```
## Not run:
# Example 1: Read Mplus data file and variable names extracted from the Mplus input file
dat <- read.mplus("Mplus_Data.dat", input = "Mplus_Input.inp")

# Example 2: Read Mplus data file and variable names extracted from the Mplus input file,
# print variable names on the console
dat <- read.mplus("Mplus_Data.dat", input = "Mplus_Input.inp", print = TRUE)

# Example 3: Read variable names extracted from the Mplus input file
varnames <- read.mplus(input = "Mplus_Input.inp", return.var = TRUE)

## End(Not run)
```

read.sav

Read SPSS File

Description

This function calls the `read_spss` function in the **haven** package by Hadley Wickham, Evan Miller and Danny Smith (2023) to read an SPSS file.

Usage

```
read.sav(file, use.value.labels = FALSE, use.missings = TRUE, formats = FALSE,
         label = FALSE, labels = FALSE, missing = FALSE, widths = FALSE,
         as.data.frame = TRUE, check = TRUE)
```

Arguments

file	a character string indicating the name of the SPSS data file with or without file extension '.sav', e.g., "SPSS_Data.sav" or "SPSS_Data".
use.value.labels	logical: if TRUE, variables with value labels are converted into factors.
use.missings	logical: if TRUE (default), user-defined missing values are converted into NAs.
formats	logical: if TRUE, variable formats are shown in an attribute for all variables.
label	logical: if TRUE, variable labels are shown in an attribute for all variables.
labels	logical: if TRUE, value labels are shown in an attribute for all variables.
missing	logical: if TRUE, value labels for user-defined missings are shown in an attribute for all variables.
widths	logical: if TRUE, widths are shown in an attribute for all variables.
as.data.frame	logical: if TRUE (default), function returns a regular data frame; if FALSE function returns a tibble.
check	logical: if TRUE (default), argument specification is checked.

Value

Returns a data frame or tibble.

Author(s)

Hadley Wickham, Evan Miller and Danny Smith

References

Wickham H, Miller E, Smith D (2023). *haven: Import and Export 'SPSS', 'Stata' and 'SAS' Files*. R package version 2.5.3. <https://CRAN.R-project.org/package=haven>

See Also

[read.dta](#), [write.dta](#), [read.xlsx](#), [write.xlsx](#), [read.mplus](#), [write.mplus](#)

Examples

```
## Not run:
# Example 1: Read SPSS data file
read.sav("SPSS_Data.sav")
read.sav("SPSS_Data")

# Example 2: Read SPSS data file, convert variables with value labels into factors
read.sav("SPSS_Data.sav", use.value.labels = TRUE)

# Example 3: Read SPSS data file, user-defined missing values are not converted into NAs
read.sav("SPSS_Data.sav", use.missing = FALSE)

# Example 4: Read SPSS data file as tibble
```

```
read.sav("SPSS_Data.sav", as.data.frame = FALSE)

## End(Not run)
```

read.xlsx

Read Excel File

Description

This function calls the `read_xlsx()` function in the **readxl** package by Hadley Wickham and Jennifer Bryan (2019) to read an Excel file (.xlsx).

Usage

```
read.xlsx(file, sheet = NULL, header = TRUE, range = NULL,
          coltypes = c("skip", "guess", "logical", "numeric", "date", "text", "list"),
          na = "", trim = TRUE, skip = 0, nmax = Inf, guessmax = min(1000, nmax),
          progress = readxl::readxl_progress(), name.repair = "unique",
          as.data.frame = TRUE, check = TRUE)
```

Arguments

file	a character string indicating the name of the Excel data file with or without file extension '.xlsx', e.g., "My_Excel_Data.xlsx" or "My_Excel_Data".
sheet	a character string indicating the name of a sheet or a numeric value indicating the position of the sheet to read. By default the first sheet will be read.
header	logical: if TRUE (default), the first row is used as column names, if FALSE default names are used. A character vector giving a name for each column can also be used. If coltypes as a vector is provided, colnames can have one entry per column, i.e. have the same length as coltypes, or one entry per unskipped column.
range	a character string indicating the cell range to read from, e.g. typical Excel ranges like "B3:D87", possibly including the sheet name like "Data!B2:G14". Interpreted strictly, even if the range forces the inclusion of leading or trailing empty rows or columns. Takes precedence over skip, nmax and sheet.
coltypes	a character vector containing one entry per column from these options "skip", "guess", "logical", "numeric", "date", "text" or "list". If exactly one coltype is specified, it will be recycled. By default (i.e., coltypes = NULL) coltypes will be guessed. The content of a cell in a skipped column is never read and that column will not appear in the data frame output. A list cell loads a column as a list of length 1 vectors, which are typed using the type guessing logic from coltypes = NULL, but on a cell-by-cell basis.
na	a character vector indicating strings to interpret as missing values. By default, blank cells will be treated as missing data.
trim	logical: if TRUE (default), leading and trailing whitespace will be trimmed.

skip	a numeric value indicating the minimum number of rows to skip before reading anything, be it column names or data. Leading empty rows are automatically skipped, so this is a lower bound. Ignored if the argument range is specified.
nmax	a numeric value indicating the maximum number of data rows to read. Trailing empty rows are automatically skipped, so this is an upper bound on the number of rows in the returned data frame. Ignored if the argument range is specified.
guessmax	a numeric value indicating the maximum number of data rows to use for guessing column types.
progress	display a progress spinner? By default, the spinner appears only in an interactive session, outside the context of knitting a document, and when the call is likely to run for several seconds or more.
name.repair	a character string indicating the handling of column names. By default, the function ensures column names are not empty and are unique.
as.data.frame	logical: if TRUE (default), function returns a regular data frame; if FALSE function returns a tibble.
check	logical: if TRUE (default), argument specification is checked.

Value

Returns a data frame or tibble.

Author(s)

Hadley Wickham and Jennifer Bryan

References

Wickham H, Miller E, Smith D (2023). *readxl: Read Excel Files*. R package version 1.4.3. <https://CRAN.R-project.org/package=readxl>

See Also

[read.dta](#), [write.dta](#), [read.sav](#), [write.sav](#), [read.mplus](#), [write.mplus](#)

Examples

```
## Not run:
# Example 1: Read Excel file (.xlsx)
read.xlsx("data.xlsx")

# Example 1: Read Excel file (.xlsx), use default names as column names
read.xlsx("data.xlsx", header = FALSE)

# Example 2: Read Excel file (.xlsx), interpret -99 as missing values
read.xlsx("data.xlsx", na = "-99")

# Example 3: Read Excel file (.xlsx), use x1, x2, and x3 as column names
read.xlsx("data.xlsx", header = c("x1", "x2", "x3"))
```

```
# Example 4: Read Excel file (.xlsx), read cells A1:B5
read.xlsx("data.xlsx", range = "A1:B5")

# Example 5: Read Excel file (.xlsx), skip 2 rows before reading data
read.xlsx("data.xlsx", skip = 2)

# Example 5: Read Excel file (.xlsx), return a tibble
read.xlsx("data.xlsx", as.data.frame = FALSE)

## End(Not run)
```

rec	<i>Recode Variable</i>
-----	------------------------

Description

This function recodes numeric vectors, character vectors, or factors according to recode specifications.

Usage

```
rec(..., data = NULL, spec, as.factor = FALSE, levels = NULL, append = TRUE,
     name = ".e", as.na = NULL, table = FALSE, check = TRUE)
```

Arguments

...	a numeric vector, character vector, factor, matrix or data frame. Alternatively, an expression indicating the variable names in data e.g., <code>rec(x1, x2, x3, data = dat, spec = "1 = 0")</code>). Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a a numeric vector, character vector, factor, matrix or data frame for the argument ...
spec	a character string of recode specifications (see 'Details').
as.factor	logical: if TRUE, character vector will be coerced to a factor.
levels	a character vector for specifying the levels in the returned factor.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
append	logical: if TRUE (default), centered variable(s) are appended to the data frame specified in the argument data.
name	a character string or character vector indicating the names of the recoded variables. By default, variables are named with the ending <code>".r"</code> Resulting in e.g. <code>"x1.r"</code> and <code>"x2.r"</code> . Variable names can also be specified using a character vector matching the number of variables specified in ... (e.g., <code>name = c("recode.x1", "recode.x2")</code>).
table	logical: if TRUE, a cross table variable x recoded variable is printed on the console if only one variable is specified in ...
check	logical: if TRUE (default), argument specification is checked.

Details

Recode specifications appear in a character string, separated by semicolons (see the examples below), of the form `input = output`. If an input value satisfies more than one specification, then the first (from left to right) applies. If no specification is satisfied, then the input value is carried over to the result. NA is allowed in input and output. Several recode specifications are supported:

Single Value For example, `spec = "0 = NA"`.

Vector of Values For example, `spec = "c(7, 8, 9) = 'high'"`.

Range of Values For example, `spec = "7:9 = 'C'"`. The special values `lo` (lowest value) and `hi` (highest value) may appear in a range. For example, `spec = "lo:10 = 1"`. Note that `:` is not the R sequence operator. In addition you may not use `:` with the collect operator, e.g., `spec = "c(1, 3, 5:7)"` will cause an error.

else For example, `spec = "0 = 1; else = NA"`. Everything that does not fit a previous specification. Note that `else` matches all otherwise unspecified values on input, including NA.

Value

Returns a numeric vector or data frame with the same length or same number of rows as ... containing the recoded coded variable(s).

Note

This function was adapted from the `recode()` function in the **car** package by John Fox and Sanford Weisberg (2019).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Fox, J., & Weisberg S. (2019). *An R Companion to Applied Regression* (3rd ed.). Thousand Oaks CA: Sage. URL: <https://socialsciences.mcmaster.ca/jfox/Books/Companion/>

See Also

[coding](#), [item.reverse](#)

Examples

```
#-----
# Numeric vector
x.num <- c(1, 2, 4, 5, 6, 8, 12, 15, 19, 20)

# Example 1a: Recode 5 = 50 and 19 = 190
rec(x.num, spec = "5 = 50; 19 = 190")

# Example 1b: Recode 1, 2, and 5 = 100 and 4, 6, and 7 = 200 and else = 300
rec(x.num, spec = "c(1, 2, 5) = 100; c(4, 6, 7) = 200; else = 300")
```

```

# Example 1c: Recode lowest value to 10 = 100 and 11 to highest value = 200
rec(x.num, spec = "lo:10 = 100; 11:hi = 200")

# Example 1d: Recode 5 = 50 and 19 = 190 and check recoding
rec(x.num, spec = "5 = 50; 19 = 190", table = TRUE)

#-----
# Character vector
x.chr <- c("a", "c", "f", "j", "k")

# Example 2a: Recode a to x
rec(x.chr, spec = "'a' = 'X'")

# Example 2b: Recode a and f to x, c and j to y, and else to z
rec(x.chr, spec = "c('a', 'f') = 'x'; c('c', 'j') = 'y'; else = 'z'")

# Example 2c: Recode a to x and coerce to a factor
rec(x.chr, spec = "'a' = 'X'", as.factor = TRUE)

#-----
# Factor
x.fac <- factor(c("a", "b", "a", "c", "d", "d", "b", "b", "a"))

# Example 3a: Recode a to x, factor levels ordered alphabetically
rec(x.fac, spec = "'a' = 'x'")

# Example 3b: Recode a to x, user-defined factor levels
rec(x.fac, spec = "'a' = 'x'", levels = c("x", "b", "c", "d"))

#-----
# Multiple variables
dat <- data.frame(x1.num = c(1, 2, 4, 5, 6),
                  x2.num = c(5, 19, 2, 6, 3),
                  x1.chr = c("a", "c", "f", "j", "k"),
                  x2.chr = c("b", "c", "a", "d", "k"),
                  x1.fac = factor(c("a", "b", "a", "c", "d")),
                  x2.fac = factor(c("b", "a", "d", "c", "e")))

# Example 4a: Recode numeric vector and attach to 'dat'
dat <- cbind(dat, rec(dat[, c("x1.num", "x2.num")], spec = "5 = 50; 19 = 190"))

# Example 4b: Alternative specification using the 'data' argument,
rec(x1.num, x2.num, data = dat, spec = "5 = 50; 19 = 190")

# Example 4c: Recode character vector and attach to 'dat'
dat <- cbind(dat, rec(dat[, c("x1.chr", "x2.chr")], spec = "'a' = 'X'"))

# Example 4d: Recode factor vector and attach to 'dat'
dat <- cbind(dat, rec(dat[, c("x1.fac", "x2.fac")], spec = "'a' = 'X'"))

```

restart	<i>Restart R Session</i>
---------	--------------------------

Description

This function restarts the RStudio session and is equivalent to using the menu item Session - Restart R.

Usage

```
restart()
```

Details

The function call `executeCommand("restartR")` in the package **rstudioapi** is used to restart the R session. Note that the function `restartSession()` in the package **rstudioapi** is not equivalent to the menu item Session - Restart R since it does not unload packages loaded during an R session.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Ushey, K., Allaire, J., Wickham, H., & Ritchie, G. (2022). `rstudioapi`: Safely access the RStudio API. R package version 0.14. <https://CRAN.R-project.org/package=rstudioapi>

Examples

```
## Not run:

# Example 1: Restart the R Session
restart()

## End(Not run)
```

result.lca	<i>Summary Result Table and Grouped Bar Charts for Latent Class Analysis Estimated in Mplus</i>
------------	---

Description

This function reads all Mplus output files from latent class analysis in subfolders to create a summary result table and bar charts for each latent class solution separately. By default, the function reads output files in all subfolders of the current working directory. Optionally, bar charts for each latent class solution can be requested by setting the argument `plot` to `TRUE`. Note that subfolders with only one Mplus output file are excluded.

Usage

```
result.lca(folder = getwd(), exclude = NULL, sort.n = TRUE, sort.p = TRUE,
  plot = FALSE, group.ind = TRUE, ci = TRUE, conf.level = 0.95, adjust = TRUE,
  axis.title = 7, axis.text = 7, levels = NULL, labels = NULL,
  ylim = NULL, ylab = "Mean Value", breaks = ggplot2::waiver(),
  error.width = 0.1, legend.title = 7, legend.text = 7, legend.key.size = 0.4,
  gray = FALSE, start = 0.15, end = 0.85, dpi = 600,
  width = "n.ind", height = 4, digits = 1, p.digits = 3,
  write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

folder	a character vector indicating the name of the subfolders to be excluded from the summary result table.
exclude	a character vector indicating the name of the subfolders excluded from the result tables.
sort.n	logical: if TRUE (default), result table is sorted according to the number of classes within each folder.
sort.p	logical: if TRUE (default), class proportions are sorted decreasing.
plot	logical: if TRUE, bar charts with error bars for confidence intervals are saved in the folder <code>_Plots</code> within subfolders. Note that plots are only available for LCA with continuous or count indicator variables.
group.ind	logical: if TRUE (default), latent class indicators are represented by separate bars, if FALSE latent classes are represented by separate bars.
ci	logical: if TRUE (default), confidence intervals are added to the bar charts.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
adjust	logical: if TRUE (default), difference-adjustment for the confidence intervals is applied.
axis.title	a numeric value specifying the size of the axis title.
axis.text	a numeric value specifying the size of the axis text
levels	a character string specifying the order of the indicator variables shown on the x-axis.
labels	a character string specifying the labels of the indicator variables shown on the x-axis.
ylim	a numeric vector of length two specifying limits of the y-axis.
ylab	a character string specifying the label of the y-axis.
breaks	a numeric vector specifying the points at which tick-marks are drawn at the y-axis.
error.width	a numeric vector specifying the width of the error bars. By default, the width of the error bars is 0.1 plus number of classes divided by 30.
legend.title	a numeric value specifying the size of the legend title.
legend.text	a numeric value specifying the size of the legend text.

legend.key.size	a numeric value specifying the size of the legend keys.
gray	logical: if TRUE, bar charts are drawn in gray scale.
start	a numeric value between 0 and 1 specifying the gray value at the low end of the palette.
end	a numeric value between 0 and 1 specifying the gray value at the high end of the palette.
dpi	a numeric value specifying the plot resolution when saving the bar chart.
width	a numeric value specifying the width of the plot when saving the bar chart. By default, the width is number of indicators plus number of classes divided by 2.
height	a numeric value specifying the height of the plot when saving the bar chart.
digits	an integer value indicating the number of decimal places to be used for displaying results. Note that the scaling correction factor is displayed with digits plus 1 decimal places.
p.digits	an integer value indicating the number of decimal places to be used for displaying <i>p</i> -values, entropy value, and class proportions.
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Details

The result summary table comprises following entries:

- "Folder": Subfolder from which the group of Mplus outputs files were summarized.
- "#Class": Number of classes (i.e., CLASSES ARE c(#Class)).
- "Conv": Model converged, TRUE or FALSE (i.e., THE MODEL ESTIMATION TERMINATED NORMALLY).
- "#Param": Number of estimated parameters (i.e., Number of Free Parameters).
- "logLik": Log-likelihood of the estimated model (i.e., H0 Value).
- "Scale": Scaling correction factor (i.e., H0 Scaling Correction Factor for). Provided only when ESTIMATOR IS MLR.
- "LL Rep": Best log-likelihood replicated, TRUE or FALSE (i.e., THE BEST LOGLIKELIHOOD VALUE HAS BEEN REPLICATED).
- "AIC": Akaike information criterion (i.e., Akaike (AIC)).
- "CAIC": Consistent AIC, not reported in the Mplus output, but simply BIC + #Param.
- "BIC": Bayesian information criterion (i.e., Bayesian (BIC)).
- "Chi-Pear": Pearson chi-square test of model fit (i.e., Pearson Chi-Square), only available when indicators are count or ordered categorical.

- "Chi-LRT": Likelihood ratio chi-square test of model fit (i.e., Likelihood Ratio Chi-Square), only available when indicators are count or ordered categorical.
- "SABIC": Sample-size adjusted BIC (i.e., Sample-Size Adjusted BIC).
- "LMR-LRT": Significance value (p -value) of the Vuong-Lo-Mendell-Rubin test (i.e., VUONG-LO-MENDELL-RUBIN LIKELIHOOD RATIO TEST). Provided only when OUTPUT: TECH11.
- "A-LRT": Significance value (p -value) of the Adjusted Lo-Mendell-Rubin Test (i.e., LO-MENDELL-RUBIN ADJUSTED LRT TEST). Provided only when OUTPUT: TECH11.
- "BLRT": Significance value (p -value) of the bootstrapped likelihood ratio test. Provided only when OUTPUT: TECH14.
- "Entropy": Sample-size adjusted BIC (i.e., Entropy).
- "p1": Class proportion of the first class based on the estimated posterior probabilities (i.e., FINAL CLASS COUNTS AND PROPORTIONS).
- "p2": Class proportion of the second class based on the estimated posterior probabilities (i.e., FINAL CLASS COUNTS AND PROPORTIONS).

Value

Returns an object, which is a list with following entries:

call	function call
type	type of analysis
output	list with all Mplus outputs
args	specification of function arguments
result	list with result tables, i.e., summary for the summary result table, mean_var for the result table with means and variances for each latent class separately, mean for the result table with means for each latent class separately, and var for the result table with variances for each latent class separately

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Masyn, K. E. (2013). Latent class analysis and finite mixture modeling. In T. D. Little (Ed.), *The Oxford handbook of quantitative methods: Statistical analysis* (pp. 551–611). Oxford University Press.

Muthen, L. K., & Muthen, B. O. (1998-2017). *Mplus User's Guide* (8th ed.). Muthen & Muthen.

See Also

[mplus.lca](#), [run.mplus](#), [read.mplus](#), [write.mplus](#)

Examples

```

## Not run:
# Load data set "HolzingerSwineford1939" in the lavaan package
data("HolzingerSwineford1939", package = "lavaan")

# Run LCA with k = 1 to k = 6 classes
mplus.lca(HolzingerSwineford1939, ind = c("x1", "x2", "x3", "x4"),
          run.mplus = TRUE)

# Example 1a: Read Mplus output files, create result table, write table, and save plots
result.lca(write = "LCA.xlsx", plot = TRUE)

# Example 1b: Write results into a text file
result.lca(write = "LCA.txt")

#-----
# Example 2: Draw bar chart manually

library(ggplot2)

# Collect LCA results
lca.result <- result.lca()

# Result table with means
means <- lca.result$result$mean

# Extract results from variance-covariance structure A with 4 latent classes
plotdat <- means[means$folder == "A-Invariant-Theta-Diagonal-Sigma" & means$class == 4, ]

# Draw bar chart
ggplot(plotdat, aes(ind, est, group = class, fill = class)) +
  geom_bar(stat = "identity", position = "dodge", color = "black",
          linewidth = 0.1) +
  geom_errorbar(aes(ymin = low, ymax = upp), width = 0.23,
              linewidth = 0.2, position = position_dodge(0.9)) +
  scale_x_discrete("") +
  scale_y_continuous("Mean Value", limits = c(0, 9),
                    breaks = seq(0, 9, by = 1)) +
  labs(fill = "Latent Class") +
  guides(fill = guide_legend(nrow = 1L)) +
  theme(axis.title = element_text(size = 11),
        axis.text = element_text(size = 11),
        legend.position = "bottom",
        legend.key.size = unit(0.5, 'cm'),
        legend.title = element_text(size = 11),
        legend.text = element_text(size = 11),
        legend.box.spacing = unit(-9L, "pt"))

# Save bar chart
ggsave("LCA_4-Class.png", dpi = 600, width = 6, height = 4)

## End(Not run)

```

robust.coef	<i>Unstandardized Coefficients with Heteroscedasticity-Consistent Standard Errors</i>
-------------	---

Description

This function computes heteroscedasticity-consistent standard errors and significance values for linear models estimated by using the `lm()` function and generalized linear models estimated by using the `glm()` function. For linear models the heteroscedasticity-robust F-test is computed as well. By default the function uses the HC4 estimator.

Usage

```
robust.coef(model, type = c("HC0", "HC1", "HC2", "HC3", "HC4", "HC4m", "HC5"),
            digits = 3, p.digits = 4, write = NULL, append = TRUE, check = TRUE,
            output = TRUE)
```

Arguments

model	a fitted model of class <code>lm</code> or <code>glm</code> .
type	a character string specifying the estimation type, where "H0" gives White's estimator and "H1" to "H5" are refinement of this estimator. See help page of the <code>vcovHC()</code> function in the R package <code>sandwich</code> for more details.
digits	an integer value indicating the number of decimal places to be used for displaying results. Note that information criteria and chi-square test statistic are printed with <code>digits</code> minus 1 decimal places.
p.digits	an integer value indicating the number of decimal places to be used for displaying <i>p</i> -values.
write	a character string naming a file for writing the output into either a text file with file extension ".txt" (e.g., "Output.txt") or Excel file with file extension ".xlsx" (e.g., "Output.xlsx"). If the file name does not contain any file extension, an Excel file will be written.
append	logical: if TRUE (default), output will be appended to an existing text file with extension ".txt" specified in <code>write</code> , if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Details

The family of heteroscedasticity-consistent (HC) standard errors estimator for the model parameters of a regression model is based on an HC covariance matrix of the parameter estimates and does not require the assumption of homoscedasticity. HC estimators approach the correct value with increasing sample size, even in the presence of heteroscedasticity. On the other hand, the OLS standard error estimator is biased and does not converge to the proper value when the assumption of homoscedasticity is violated (Dalington & Hayes, 2017).

White (1980) introduced the idea of HC covariance matrix to econometricians and derived the asymptotically justified form of the HC covariance matrix known as HC0 (Long & Ervin, 2000). Simulation studies have shown that the HC0 estimator tends to underestimate the true variance in small to moderately large samples ($N \leq 250$) and in the presence of leverage observations, which leads to an inflated type I error risk (e.g., Cribari-Neto & Lima, 2014). The alternative estimators HC1 to HC5 are asymptotically equivalent to HC0 but include finite-sample corrections, which results in superior small sample properties compared to the HC0 estimator. Long and Ervin (2000) recommended routinely using the HC3 estimator regardless of a heteroscedasticity test. However, the HC3 estimator can be unreliable when the data contains leverage observations. The HC4 estimator, on the other hand, performs well with small samples, in the presence of high leverage observations, and when errors are not normally distributed (Cribari-Neto, 2004). In summary, it appears that the HC4 estimator performs the best in terms of controlling the type I and type II error risk (Rosopa, 2013). As opposed to the findings of Cribari-Neto et al. (2007), the HC5 estimator did not show any substantial advantages over HC4. Both HC5 and HC4 performed similarly across all the simulation conditions considered in the study (Ng & Wilcox, 2009).

Note that the F -test of significance on the multiple correlation coefficient R also assumes homoscedasticity of the errors. Violations of this assumption can result in a hypothesis test that is either liberal or conservative, depending on the form and severity of the heteroscedasticity.

Hayes (2007) argued that using a HC estimator instead of assuming homoscedasticity provides researchers with more confidence in the validity and statistical power of inferential tests in regression analysis. Hence, the HC3 or HC4 estimator should be used routinely when estimating regression models. If a HC estimator is not used as the default method of standard error estimation, researchers are advised to at least double-check the results by using an HC estimator to ensure that conclusions are not compromised by heteroscedasticity. However, the presence of heteroscedasticity suggests that the data is not adequately explained by the statistical model of estimated conditional means. Unless heteroscedasticity is believed to be solely caused by measurement error associated with the predictor variable(s), it should serve as warning to the researcher regarding the adequacy of the estimated model.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>model</code>	model specified in <code>model</code>
<code>args</code>	specification of function arguments
<code>result</code>	list with results, i.e., <code>coef</code> for the unstandardized regression coefficients with heteroscedasticity-consistent standard errors, <code>F.test</code> for the heteroscedasticity-robust F-Test, and <code>sandwich</code> for the sandwich covariance matrix

Note

This function is based on the `vcovHC` function from the `sandwich` package (Zeileis, Köll, & Graham, 2020) and the functions `coeftest` and `waldtest` from the `lmtest` package (Zeileis & Hothorn, 2002).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Darlington, R. B., & Hayes, A. F. (2017). *Regression analysis and linear models: Concepts, applications, and implementation*. The Guilford Press.
- Cribari-Neto, F. (2004). Asymptotic inference under heteroskedasticity of unknown form. *Computational Statistics & Data Analysis*, *45*, 215-233. [https://doi.org/10.1016/S0167-9473\(02\)00366-3](https://doi.org/10.1016/S0167-9473(02)00366-3)
- Cribari-Neto, F., & Lima, M. G. (2014). New heteroskedasticity-robust standard errors for the linear regression model. *Brazilian Journal of Probability and Statistics*, *28*, 83-95.
- Cribari-Neto, F., Souza, T., & Vasconcellos, K. L. P. (2007). Inference under heteroskedasticity and leveraged data. *Communications in Statistics - Theory and Methods*, *36*, 1877-1888. <https://doi.org/10.1080/0361092060112>
- Hayes, A.F, & Cai, L. (2007). Using heteroscedasticity-consistent standard error estimators in OLS regression: An introduction and software implementation. *Behavior Research Methods*, *39*, 709-722. <https://doi.org/10.3758/BF03192961>
- Long, J.S., & Ervin, L.H. (2000). Using heteroscedasticity consistent standard errors in the linear regression model. *The American Statistician*, *54*, 217-224. <https://doi.org/10.1080/00031305.2000.10474549>
- Ng, M., & Wilcoy, R. R. (2009). Level robust methods based on the least squares regression estimator. *Journal of Modern Applied Statistical Methods*, *8*, 284-395. <https://doi.org/10.22237/jmasm/1257033840>
- Rosopa, P. J., Schaffer, M. M., & Schroeder, A. N. (2013). Managing heteroscedasticity in general linear models. *Psychological Methods*, *18*(3), 335-351. <https://doi.org/10.1037/a0032553>
- White, H. (1980). A heteroskedastic-consistent covariance matrix estimator and a direct test of heteroskedasticity. *Econometrica*, *48*, 817-838. <https://doi.org/10.2307/1912934>
- Zeileis, A., & Hothorn, T. (2002). Diagnostic checking in regression relationships. *R News*, *2*(3), 7–10. <http://CRAN.R-project.org/doc/Rnews/>
- Zeileis A, Köll S, & Graham N (2020). Various versatile variances: An object-oriented implementation of clustered covariances in R. *Journal of Statistical Software*, *95*(1), 1-36. <https://doi.org/10.18637/jss.v095.i01>

See Also

[std.coef](#), [write.result](#)

Examples

```
dat <- data.frame(x1 = c(3, 2, 4, 9, 5, 3, 6, 4, 5, 6, 3, 5),
                 x2 = c(1, 4, 3, 1, 2, 4, 3, 5, 1, 7, 8, 7),
                 x3 = c(0, 0, 1, 0, 1, 1, 1, 1, 0, 0, 1, 1),
                 y1 = c(2, 7, 4, 4, 7, 8, 4, 2, 5, 1, 3, 8),
                 y2 = c(0, 1, 0, 2, 0, 1, 0, 0, 1, 2, 1, 0))

#-----
# Example 1: Linear model

mod1 <- lm(y1 ~ x1 + x2 + x3, data = dat)
robust.coef(mod1)
```

```

#-----
# Example 2: Generalized linear model

mod2 <- glm(y2 ~ x1 + x2 + x3, data = dat, family = poisson())
robust.coef(mod2)

## Not run:
#-----
# Write Results

# Example 3a: Write Results into a text file
robust.coef(mod1, write = "Robust_Coef.txt", output = FALSE)

# Example 3b: Write Results into an Excel file
robust.coef(mod1, write = "Robust_Coef.xlsx", output = FALSE)

result <- robust.coef(mod1, output = FALSE)
write.result(result, "Robust_Coef.xlsx")

## End(Not run)

```

run.mplus

Run Mplus Models

Description

This function runs a group of Mplus models (.inp files) located within a single directory or nested within subdirectories.

Usage

```
run.mplus(target = getwd(), recursive = FALSE, filefilter = NULL, showOutput = FALSE,
          replaceOutfile = c("always", "never", "modifiedDate"), logfile = NULL,
          Mplus = "Mplus", killOnFail = TRUE, local_tmpdir = FALSE)
```

Arguments

target	a character string indicating the directory containing Mplus input files (.inp) to run or the single .inp file to be run. May be a full path, relative path, or a filename within the working directory.
recursive	logical: if TRUE, run all models nested in subdirectories within directory. Not relevant if target is a single file.
filefilter	a Perl regular expression (PCRE-compatible) specifying particular input files to be run within directory. See regex or http://www.pcre.org/pcre.txt for details about regular expression syntax. Not relevant if target is a single file.
showOutput	logical: if TRUE, estimation output (TECH8) is show on the R console. Note that if run within Rgui, output will display within R, but if run via Rterm, a separate window will appear during estimation.

replaceoutfile	a character string for specifying three settings: "always" (default), which runs all models, regardless of whether an output file for the model exists, "never", which does not run any model that has an existing output file, and "modifiedDate", which only runs a model if the modified date for the input file is more recent than the output file modified date.
logfile	a character string specifying a file that records the settings passed into the function and the models run (or skipped) during the run.
Mplus	a character string for specifying the name or path of the Mplus executable to be used for running models. This covers situations where Mplus is not in the system's path, or where one wants to test different versions of the Mplus program. Note that there is no need to specify this argument for most users since it has intelligent defaults.
killOnFail	logical: if TRUE (default), all processes named mplus.exe when mplus.run() does not terminate normally are killed. Windows only.
local_tmpdir	logical: if TRUE, the TMPDIR environment variable is set to the location of the .inp file prior to execution. This is useful in Monte Carlo studies where many instances of Mplus may run in parallel and we wish to avoid collisions in temporary files among processes. Linux/Mac only.

Value

None.

Note

This function is a copy of the runModels() function in the **MplusAutomation** package by Michael Hallquist and Joshua Wiley (2018).

Author(s)

Michael Hallquist

References

Hallquist, M. N. & Wiley, J. F. (2018). MplusAutomation: An R package for facilitating large-scale latent variable analyses in Mplus. *Structural Equation Modeling: A Multidisciplinary Journal*, 25, 621-638. <https://doi.org/10.1080/10705511.2017.1402334>.

Muthen, L. K., & Muthen, B. O. (1998-2017). *Mplus User's Guide* (8th ed.). Muthen & Muthen.

Examples

```
## Not run:
# Example 1: Run Mplus models located within a single directory
run.mplus(Mplus = "C:/Program Files/Mplus/Mplus.exe")

# Example 2: Run Mplus models located nested within subdirectories
run.mplus(recursive = TRUE,
          Mplus = "C:/Program Files/Mplus/Mplus.exe")
```

```
## End(Not run)
```

rwg.lindell	<i>Lindell, Brandt and Whitney (1999) r*wg(j) Within-Group Agreement Index for Multi-Item Scales</i>
-------------	--

Description

This function computes $r^*wg(j)$ within-group agreement index for multi-item scales as described in Lindell, Brandt and Whitney (1999).

Usage

```
rwg.lindell(..., data = NULL, cluster, A = NULL, ranvar = NULL, z = TRUE,
            expand = TRUE, na.omit = FALSE, append = TRUE, name = "rwg",
            as.na = NULL, check = TRUE)
```

Arguments

...	a numeric vector or data frame. Alternatively, an expression indicating the variable names in data e.g., <code>rwg.lindell(x1, x2, x3, data = dat)</code> . Note that the operators <code>.</code> , <code>+</code> , <code>-</code> , <code>~</code> , <code>:</code> , <code>::</code> , and <code>!</code> can also be used to select variables, see 'Details' in the df.subset function.
data	a data frame when specifying one or more variables in the argument ... Note that the argument is NULL when specifying a numeric vector or data frame for the argument ...
cluster	either a character string indicating the variable name of the cluster variable in ... or data, or a vector representing the nested grouping structure (i.e., group or cluster variable).
A	a numeric value indicating the number of discrete response options of the items from which the random variance is computed based on $(A^2 - 1)/12$. Note that either the argument <code>j</code> or the argument <code>ranvar</code> is specified.
ranvar	a numeric value indicating the random variance to which the mean of the item variance is divided. Note that either the argument <code>j</code> or the argument <code>ranvar</code> is specified.
z	logical: if TRUE (default), Fisher z-transformation based on the formula $z = 0.5 * \log((1 + r)/(1 - r))$ is applied to the vector of $r^*wg(j)$ estimates.
expand	logical: if TRUE (default), vector of $r^*wg(j)$ estimates is expanded to match the input vector <code>x</code> .
na.omit	logical: if TRUE, incomplete cases are removed before conducting the analysis (i.e., listwise deletion).
append	logical: if TRUE (default), a variable with the $r^*wg(j)$ within-group agreement index are appended to the data frame specified in the argument <code>data</code> .

name	a character string indicating the name of the variable appended to the data frame specified in the argument data when append = TRUE. By default, the variable is named rwg.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis. Note that as.na() function is only applied to x, but not to cluster.
check	logical: if TRUE (default), argument specification is checked.

Details

The $r^*wg(j)$ index is calculated by dividing the mean of the item variance by the expected random variance (i.e., null distribution). The default null distribution in most research is the rectangular or uniform distribution calculated with $\sigma_e^2 u = (A^2 - 1)/12$, where A is the number of discrete response options of the items. However, what constitutes a reasonable standard for random variance is highly debated. Note that the $r^*wg(j)$ allows that the mean of the item variances to be larger than the expected random variances, i.e., $r^*wg(j)$ values can be negative.

Note that the `rwg.j.lindell()` function in the **multilevel** package uses listwise deletion by default, while the `rwg.lindell()` function uses all available information to compute the $r^*wg(j)$ agreement index by default. In order to obtain equivalent results in the presence of missing values, listwise deletion (`na.omit = TRUE`) needs to be applied.

Examples for the application of $r^*wg(j)$ within-group agreement index for multi-item scales can be found in Bardach, Yanagida, Schober and Lueftenegger (2018), Bardach, Lueftenegger, Yanagida, Schober and Spiel (2018), and Bardach, Lueftenegger, Yanagida, Spiel and Schober (2019).

Value

Returns a numeric vector containing $r^*wg(j)$ agreement index for multi-item scales with the same length as group if `expand = TRUE` or a data frame with following entries if `expand = FALSE`:

cluster	cluster identifier
n	cluster size
rwg.lindell	$r^*wg(j)$ estimate for each group
z.rwg.lindell	Fisher z-transformed $r^*wg(j)$ estimate for each cluster

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Bardach, L., Lueftenegger, M., Yanagida, T., & Schober, B. (2019). Achievement or agreement - Which comes first? Clarifying the temporal ordering of achievement and within-class consensus on classroom goal structures. *Learning and Instruction, 61*, 72-83. <https://doi.org/10.1016/j.learninstruc.2019.01.003>
- Bardach, L., Lueftenegger, M., Yanagida, T., Schober, B. & Spiel, C. (2019). The role of within-class consensus on mastery goal structures in predicting socio-emotional outcomes. *British Journal of Educational Psychology, 89*, 239-258. <https://doi.org/10.1111/bjep.12237>

Bardach, L., Yanagida, T., Schober, B. & Lueftenegger, M. (2018). Within-class consensus on classroom goal structures: Relations to achievement and achievement goals in mathematics and language classes. *Learning and Individual Differences*, 67, 78-90. <https://doi.org/10.1016/j.lindif.2018.07.002>

Lindell, M. K., Brandt, C. J., & Whitney, D. J. (1999). A revised index of interrater agreement for multi-item ratings of a single target. *Applied Psychological Measurement*, 23, 127-135. <https://doi.org/10.1177/01466219922031257>

O'Neill, T. A. (2017). An overview of interrater agreement on Likert scales for researchers and practitioners. *Frontiers in Psychology*, 8, Article 777. <https://doi.org/10.3389/fpsyg.2017.00777>

See Also

[cluster.scores](#)

Examples

```
dat <- data.frame(id = c(1, 2, 3, 4, 5, 6, 7, 8, 9),
                 cluster = c(1, 1, 1, 2, 2, 2, 3, 3, 3),
                 x1 = c(2, 3, 2, 1, 1, 2, 4, 3, 5),
                 x2 = c(3, 2, 2, 1, 2, 1, 3, 2, 5),
                 x3 = c(3, 1, 1, 2, 3, 3, 5, 5, 4))

# Example 1a: Compute Fisher z-transformed r*wg(j) for a multi-item scale
# with A = 5 response options
rwg.lindell(dat[, c("x1", "x2", "x3")], cluster = dat$cluster, A = 5)

# Example 1b: Alternative specification using the 'data' argument,
rwg.lindell(x1:x3, data = dat, cluster = "cluster", A = 5)
# Example 2: Compute Fisher z-transformed r*wg(j) for a multi-item scale with a random variance of 2
rwg.lindell(dat[, c("x1", "x2", "x3")], cluster = dat$cluster, ranvar = 2)

# Example 3: Compute r*wg(j) for a multi-item scale with A = 5 response options
rwg.lindell(dat[, c("x1", "x2", "x3")], cluster = dat$cluster, A = 5, z = FALSE)

# Example 4: Compute Fisher z-transformed r*wg(j) for a multi-item scale
# with A = 5 response options, do not expand the vector
rwg.lindell(dat[, c("x1", "x2", "x3")], cluster = dat$cluster, A = 5, expand = FALSE)
```

script.copy

Save Copy of the Current Script in RStudio

Description

This function saves a copy of the current script in RStudio. By default, a folder called `_R_Script_Archive` will be created to save the copy of the current R script with the current date and time into the folder. Note that the current R script needs to have a file location before the script can be copied.

Usage

```
script.copy(file = NULL, folder = "_R_Script_Archive", create.folder = TRUE,  
            time = TRUE, format = "%Y-%m-%d_%H%M", overwrite = TRUE,  
            check = TRUE)
```

Arguments

file	a character string naming the file of the copy without the file extension ".R". By default, the file of the copy has the same name as the original file.
folder	a character string naming the folder in which the file of the copy is saved. If NULL, the file of the copy is saved in the same folder as the original file. By default, the file of the copy is saved into a folder called "_R_Script_Archive".
create.folder	logical: if TRUE (default), folder(s) specified in the file argument is created. If FALSE and the folder does not exist, then a error message is printed on the console.
time	logical: if TRUE (default), the current time is attached to the name of the file specified in the argument file.
format	a character string indicating the format if the POSIXct class resulting from the Sys.time function. The default setting provides a character string indicating the year, month, day, minutes, and seconds. See the help page of the format.POSIXct function.
overwrite	logical: if TRUE (default) an existing destination file is overwritten.
check	logical: if TRUE (default), argument specification is checked.

Note

This function uses the getSourceEditorContext() function in the **rstudioapi** package by Kevin Ushey, JJ Allaire, Hadley Wickham, and Gary Ritchie (2023).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Ushey, K., Allaire, J., Wickham, H., & Ritchie, G. (2023). *rstudioapi: Safely access the RStudio API*. R package version 0.15.0 <https://CRAN.R-project.org/package=rstudioapi>

See Also

[script.new](#), [script.close](#), [script.open](#), [script.save](#), [setsource](#)

Examples

```
## Not run:  
# Example 1: Save copy current R script into the folder '_R_Script_Archive'  
script.copy()
```

```
# Example 2: Save current R script as 'R_Script.R' into the folder 'Archive'
script.copy("R_Script", folder = "Archive", time = FALSE)

## End(Not run)
```

script.new

Open new R Script, R Markdown script, or SQL Script in RStudio

Description

This function opens a new R script, R markdown script, or SQL script in RStudio.

Usage

```
script.new(text = "", type = c("r", "rmarkdown", "sql"),
           position = rstudioapi::document_position(0, 0),
           run = FALSE, check = TRUE)
```

Arguments

text	a character vector indicating what text should be inserted in the new R script. By default, an empty script is opened.
type	a character string indicating the type of document to be created, i.e., r (default) for an R script, rmarkdown for an R Markdown file, or sql for an SQL script.
position	document_position() function in the rstudioapi package indicating the cursor position.
run	logical: if TRUE, the code is executed after the document is created.
check	logical: if TRUE (default), argument specification is checked.

Note

This function uses the documentNew() function in the **rstudioapi** package by Kevin Ushey, JJ Allaire, Hadley Wickham, and Gary Ritchie (2023).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Ushey, K., Allaire, J., Wickham, H., & Ritchie, G. (2023). *rstudioapi: Safely access the RStudio API*. R package version 0.15.0 <https://CRAN.R-project.org/package=rstudioapi>

See Also

[script.close](#), [script.open](#), [script.save](#), [script.copy](#), [setsource](#)

Examples

```
## Not run:

# Example 1: Open new R script file
script.new()

# Example 2: Open new R script file and run some code
script.new("#-----")
# Example

# Generate 100 random numbers
rnorm(100)

## End(Not run)
```

script.open

Open, Close and Save R Script in RStudio

Description

The function `script.open` opens an R script, R markdown script, or SQL script in RStudio, the function `script.close` closes an R script, and the function `script.save` saves an R script. Note that the R script need to have a file location before the script can be saved.

Usage

```
script.open(path, line = 1, col = 1, cursor = TRUE, run = FALSE,
            echo = TRUE, max.length = 999, spaced = TRUE, check = TRUE)

script.close(save = FALSE, check = TRUE)

script.save(all = FALSE, check = TRUE)
```

Arguments

<code>path</code>	a character string indicating the path of the script.
<code>line</code>	a numeric value indicating the line in the script to navigate to.
<code>col</code>	a numeric value indicating the column in the script to navigate to.
<code>cursor</code>	logical: if TRUE (default), the cursor moves to the requested location after opening the document.
<code>run</code>	logical: if TRUE, the code is executed after the document is opened
<code>echo</code>	logical: if TRUE (default), each expression is printed after parsing, before evaluation.
<code>max.length</code>	a numeric value indicating the maximal number of characters output for the deparse of a single expression.
<code>spaced</code>	logical: if TRUE (default), empty line is printed before each expression.

save	logical: if TRUE, the script is saved before closing when using the function <code>script.close</code> .
all	logical: if TRUE, all scripts opened in RStudio are saved when using the function <code>script.save</code> .
check	logical: if TRUE (default), argument specification is checked.

Note

This function uses the `documentOpen()`, `documentPath()`, `documentClose()`, `documentSave()`, and `documentSaveAll()` functions in the **rstudioapi** package by Kevin Ushey, JJ Allaire, Hadley Wickham, and Gary Ritchie (2023).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Ushey, K., Allaire, J., Wickham, H., & Ritchie, G. (2023). *rstudioapi: Safely access the RStudio API*. R package version 0.15.0 <https://CRAN.R-project.org/package=rstudioapi>

See Also

[script.save](#), [script.copy](#), [setsource](#)

Examples

```
## Not run:

# Example 1: Open R script file
script.open("script.R")

# Example 2: Open R script file and run the code
script.open("script.R", run = TRUE)

# Example 3: Close current R script file
script.close()

# Example 4: Save current R script
script.save()

# Example 5: Save all R scripts
script.save(all = TRUE)

## End(Not run)
```

setsource	<i>Set Working Directory to the Source File Location</i>
-----------	--

Description

This function sets the working directory to the source file location (i.e., path of the current R script) in RStudio and is equivalent to using the menu item *Session - Set Working Directory - To Source File Location*. Note that the R script needs to have a file location before this function can be used.

Usage

```
setsource(path = TRUE, check = TRUE)
```

Arguments

path	logical: if TRUE (default), the path of the source file is shown on the console.
check	logical: if TRUE, argument specification is checked.

Value

Returns the path of the source file location.

Note

This function uses the `documentPath()` function in the **rstudioapi** package by Kevin Ushey, JJ Allaire, Hadley Wickham, and Gary Ritchie (2023).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Ushey, K., Allaire, J., Wickham, H., & Ritchie, G. (2023). *rstudioapi: Safely access the RStudio API*. R package version 0.15.0 <https://CRAN.R-project.org/package=rstudioapi>

See Also

[script.close](#), [script.new](#), [script.open](#), [script.save](#)

Examples

```
## Not run:

# Example 1: Set working directory to the source file location
setsource()

# Example 2: Set working directory to the source file location
# and assign path to an object
path <- setsource()
path

## End(Not run)
```

size.cor

Sample Size Determination for Testing Pearson's Correlation Coefficient

Description

This function performs sample size computation for testing Pearson's product-moment correlation coefficient based on precision requirements (i.e., type-I-risk, type-II-risk and an effect size).

Usage

```
size.cor(rho, delta, alternative = c("two.sided", "less", "greater"),
         alpha = 0.05, beta = 0.1, write = NULL, append = TRUE,
         check = TRUE, output = TRUE)
```

Arguments

rho	a number indicating the correlation coefficient under the null hypothesis, ρ_0 .
delta	a numeric value indicating the minimum difference to be detected, δ .
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
alpha	type-I-risk, α .
beta	type-II-risk, β .
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>data</code>	matrix or data frame specified in <code>x</code>
<code>args</code>	specification of function arguments
<code>result</code>	list with the result, i.e., optimal sample size

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>,

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. New York: John Wiley & Sons.

Rasch, D., Pilz, J., Verdooren, L. R., & Gebhardt, G. (2011). *Optimal experimental design with R*. Boca Raton: Chapman & Hall/CRC.

See Also

[size.mean](#), [size.prop](#)

Examples

```
#-----  
# Example 1: Two-sided test  
# H0: rho = 0.3, H1: rho != 0.3  
# alpha = 0.05, beta = 0.2, delta = 0.2  
  
size.cor(rho = 0.3, delta = 0.2, alpha = 0.05, beta = 0.2)  
  
#-----  
# Example 2: One-sided test  
# H0: rho <= 0.3, H1: rho > 0.3  
# alpha = 0.05, beta = 0.2, delta = 0.2  
  
size.cor(rho = 0.3, delta = 0.2, alternative = "greater", alpha = 0.05, beta = 0.2)
```

size.mean

*Sample Size Determination for Testing Arithmetic Means***Description**

This function performs sample size computation for the one-sample and two-sample t-test based on precision requirements (i.e., type-I-risk, type-II-risk and an effect size).

Usage

```
size.mean(delta, sample = c("two.sample", "one.sample"),
          alternative = c("two.sided", "less", "greater"),
          alpha = 0.05, beta = 0.1, write = NULL, append = TRUE,
          check = TRUE, output = TRUE)
```

Arguments

delta	a numeric value indicating the relative minimum difference to be detected, δ .
sample	a character string specifying one- or two-sample t-test, must be one of "two.sample" (default) or "one.sample".
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
alpha	type-I-risk, α .
beta	type-II-risk, β .
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
data	matrix or data frame specified in x
args	specification of function arguments
result	list with the result, i.e., optimal sample size

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. New York: John Wiley & Sons.
- Rasch, D., Pilz, J., Verdooren, L. R., & Gebhardt, G. (2011). *Optimal experimental design with R*. Boca Raton: Chapman & Hall/CRC.

See Also

[size.prop](#), [size.cor](#)

Examples

```
#-----
# Example 1: Two-sided one-sample test
# H0: mu = mu.0, H1: mu != mu.0
# alpha = 0.05, beta = 0.2, delta = 0.5

size.mean(delta = 0.5, sample = "one.sample",
           alternative = "two.sided", alpha = 0.05, beta = 0.2)

#-----
# Example 2: One-sided one-sample test
# H0: mu <= mu.0, H1: mu > mu.0
# alpha = 0.05, beta = 0.2, delta = 0.5

size.mean(delta = 0.5, sample = "one.sample",
           alternative = "greater", alpha = 0.05, beta = 0.2)

#-----
# Example 3: Two-sided two-sample test
# H0: mu.1 = mu.2, H1: mu.1 != mu.2
# alpha = 0.01, beta = 0.1, delta = 1

size.mean(delta = 1, sample = "two.sample",
           alternative = "two.sided", alpha = 0.01, beta = 0.1)

#-----
# Example 4: One-sided two-sample test
# H0: mu.1 <= mu.2, H1: mu.1 > mu.2
# alpha = 0.01, beta = 0.1, delta = 1

size.mean(delta = 1, sample = "two.sample",
           alternative = "greater", alpha = 0.01, beta = 0.1)
```

Description

This function performs sample size computation for the one-sample and two-sample test for proportions based on precision requirements (i.e., type-I-risk, type-II-risk and an effect size).

Usage

```
size.prop(pi = 0.5, delta, sample = c("two.sample", "one.sample"),
          alternative = c("two.sided", "less", "greater"),
          alpha = 0.05, beta = 0.1, correct = FALSE,
          write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

pi	a number indicating the true value of the probability under the null hypothesis (one-sample test), π_0 or a number indicating the true value of the probability in group 1 (two-sample test), π_1 .
delta	minimum difference to be detected, δ .
sample	a character string specifying one- or two-sample proportion test, must be one of "two.sample" (default) or "one.sample".
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "less" or "greater".
alpha	type-I-risk, α .
beta	type-II-risk, β .
correct	a logical indicating whether continuity correction should be applied.
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown.

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
data	matrix or data frame specified in x
args	specification of function arguments
result	list with the result, i.e., optimal sample size

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>.

References

- Fleiss, J. L., Levin, B., & Paik, M. C. (2003). *Statistical methods for rates and proportions* (3rd ed.). John Wiley & Sons.
- Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.
- Rasch, D., Pilz, J., Verdooren, L. R., & Gebhardt, G. (2011). *Optimal experimental design with R*. Chapman & Hall/CRC.

See Also

[size.mean](#), [size.cor](#)

Examples

```
#-----
# Example 1: Two-sided one-sample test
# H0: pi = 0.5, H1: pi != 0.5
# alpha = 0.05, beta = 0.2, delta = 0.2

size.prop(pi = 0.5, delta = 0.2, sample = "one.sample",
          alternative = "two.sided", alpha = 0.05, beta = 0.2)

#-----
# Example 2: Two-sided one-sample test
# H0: pi = 0.5, H1: pi != 0.5
# alpha = 0.05, beta = 0.2, delta = 0.2
# with continuity correction

size.prop(pi = 0.5, delta = 0.2, sample = "one.sample",
          alternative = "two.sided", alpha = 0.05, beta = 0.2,
          correct = TRUE)

#-----
# Example 3: One-sided one-sample test
# H0: pi <= 0.5, H1: pi > 0.5
# alpha = 0.05, beta = 0.2, delta = 0.2

size.prop(pi = 0.5, delta = 0.2, sample = "one.sample",
          alternative = "less", alpha = 0.05, beta = 0.2)

#-----
# Example 4: Two-sided two-sample test
# H0: pi.1 = pi.2 = 0.5, H1: pi.1 != pi.2
# alpha = 0.01, beta = 0.1, delta = 0.2

size.prop(pi = 0.5, delta = 0.2, sample = "two.sample",
          alternative = "two.sided", alpha = 0.01, beta = 0.1)

#-----
# Example 5: One-sided two-sample test
# H0: pi.1 <= pi.1 = 0.5, H1: pi.1 > pi.2
```

```
# alpha = 0.01, beta = 0.1, delta = 0.2
size.prop(pi = 0.5, delta = 0.2, sample = "two.sample",
          alternative = "greater", alpha = 0.01, beta = 0.1)
```

 skewness

Skewness and Kurtosis

Description

The function `skewness` computes the skewness, the function `kurtosis` computes the kurtosis.

Usage

```
skewness(..., data = NULL, as.na = NULL, check = TRUE)
```

```
kurtosis(..., data = NULL, as.na = NULL, check = TRUE)
```

Arguments

<code>...</code>	a numeric vector. Alternatively, an expression indicating the variable names in data e.g., <code>skewness(x1, data = dat)</code> .
<code>data</code>	a data frame when specifying the variable in the argument <code>...</code> . Note that the argument is <code>NULL</code> when specifying a numeric vector for the argument <code>...</code> .
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to <code>NA</code> before conducting the analysis.
<code>check</code>	logical: if <code>TRUE</code> (default), argument specification is checked.

Details

The same method for estimating skewness and kurtosis is used in SAS and SPSS. Missing values (`NA`) are stripped before the computation. Note that at least 3 observations are needed to compute skewness and at least 4 observations are needed to compute excess kurtosis.

Value

Returns the estimated skewness or kurtosis of `x`.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. New York: John Wiley & Sons.

See Also[descript](#)**Examples**

```
# Set seed of the random number generation
set.seed(123)
# Generate random numbers according to N(0, 1)
x <- rnorm(100)

# Example 1: Compute skewness
skewness(x)

# Example 2: Compute excess kurtosis
kurtosis(x)
```

std.coef

*Standardized Coefficients***Description**

This function computes standardized coefficients for linear models estimated by using the `lm()` function.

Usage

```
std.coef(model, print = c("all", "stdx", "stdy", "stdyx"), digits = 3, p.digits = 4,
         write = NULL, append = TRUE, check = TRUE, output = TRUE)
```

Arguments

<code>model</code>	a fitted model of class "lm".
<code>print</code>	a character vector indicating which results to show, i.e. "all", for all results, "stdx" for standardizing only the predictor, "stdy" for for standardizing only the criterion, and "stdyx" for for standardizing both the predictor and the criterion. Note that the default setting is depending on the level of measurement of the predictors, i.e., if all predictors are continuous, the default setting is <code>print = "stdyx"</code> ; if all predictors are binary, the default setting is <code>print = "stdy"</code> ; if predictors are continuous and binary, the default setting is <code>print = c("stdy", "stdyx")</code> .
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying results.
<code>p.digits</code>	an integer value indicating the number of decimal places to be used for displaying the <i>p</i> -value.
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.

append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.

Details

The slope β can be standardized with respect to only x , only y , or both y and x :

$$StdX(\beta_1) = \beta_1 SD(x)$$

$StdX(\beta_1)$ standardizes with respect to x only and is interpreted as the change in y when x changes one standard deviation referred to as $SD(x)$.

$$StdY(\beta_1) = \frac{\beta_1}{SD(x)}$$

$StdY(\beta_1)$ standardizes with respect to y only and is interpreted as the change in y standard deviation units, referred to as $SD(y)$, when x changes one unit.

$$StdYX(\beta_1) = \beta_1 \frac{SD(x)}{SD(y)}$$

$StdYX(\beta_1)$ standardizes with respect to both y and x and is interpreted as the change in y standard deviation units when x changes one standard deviation.

Note that the $StdYX(\beta_1)$ and the $StdY(\beta_1)$ standardizations are not suitable for the slope of a binary predictor because a one standard deviation change in a binary variable is generally not of interest (Muthen, Muthen, & Asparouhov, 2016).

The standardization of the slope β_3 in a regression model with an interaction term uses the product of standard deviations $SD(x_1)SD(x_2)$ rather than the standard deviation of the product $SD(x_1x_2)$ for the interaction variable x_1x_2 (see Wen, Marsh & Hau, 2010). Likewise, the standardization of the slope β_3 in a polynomial regression model with a quadratic term uses the product of standard deviations $SD(x)SD(x)$ rather than the standard deviation of the product $SD(xx)$ for the quadratic term x^2 .

Value

Returns an object of class `misty.object`, which is a list with following entries:

call	function call
type	type of analysis
model	model specified in <code>model</code>
args	specification of function arguments
result	list with result tables, i.e., <code>coef</code> for the regression table including standardized coefficients and <code>sd</code> for the standard deviation of the outcome and predictor(s)

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Muthen, B. O., Muthen, L. K., & Asparouhov, T. (2016). *Regression and mediation analysis using Mplus*. Muthen & Muthen.

Wen, Z., Marsh, H. W., & Hau, K.-T. (2010). Structural equation models of latent interactions: An appropriate standardized solution and its scale-free properties. *Structural Equation Modeling: A Multidisciplinary Journal*, 17, 1-22. <https://doi.org/10.1080/10705510903438872>

Examples

```
dat <- data.frame(x1 = c(3, 2, 4, 9, 5, 3, 6, 4, 5, 6, 3, 5),
                 x2 = c(1, 4, 3, 1, 2, 4, 3, 5, 1, 7, 8, 7),
                 x3 = c(0, 0, 1, 0, 1, 1, 1, 1, 0, 0, 1, 1),
                 y = c(2, 7, 4, 4, 7, 8, 4, 2, 5, 1, 3, 8))

#-----
# Linear model

# Example 1: Regression model with continuous predictors
mod.lm1 <- lm(y ~ x1 + x2, data = dat)
std.coef(mod.lm1)

# Example 2: Print all standardized coefficients
std.coef(mod.lm1, print = "all")

# Example 3: Regression model with dichotomous predictor
mod.lm2 <- lm(y ~ x3, data = dat)
std.coef(mod.lm2)

# Example 4: Regression model with continuous and dichotomous predictors
mod.lm3 <- lm(y ~ x1 + x2 + x3, data = dat)
std.coef(mod.lm3)

# Example 5: Regression model with continuous predictors and an interaction term
mod.lm4 <- lm(y ~ x1*x2, data = dat)

# Example 6: Regression model with a quadratic term
mod.lm5 <- lm(y ~ x1 + I(x1^2), data = dat)
std.coef(mod.lm5)

#-----
# Example 7: Write Results into an Excel file

## Not run:
mod.lm1 <- lm(y ~ x1 + x2, data = dat)

std.coef(mod.lm1, write = "Std_Coef.xlsx", output = FALSE)
```

```

result <- std.coef(mod.lm1, output = FALSE)
write.result(result, "Std_Coef.xlsx")

## End(Not run)

```

test.levene

Levene's Test for Homogeneity of Variance

Description

This function performs Levene's test for homogeneity of variance across two or more independent groups.

Usage

```

test.levene(formula, data, method = c("median", "mean"), conf.level = 0.95,
             hypo = TRUE, descript = TRUE, plot = FALSE, violin.alpha = 0.3,
             violin.trim = FALSE, box = TRUE, box.alpha = 0.2, box.width = 0.2,
             jitter = TRUE, jitter.size = 1.25, jitter.width = 0.05,
             jitter.height = 0, jitter.alpha = 0.2, gray = FALSE,
             start = 0.9, end = 0.4, color = NULL, xlab = NULL, ylab = NULL,
             ylim = NULL, breaks = ggplot2::waiver(), title = "",
             subtitle = "", digits = 2, p.digits = 3, as.na = NULL,
             write = NULL, append = TRUE, check = TRUE, output = TRUE)

```

Arguments

formula	a formula of the form $y \sim \text{group}$ where y is a numeric variable giving the data values and group a numeric variable, character variable or factor with two or more than two values or factor levels giving the corresponding groups.
data	a matrix or data frame containing the variables in the formula formula.
method	a character string specifying the method to compute the center of each group, i.e. method = "median" (default) to compute the Levene's test based on the median (aka Brown-Forsythe test) or method = "mean" to compute the Levene's test based on the arithmetic mean.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
hypo	logical: if TRUE (default), null and alternative hypothesis are shown on the console.
descript	logical: if TRUE (default), descriptive statistics are shown on the console.
plot	logical: if TRUE, a plot showing violin plots with boxplots is drawn.
violin.alpha	a numeric value indicating the opacity of the violins.
violin.trim	logical: if TRUE, the tails of the violins to the range of the data is trimmed.
box	logical: if TRUE (default), boxplots are drawn.
box.alpha	a numeric value indicating the opacity of the boxplots.

<code>box.width</code>	a numeric value indicating the width of the boxplots.
<code>jitter</code>	logical: if TRUE (default), jittered data points are drawn.
<code>jitter.size</code>	a numeric value indicating the size aesthetic for the jittered data points.
<code>jitter.width</code>	a numeric value indicating the amount of horizontal jitter.
<code>jitter.height</code>	a numeric value indicating the amount of vertical jitter.
<code>jitter.alpha</code>	a numeric value indicating the opacity of the jittered data points.
<code>gray</code>	logical: if TRUE, the plot is drawn in gray scale.
<code>start</code>	a numeric value between 0 and 1, graphical parameter to specify the gray value at the low end of the palette.
<code>end</code>	a numeric value between 0 and 1, graphical parameter to specify the gray value at the high end of the palette.
<code>color</code>	a character vector, indicating the color of the violins and the boxes. By default, default ggplot2 colors are used.
<code>xlab</code>	a character string specifying the labels for the x-axis.
<code>ylab</code>	a character string specifying the labels for the y-axis.
<code>ylim</code>	a numeric vector of length two specifying limits of the limits of the y-axis.
<code>breaks</code>	a numeric vector specifying the points at which tick-marks are drawn at the y-axis.
<code>title</code>	a character string specifying the text for the title for the plot.
<code>subtitle</code>	a character string specifying the text for the subtitle for the plot.
<code>digits</code>	an integer value indicating the number of decimal places to be used for displaying results.
<code>p.digits</code>	an integer value indicating the number of decimal places to be used for displaying the <i>p</i> -value.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown.

Details

Levene's test is equivalent to a one-way analysis of variance (ANOVA) with the absolute deviations of observations from the mean of each group as dependent variable (`center = "mean"`). Brown and Forsythe (1974) modified the Levene's test by using the absolute deviations of observations from the median (`center = "median"`). By default, the Levene's test uses the absolute deviations of observations from the median.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>formula</code>	formula of the current analysis
<code>data</code>	data frame specified in data
<code>plot</code>	ggplot2 object for plotting the results
<code>args</code>	specification of function arguments
<code>result</code>	list with result tables, i.e., <code>descript</code> for descriptive statistics and test for the ANOVA table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Brown, M. B., & Forsythe, A. B. (1974). Robust tests for the equality of variances. *Journal of the American Statistical Association*, 69, 364-367.
- Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

See Also

[aov.b](#), [test.t](#), [test.welch](#)

Examples

```
dat <- data.frame(y = c(2, 3, 4, 5, 5, 7, 8, 4, 5, 2, 4, 3),
                 group = c(1, 1, 1, 1, 2, 2, 2, 2, 3, 3, 3, 3))

# Example 1: Levene's test based on the median with 95% confidence interval
test.levene(y ~ group, data = dat)

# Example 2: Levene's test based on the arithmetic mean with 95% confidence interval
test.levene(y ~ group, data = dat, method = "mean")

# Example 3: Levene's test based on the median with 99% confidence interval
test.levene(y ~ group, data = dat, conf.level = 0.99)

## Not run:
# Example 4: Write results into a text file
test.levene(y ~ group, data = dat, write = "Levene.txt")

# Example 5: Levene's test based on the median with 95
# plot results
test.levene(y ~ group, data = dat, plot = TRUE)
```

```

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
ggsave("Levene-test.png", dpi = 600, width = 5, height = 6)

# Levene's test based on the median with 95
# extract plot
p <- test.levene(y ~ group, data = dat, output = FALSE)$plot
p

# Example 6: Extract data
plotdat <- test.levene(y ~ group, data = dat, output = FALSE)$data

# Draw violin and boxplots in line with the default setting of test.levene()
ggplot(plotdat, aes(group, y, fill = group)) +
  geom_violin(alpha = 0.3, trim = FALSE) +
  geom_boxplot(alpha = 0.2, width = 0.2) +
  geom_jitter(alpha = 0.2, width = 0.05, size = 1.25) +
  theme_bw() + guides(fill = "none")

## End(Not run)

```

test.t

t-Test

Description

This function performs one-sample, two-sample, and paired-sample t-tests and provides descriptive statistics, effect size measure, and a plot showing error bars for (difference-adjusted) confidence intervals with jittered data points.

Usage

```
test.t(x, ...)
```

```
## Default S3 method:
```

```
test.t(x, y = NULL, mu = 0, paired = FALSE,
       alternative = c("two.sided", "less", "greater"),
       conf.level = 0.95, hypo = TRUE, descript = TRUE, effsize = FALSE,
       weighted = FALSE, cor = TRUE, ref = NULL, correct = FALSE,
       plot = FALSE, point.size = 4, adjust = TRUE, error.width = 0.1,
       xlab = NULL, ylab = NULL, ylim = NULL, breaks = ggplot2::waiver(),
       line = TRUE, line.type = 3, line.size = 0.8,
       jitter = TRUE, jitter.size = 1.25, jitter.width = 0.05,
       jitter.height = 0, jitter.alpha = 0.1, title = "",
       subtitle = "Confidence Interval", digits = 2, p.digits = 4,
       as.na = NULL, write = NULL, append = TRUE, check = TRUE, output = TRUE, ...)
```

```
## S3 method for class 'formula'
test.t(formula, data, alternative = c("two.sided", "less", "greater"),
  conf.level = 0.95, hypo = TRUE, descript = TRUE, effsize = FALSE,
  weighted = FALSE, cor = TRUE, ref = NULL, correct = FALSE,
  plot = FALSE, point.size = 4, adjust = TRUE, error.width = 0.1,
  xlab = NULL, ylab = NULL, ylim = NULL, breaks = ggplot2::waiver(),
  jitter = TRUE, jitter.size = 1.25, jitter.width = 0.05,
  jitter.height = 0, jitter.alpha = 0.1, title = "",
  subtitle = "Confidence Interval", digits = 2, p.digits = 4,
  as.na = NULL, write = NULL, append = TRUE, check = TRUE, output = TRUE, ...)
```

Arguments

x	a numeric vector of data values.
...	further arguments to be passed to or from methods.
y	a numeric vector of data values.
mu	a numeric value indicating the population mean under the null hypothesis. Note that the argument mu is only used when computing a one sample t-test.
paired	logical: if TRUE, paired-samples t-test is computed.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
hypo	logical: if TRUE (default), null and alternative hypothesis are shown on the console.
descript	logical: if TRUE (default), descriptive statistics are shown on the console.
effsize	logical: if TRUE, effect size measure Cohen's d is shown on the console, see cohens.d function.
weighted	logical: if TRUE, the weighted pooled standard deviation is used to compute Cohen's d for a two-sample design (i.e., paired = FALSE), while standard deviation of the difference scores is used to compute Cohen's d for a paired-sample design (i.e., paired = TRUE).
cor	logical: if TRUE (default), paired = TRUE, and weighted = FALSE, Cohen's d for a paired-sample design while controlling for the correlation between the two sets of measurement is computed. Note that this argument is only used in a paired-sample design (i.e., paired = TRUE) when specifying weighted = FALSE.
ref	character string "x" or "y" for specifying the reference reference group when using the default test.t() function or a numeric value or character string indicating the reference group in a two-sample design when using the formula test.t() function. The standard deviation of the reference variable or reference group is used to standardized the mean difference to compute Cohen's d. Note that this argument is only used in a two-sample design (i.e., paired = FALSE).
correct	logical: if TRUE, correction factor to remove positive bias in small samples is used.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
plot	logical: if TRUE, a plot showing error bars for confidence intervals is drawn.

point.size	a numeric value indicating the size aesthetic for the point representing the mean value.
adjust	logical: if TRUE (default), difference-adjustment for the confidence intervals in a two-sample design is applied.
error.width	a numeric value indicating the horizontal bar width of the error bar.
xlab	a character string specifying the labels for the x-axis.
ylab	a character string specifying the labels for the y-axis.
ylim	a numeric vector of length two specifying limits of the limits of the y-axis.
breaks	a numeric vector specifying the points at which tick-marks are drawn at the y-axis.
line	logical: if TRUE (default), a horizontal line is drawn at μ for the one-sample t-test or at 0 for the paired-sample t-test.
line.type	an integer value or character string specifying the line type for the line representing the population mean under the null hypothesis, i.e., 0 = blank, 1 = solid, 2 = dashed, 3 = dotted, 4 = dotdash, 5 = longdash, 6 = twodash.
line.size	a numeric value indicating the linewidth aesthetic for the line representing the population mean under the null hypothesis.
jitter	logical: if TRUE (default), jittered data points are drawn.
jitter.size	a numeric value indicating the size aesthetic
jitter.width	a numeric value indicating the amount of horizontal jitter.
jitter.height	a numeric value indicating the amount of vertical jitter.
jitter.alpha	a numeric value indicating the opacity of the jittered data points.
title	a character string specifying the text for the title for the plot.
subtitle	a character string specifying the text for the subtitle for the plot.
digits	an integer value indicating the number of decimal places to be used for displaying descriptive statistics and confidence interval.
p.digits	an integer value indicating the number of decimal places to be used for displaying the p -value.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.
formula	in case of two sample t-test (i.e., paired = FALSE), a formula of the form $y \sim \text{group}$ where group is a numeric variable, character variable or factor with two values or factor levels giving the corresponding groups.
data	a matrix or data frame containing the variables in the formula formula.

Details

Effect Size Measure By default, Cohen's d based on the non-weighted standard deviation (i.e., `weighted = FALSE`) which does not assume homogeneity of variance is computed (see Delacre et al., 2021) when requesting an effect size measure (i.e., `effsize = TRUE`). Cohen's d based on the pooled standard deviation assuming equality of variances between groups can be requested by specifying `weighted = TRUE`.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>sample</code>	type of sample, i.e., one-, two-, or paired sample
<code>formula</code>	formula of the current analysis
<code>data</code>	data frame specified in <code>data</code>
<code>plot</code>	<code>ggplot2</code> object for plotting the results
<code>args</code>	specification of function arguments
<code>result</code>	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

Delacre, M., Lakens, D., Ley, C., Liu, L., & Leys, C. (2021). Why Hedges' g 's based on the non-pooled standard deviation should be reported with Welch's t-test. <https://doi.org/10.31234/osf.io/tu6mp>

See Also

[aov.b](#), [aov.w](#), [test.welch](#), [test.z](#), [test.levene](#), [cohens.d](#), [ci.mean.diff](#), [ci.mean](#)

Examples

```
dat1 <- data.frame(group = c(1, 1, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2),
                  x = c(3, 1, 4, 2, 5, 3, 2, 3, 6, 6, 3, NA))
```

```
#-----
# One-Sample Design

# Example 1a: Two-sided one-sample t-test
# population mean = 3
test.t(dat1$x, mu = 3)

# Example 1b: One-sided one-sample t-test
```

```

# population mean = 3, population standard deviation = 1.2
test.t(dat1$x, mu = 3, alternative = "greater")

# Example 1c: Two-sided one-sample t-test
# population mean = 3, convert value 3 to NA
test.t(dat1$x, mu = 3, as.na = 3)

# Example 1d: Two-sided one-sample t-test
# population mean = 3, print Cohen's d
test.t(dat1$x, sigma = 1.2, mu = 3, effsize = TRUE)

# Example 1e: Two-sided one-sample t-test
# population mean = 3, print Cohen's d with small sample correction factor
test.t(dat1$x, sigma = 1.2, mu = 3, effsize = TRUE, correct = TRUE)

# Example 1f: Two-sided one-sample t-test
# population mean = 3,
# do not print hypotheses and descriptive statistics
test.t(dat1$x, sigma = 1.2, mu = 3, hypo = FALSE, describe = FALSE)

# Example 1g: Two-sided one-sample t-test
# print descriptive statistics with 3 digits and p-value with 5 digits
test.t(dat1$x, mu = 3, digits = 3, p.digits = 5)

## Not run:
# Example 1h: Two-sided one-sample t-test
# population mean = 3, plot results
test.t(dat1$x, mu = 3, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
ggsave("One-sample_t-test.png", dpi = 600, width = 3, height = 6)

# Example 1i: Two-sided one-sample t-test
# population mean = 3, extract plot
p <- test.t(dat1$x, mu = 3, output = FALSE)$plot
p

# Extract data
plotdat <- data.frame(x = test.t(dat1$x, mu = 3, output = FALSE)$data[[1]])

# Draw plot in line with the default setting of test.t()
ggplot(plotdat, aes(0, x)) +
  geom_point(stat = "summary", fun = "mean", size = 4) +
  stat_summary(fun.data = "mean_cl_normal", geom = "errorbar", width = 0.20) +
  scale_x_continuous(name = NULL, limits = c(-2, 2)) +
  scale_y_continuous(name = NULL) +
  geom_hline(yintercept = 3, linetype = 3, linewidth = 0.8) +
  labs(subtitle = "Two-Sided 95
  theme_bw() + theme(plot.subtitle = element_text(hjust = 0.5),
    axis.text.x = element_blank(),

```

```
axis.ticks.x = element_blank())

## End(Not run)
#-----
# Two-Sample Design

# Example 2a: Two-sided two-sample t-test
test.t(x ~ group, data = dat1)

# Example 2b: One-sided two-sample t-test
test.t(x ~ group, data = dat1, alternative = "greater")

# Example 2c: Two-sided two-sample t-test
# print Cohen's d with weighted pooled SD
test.t(x ~ group, data = dat1, effsize = TRUE)

# Example 2d: Two-sided two-sample t-test
# print Cohen's d with unweighted pooled SD
test.t(x ~ group, data = dat1, effsize = TRUE, weighted = FALSE)

# Example 2e: Two-sided two-sample t-test
# print Cohen's d with weighted pooled SD and
# small sample correction factor
test.t(x ~ group, data = dat1, effsize = TRUE, correct = TRUE)

# Example 2f: Two-sided two-sample t-test
# print Cohen's d with SD of the reference group 1
test.t(x ~ group, data = dat1, effsize = TRUE,
      ref = 1)

# Example 2f: Two-sided two-sample t-test
# print Cohen's d with weighted pooled SD and
# small sample correction factor
test.t(x ~ group, data = dat1, effsize = TRUE,
      correct = TRUE)

# Example 2h: Two-sided two-sample t-test
# do not print hypotheses and descriptive statistics,
test.t(x ~ group, data = dat1, descript = FALSE, hypo = FALSE)

# Example 2i: Two-sided two-sample t-test
# print descriptive statistics with 3 digits and p-value with 5 digits
test.t(x ~ group, data = dat1, digits = 3, p.digits = 5)

## Not run:
# Example 2j: Two-sided two-sample t-test
# Plot results
test.t(x ~ group, data = dat1, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
```

```

ggsave("Two-sample_t-test.png", dpi = 600, width = 4, height = 6)

# Example 2k: Two-sided two-sample t-test
# extract plot
p <- test.t(x ~ group, data = dat1, output = FALSE)$plot
p

# Extract data used to plot results
plotdat <- test.t(x ~ group, data = dat1, output = FALSE)$data

# Draw plot in line with the default setting of test.t()
ggplot(plotdat, aes(factor(group), x)) +
  geom_point(stat = "summary", fun = "mean", size = 4) +
  stat_summary(fun.data = "mean_cl_normal", geom = "errorbar", width = 0.20) +
  scale_x_discrete(name = NULL) + scale_y_continuous(name = "y") +
  labs(title = "", subtitle = "Two-Sided 95") +
  theme_bw() + theme(plot.subtitle = element_text(hjust = 0.5))

## End(Not run)

#-----

group1 <- c(3, 1, 4, 2, 5, 3, 6, 7)
group2 <- c(5, 2, 4, 3, 1)

# Example 2l: Two-sided two-sample t-test
test.t(group1, group2)

#-----
# Paired-Sample Design

dat2 <- data.frame(pre = c(1, 3, 2, 5, 7),
                  post = c(2, 2, 1, 6, 8))

# Example 3a: Two-sided paired-sample t-test
test.t(dat2$pre, dat2$post, paired = TRUE)

# Example 3b: One-sided paired-sample t-test
test.t(dat2$pre, dat2$post, paired = TRUE,
       alternative = "greater")

# Example 3c: Two-sided paired-sample t-test
# convert value 1 to NA
test.t(dat2$pre, dat2$post, as.na = 1, paired = TRUE)

# Example 3d: Two-sided paired-sample t-test
# print Cohen's d based on the standard deviation of the difference scores
test.t(dat2$pre, dat2$post, paired = TRUE, effsize = TRUE)

# Example 3e: Two-sided paired-sample t-test
# print Cohen's d based on the standard deviation of the difference scores
# with small sample correction factor
test.t(dat2$pre, dat2$post, paired = TRUE, effsize = TRUE,

```

```
        correct = TRUE)

# Example 3f: Two-sided paired-sample t-test
# print Cohen's d controlling for the correlation between measures
test.t(dat2$pre, dat2$post, paired = TRUE, effsize = TRUE,
       weighted = FALSE)

# Example 3g: Two-sided paired-sample t-test
# print Cohen's d controlling for the correlation between measures
# with small sample correction factor
test.t(dat2$pre, dat2$post, paired = TRUE, effsize = TRUE,
       weighted = FALSE, correct = TRUE)

# Example 3h: Two-sided paired-sample t-test
# print Cohen's d ignoring the correlation between measures
test.t(dat2$pre, dat2$post, paired = TRUE, effsize = TRUE,
       weighted = FALSE, cor = FALSE)

# Example 3i: Two-sided paired-sample t-test
# do not print hypotheses and descriptive statistics
test.t(dat2$pre, dat2$post, paired = TRUE, hypo = FALSE, descript = FALSE)

# Example 3j: Two-sided paired-sample t-test
# population standard deviation of difference score = 1.2
# print descriptive statistics with 3 digits and p-value with 5 digits
test.t(dat2$pre, dat2$post, paired = TRUE, digits = 3,
       p.digits = 5)

## Not run:
# Example 3k: Two-sided paired-sample t-test
# Plot results
test.t(dat2$pre, dat2$post, paired = TRUE, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
ggsave("Paired-sample_t-test.png", dpi = 600, width = 3, height = 6)

# Example 3l: Two-sided paired-sample t-test
# Extract plot
p <- test.t(dat2$pre, dat2$post, paired = TRUE, output = FALSE)$plot
p

# Extract data used to plot results
plotdat <- data.frame(test.t(dat2$pre, dat2$post, paired = TRUE, output = FALSE)$data)

# Difference score
plotdat$diff <- plotdat$y - plotdat$x

# Draw plot in line with the default setting of test.t()
ggplot(plotdat, aes(0, diff)) +
  geom_point(stat = "summary", fun = "mean", size = 4) +
```

```

stat_summary(fun.data = "mean_cl_normal", geom = "errorbar", width = 0.20) +
scale_x_discrete(name = NULL) + scale_y_continuous(name = NULL) +
geom_hline(yintercept = 0, linetype = 3, linewidth = 0.8) +
labs(subtitle = "Two-Sided 95
theme_bw() + theme(plot.subtitle = element_text(hjust = 0.5),
                    axis.text.x = element_blank(),
                    axis.ticks.x = element_blank())

## End(Not run)

```

test.welch

Welch's Test

Description

This function performs Welch's two-sample t-test and Welch's ANOVA including Games-Howell post hoc test for multiple comparison and provides descriptive statistics, effect size measures, and a plot showing error bars for difference-adjusted confidence intervals with jittered data points.

Usage

```

test.welch(formula, data, alternative = c("two.sided", "less", "greater"),
            posthoc = TRUE, conf.level = 0.95, hypo = TRUE, describe = TRUE,
            effsize = FALSE, weighted = FALSE, ref = NULL, correct = FALSE,
            plot = FALSE, point.size = 4, adjust = TRUE, error.width = 0.1,
            xlab = NULL, ylab = NULL, ylim = NULL, breaks = ggplot2::waiver(),
            jitter = TRUE, jitter.size = 1.25, jitter.width = 0.05,
            jitter.height = 0, jitter.alpha = 0.1, title = "",
            subtitle = "Confidence Interval", digits = 2, p.digits = 4,
            as.na = NULL, write = NULL, append = TRUE, check = TRUE,
            output = TRUE, ...)

```

Arguments

formula	a formula of the form $y \sim \text{group}$ where y is a numeric variable giving the data values and group a numeric variable, character variable or factor with two or more than two values or factor levels giving the corresponding groups.
data	a matrix or data frame containing the variables in the formula formula.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". Note that this argument is only used when conducting Welch's two-sample t-test.
posthoc	logical: if TRUE, Games-Howell post hoc test for multiple comparison is conducted when performing Welch's ANOVA.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
hypo	logical: if TRUE (default), null and alternative hypothesis are shown on the console.

descript	logical: if TRUE (default), descriptive statistics are shown on the console.
effsize	logical: if TRUE, effect size measure Cohen's d for Welch's two-sample t-test (see cohens.d), η^2 and ω^2 for Welch's ANOVA and Cohen's d for the post hoc tests are shown on the console.
weighted	logical: if TRUE, the weighted pooled standard deviation is used to compute Cohen's d.
ref	a numeric value or character string indicating the reference group. The standard deviation of the reference group is used to standardized the mean difference to compute Cohen's d.
correct	logical: if TRUE, correction factor to remove positive bias in small samples is used.
plot	logical: if TRUE, a plot showing error bars for confidence intervals is drawn.
point.size	a numeric value indicating the size aesthetic for the point representing the mean value.
adjust	logical: if TRUE (default), difference-adjustment for the confidence intervals is applied.
error.width	a numeric value indicating the horizontal bar width of the error bar.
xlab	a character string specifying the labels for the x-axis.
ylab	a character string specifying the labels for the y-axis.
ylim	a numeric vector of length two specifying limits of the limits of the y-axis.
breaks	a numeric vector specifying the points at which tick-marks are drawn at the y-axis.
jitter	logical: if TRUE (default), jittered data points are drawn.
jitter.size	a numeric value indicating the size aesthetic for the jittered data points.
jitter.width	a numeric value indicating the amount of horizontal jitter.
jitter.height	a numeric value indicating the amount of vertical jitter.
jitter.alpha	a numeric value indicating the opacity of the jittered data points.
title	a character string specifying the text for the title for the plot.
digits	an integer value indicating the number of decimal places to be used for displaying descriptive statistics and confidence interval.
p.digits	an integer value indicating the number of decimal places to be used for displaying the <i>p</i> -value.
as.na	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
write	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
append	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in write, if FALSE existing text file will be overwritten.
check	logical: if TRUE (default), argument specification is checked.
output	logical: if TRUE (default), output is shown on the console.
...	further arguments to be passed to or from methods.
subtitle	a character string specifying the text for the subtitle for the plot.

Details

Effect Size Measure By default, Cohen's d based on the non-weighted standard deviation (i.e., `weighted = FALSE`) which does not assume homogeneity of variance is computed (see Delacre et al., 2021) when requesting an effect size measure (i.e., `effsize = TRUE`). Cohen's d based on the pooled standard deviation assuming equality of variances between groups can be requested by specifying `weighted = TRUE`.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>sample</code>	type of sample, i.e., two- or multiple sample
<code>formula</code>	formula of the current analysis
<code>data</code>	data frame specified in data
<code>plot</code>	ggplot2 object for plotting the results
<code>args</code>	specification of function arguments
<code>result</code>	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

Delacre, M., Lakens, D., Ley, C., Liu, L., & Leys, C. (2021). Why Hedges' g*s based on the non-pooled standard deviation should be reported with Welch's t-test. <https://doi.org/10.31234/osf.io/tu6mp>

See Also

[test.t](#), [test.z](#), [test.levene](#), [aov.b](#), [cohens.d](#), [ci.mean.diff](#), [ci.mean](#)

Examples

```
dat1 <- data.frame(group1 = c(1, 1, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2),
                  group2 = c(1, 1, 1, 1, 2, 2, 2, 2, 3, 3, 3, 3),
                  y = c(3, 1, 4, 2, 5, 3, 2, 3, 6, 6, 3, NA))
```

```
#-----
# Two-Sample Design

# Example 1a: Two-sided two-sample Welch-test
test.welch(y ~ group1, data = dat1)

# Example 1b: One-sided two-sample Welch-test
```

```
test.welch(y ~ group1, data = dat1, alternative = "greater")

# Example 1c: Two-sided two-sample Welch-test
# print Cohen's d with weighted pooled SD
test.welch(y ~ group1, data = dat1, effsize = TRUE)

# Example 1d: Two-sided two-sample Welch-test
# print Cohen's d with unweighted pooled SD
test.welch(y ~ group1, data = dat1, effsize = TRUE, weighted = FALSE)

# Example 1e: Two-sided two-sample Welch-test
# print Cohen's d with weighted pooled SD and
# small sample correction factor
test.welch(y ~ group1, data = dat1, effsize = TRUE, correct = TRUE)

# Example 1f: Two-sided two-sample Welch-test
# print Cohen's d with SD of the reference group 1
test.welch(y ~ group1, data = dat1, effsize = TRUE,
           ref = 1)

# Example 1g: Two-sided two-sample Welch-test
# print Cohen's d with weighted pooled SD and
# small sample correction factor
test.welch(y ~ group1, data = dat1, effsize = TRUE,
           correct = TRUE)

# Example 1h: Two-sided two-sample Welch-test
# do not print hypotheses and descriptive statistics,
test.welch(y ~ group1, data = dat1, descript = FALSE, hypo = FALSE)

# Example 1i: Two-sided two-sample Welch-test
# print descriptive statistics with 3 digits and p-value with 5 digits
test.welch(y ~ group1, data = dat1, digits = 3, p.digits = 5)

## Not run:
# Example 1j: Two-sided two-sample Welch-test
# plot results
test.welch(y ~ group1, data = dat1, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
ggsave("Two-sample_Welch-test.png", dpi = 600, width = 4, height = 6)

# Example 1k: Two-sided two-sample Welch-test
# extract plot
p <- test.welch(y ~ group1, data = dat1, output = FALSE)$plot
p

# Extract data
plotdat <- test.welch(y ~ group1, data = dat1, output = FALSE)$data
```

```

# Draw plot in line with the default setting of test.welch()
ggplot(plotdat, aes(factor(group), y)) +
  geom_point(stat = "summary", fun = "mean", size = 4) +
  stat_summary(fun.data = "mean_cl_normal", geom = "errorbar", width = 0.20) +
  scale_x_discrete(name = NULL) +
  labs(subtitle = "Two-Sided 95
  theme_bw() + theme(plot.subtitle = element_text(hjust = 0.5))

## End(Not run)
#-----
# Multiple-Sample Design

# Example 2a: Welch's ANOVA
test.welch(y ~ group2, data = dat1)

# Example 2b: Welch's ANOVA
# print eta-squared and omega-squared
test.welch(y ~ group2, data = dat1, effsize = TRUE)

# Example 2c: Welch's ANOVA
# do not print hypotheses and descriptive statistics,
test.welch(y ~ group2, data = dat1, descript = FALSE, hypo = FALSE)

## Not run:
# Example 2d: Welch's ANOVA
# plot results
test.welch(y ~ group2, data = dat1, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
ggsave("Multiple-sample_Welch-test.png", dpi = 600, width = 4.5, height = 6)

# Example 2e: Welch's ANOVA
# extract plot
p <- test.welch(y ~ group2, data = dat1, output = FALSE)$plot
p

# Extract data
plotdat <- test.welch(y ~ group2, data = dat1, output = FALSE)$data

# Draw plot in line with the default setting of test.welch()
ggplot(plotdat, aes(group, y)) +
  geom_point(stat = "summary", fun = "mean", size = 4) +
  stat_summary(fun.data = "mean_cl_normal", geom = "errorbar", width = 0.20) +
  scale_x_discrete(name = NULL) +
  labs(subtitle = "Two-Sided 95
  theme_bw() + theme(plot.subtitle = element_text(hjust = 0.5))

## End(Not run)

```

test.z	<i>z-Test</i>
--------	---------------

Description

This function performs one-sample, two-sample, and paired-sample z-tests and provides descriptive statistics, effect size measure, and a plot showing error bars for (difference-adjusted) confidence intervals with jittered data points.

Usage

```
test.z(x, ...)
```

```
## Default S3 method:
```

```
test.z(x, y = NULL, sigma = NULL, sigma2 = NULL, mu = 0,
       paired = FALSE, alternative = c("two.sided", "less", "greater"),
       conf.level = 0.95, hypo = TRUE, descript = TRUE, effsize = FALSE,
       plot = FALSE, point.size = 4, adjust = TRUE, error.width = 0.1,
       xlab = NULL, ylab = NULL, ylim = NULL, breaks = ggplot2::waiver(),
       line = TRUE, line.type = 3, line.size = 0.8, jitter = TRUE,
       jitter.size = 1.25, jitter.width = 0.05, jitter.height = 0,
       jitter.alpha = 0.1, title = "", subtitle = "Confidence Interval",
       digits = 2, p.digits = 4, as.na = NULL, write = NULL, append = TRUE,
       check = TRUE, output = TRUE, ...)
```

```
## S3 method for class 'formula'
```

```
test.z(formula, data, sigma = NULL, sigma2 = NULL,
       alternative = c("two.sided", "less", "greater"), conf.level = 0.95,
       hypo = TRUE, descript = TRUE, effsize = FALSE,
       plot = FALSE, point.size = 4, adjust = TRUE, error.width = 0.1,
       xlab = NULL, ylab = NULL, ylim = NULL, breaks = ggplot2::waiver(),
       jitter = TRUE, jitter.size = 1.25, jitter.width = 0.05, jitter.height = 0,
       jitter.alpha = 0.1, title = "", subtitle = "Confidence Interval",
       digits = 2, p.digits = 4, as.na = NULL, write = NULL, append = TRUE,
       check = TRUE, output = TRUE, ...)
```

Arguments

x	a numeric vector of data values.
...	further arguments to be passed to or from methods.
y	a numeric vector of data values.
sigma	a numeric vector indicating the population standard deviation(s). In case of two-sample z-test, equal standard deviations are assumed when specifying one value for the argument sigma; when specifying two values for the argument sigma, unequal standard deviations are assumed. Note that either argument sigma or argument sigma2 is specified.

sigma2	a numeric vector indicating the population variance(s). In case of two-sample z-test, equal variances are assumed when specifying one value for the argument sigma2; when specifying two values for the argument sigma, unequal variance are assumed. Note that either argument sigma or argument sigma2 is specified.
mu	a numeric value indicating the population mean under the null hypothesis. Note that the argument mu is only used when computing a one-sample z-test.
paired	logical: if TRUE, paired-sample z-test is computed.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
hypo	logical: if TRUE (default), null and alternative hypothesis are shown on the console.
descript	logical: if TRUE (default), descriptive statistics are shown on the console.
effsize	logical: if TRUE, effect size measure Cohen's d is shown on the console.
conf.level	a numeric value between 0 and 1 indicating the confidence level of the interval.
plot	logical: if TRUE, a plot showing error bars for confidence intervals is drawn.
point.size	a numeric value indicating the size aesthetic for the point representing the mean value.
adjust	logical: if TRUE (default), difference-adjustment for the confidence intervals in a two-sample design is applied.
error.width	a numeric value indicating the horizontal bar width of the error bar.
xlab	a character string specifying the labels for the x-axis.
ylab	a character string specifying the labels for the y-axis.
ylim	a numeric vector of length two specifying limits of the limits of the y-axis.
breaks	a numeric vector specifying the points at which tick-marks are drawn at the y-axis.
line	logical: if TRUE (default), a horizontal line is drawn at mu for the one-sample t-test or at 0 for the paired-sample t-test.
line.type	an integer value or character string specifying the line type for the line representing the population mean under the null hypothesis, i.e., 0 = blank, 1 = solid, 2 = dashed, 3 = dotted, 4 = dotdash, 5 = longdash, 6 = twodash.
line.size	a numeric value indicating the linewidth aesthetic for the line representing the population mean under the null hypothesis.
jitter	logical: if TRUE (default), jittered data points are drawn.
jitter.size	a numeric value indicating the size aesthetic for the jittered data points.
jitter.width	a numeric value indicating the amount of horizontal jitter.
jitter.height	a numeric value indicating the amount of vertical jitter.
jitter.alpha	a numeric value indicating the opacity of the jittered data points.
title	a character string specifying the text for the title for the plot.
subtitle	a character string specifying the text for the subtitle for the plot.
digits	an integer value indicating the number of decimal places to be used for displaying descriptive statistics and confidence interval.

<code>p.digits</code>	an integer value indicating the number of decimal places to be used for displaying the p -value.
<code>as.na</code>	a numeric vector indicating user-defined missing values, i.e. these values are converted to NA before conducting the analysis.
<code>write</code>	a character string naming a text file with file extension ".txt" (e.g., "Output.txt") for writing the output into a text file.
<code>append</code>	logical: if TRUE (default), output will be appended to an existing text file with extension .txt specified in <code>write</code> , if FALSE existing text file will be overwritten.
<code>check</code>	logical: if TRUE (default), argument specification is checked.
<code>output</code>	logical: if TRUE (default), output is shown on the console.
<code>formula</code>	in case of two sample z-test (i.e., <code>paired = FALSE</code>), a formula of the form $y \sim \text{group}$ where <code>group</code> is a numeric variable, character variable or factor with two values or factor levels giving the corresponding groups.
<code>data</code>	a matrix or data frame containing the variables in the formula <code>formula</code> .

Details

Cohen's d reported when argument `effsize = TRUE` is based on the population standard deviation specified in `sigma` or the square root of the population variance specified in `sigma2`. In a one-sample and paired-sample design, Cohen's d is the mean of the difference scores divided by the population standard deviation of the difference scores (i.e., equivalent to Cohen's d_z according to Lakens, 2013). In a two-sample design, Cohen's d is the difference between means of the two groups of observations divided by either the population standard deviation when assuming and specifying equal standard deviations or the unweighted pooled population standard deviation when assuming and specifying unequal standard deviations.

Value

Returns an object of class `misty.object`, which is a list with following entries:

<code>call</code>	function call
<code>type</code>	type of analysis
<code>sample</code>	type of sample, i.e., one-, two-, or paired sample
<code>formula</code>	formula of the current analysis
<code>data</code>	data frame specified in <code>data</code>
<code>plot</code>	<code>ggplot2</code> object for plotting the results
<code>args</code>	specification of function arguments
<code>result</code>	result table

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

- Lakens, D. (2013). Calculating and reporting effect sizes to facilitate cumulative science: A practical primer for t-tests and ANOVAs. *Frontiers in Psychology, 4*, 1-12. <https://doi.org/10.3389/fpsyg.2013.00863>
- Rasch, D., Kubinger, K. D., & Yanagida, T. (2011). *Statistics in psychology - Using R and SPSS*. John Wiley & Sons.

See Also

[test.t](#), [aov.b](#), [aov.w](#), [test.welch](#), [cohens.d](#), [ci.mean.diff](#), [ci.mean](#)

Examples

```
dat1 <- data.frame(group = c(1, 1, 1, 1, 1, 1, 2, 2, 2, 2, 2, 2),
                  x = c(3, 1, 4, 2, 5, 3, 2, 3, 6, 4, 3, NA))

#-----
# One-Sample Design

# Example 1a: Two-sided one-sample z-test
# population mean = 3, population standard deviation = 1.2
test.z(dat1$x, sigma = 1.2, mu = 3)

# Example 1b: Two-sided one-sample z-test
# population mean = 3, population variance = 1.44
test.z(dat1$x, sigma2 = 1.44, mu = 3)

# Example 1c: One-sided one-sample z-test
# population mean = 3, population standard deviation = 1.2
test.z(dat1$x, sigma = 1.2, mu = 3, alternative = "greater")

# Example 1d: Two-sided one-sample z-test
# population mean = 3, population standard deviation = 1.2
# convert value 3 to NA
test.z(dat1$x, sigma = 1.2, mu = 3, as.na = 3)

# Example 1e: Two-sided one-sample z-test
# population mean = 3, population standard deviation = 1.2
# print Cohen's d
test.z(dat1$x, sigma = 1.2, mu = 3, effsize = TRUE)

# Example 1f: Two-sided one-sample z-test
# population mean = 3, population standard deviation = 1.2
# do not print hypotheses and descriptive statistics
test.z(dat1$x, sigma = 1.2, mu = 3, hypo = FALSE, descript = FALSE)

# Example 1g: Two-sided one-sample z-test
# population mean = 3, population standard deviation = 1.2
# print descriptive statistics with 3 digits and p-value with 5 digits
test.z(dat1$x, sigma = 1.2, mu = 3, digits = 3, p.digits = 5)

## Not run:
```

```

# Example 1h: Two-sided one-sample z-test
# population mean = 3, population standard deviation = 1.2
# plot results
test.z(dat1$x, sigma = 1.2, mu = 3, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
ggsave("One-sample_z-test.png", dpi = 600, width = 3, height = 6)

# Example 1i: Two-sided one-sample z-test
# population mean = 3, population standard deviation = 1.2
# extract plot
p <- test.z(dat1$x, sigma = 1.2, mu = 3, output = FALSE)$plot
p

# Extract data
plotdat <- data.frame(test.z(dat1$x, sigma = 1.2, mu = 3, output = FALSE)$data[[1]])

# Extract results
result <- test.z(dat1$x, sigma = 1.2, mu = 3, output = FALSE)$result

# Draw plot in line with the default setting of test.z()
ggplot(plotdat, aes(0, x)) +
  geom_point(data = result, aes(x = 0L, m), size = 4) +
  geom_errorbar(data = result, aes(x = 0L, y = m, ymin = m.low, ymax = m.upp),
               width = 0.2) +
  scale_x_continuous(name = NULL, limits = c(-2, 2)) +
  scale_y_continuous(name = NULL) +
  geom_hline(yintercept = 3, linetype = 3, linewidth = 0.8) +
  labs(subtitle = "Two-Sided 95
  theme_bw() + theme(plot.subtitle = element_text(hjust = 0.5),
                  axis.text.x = element_blank(),
                  axis.ticks.x = element_blank())

## End(Not run)

#-----
# Two-Sample Design

# Example 2a: Two-sided two-sample z-test
# population standard deviation (SD) = 1.2, equal SD assumption
test.z(x ~ group, sigma = 1.2, data = dat1)

# Example 2b: Two-sided two-sample z-test
# population standard deviation (SD) = 1.2 and 1.5, unequal SD assumption
test.z(x ~ group, sigma = c(1.2, 1.5), data = dat1)

# Example 2c: Two-sided two-sample z-test
# population variance (Var) = 1.44 and 2.25, unequal Var assumption
test.z(x ~ group, sigma2 = c(1.44, 2.25), data = dat1)

```

```

# Example 2d: One-sided two-sample z-test
# population standard deviation (SD) = 1.2, equal SD assumption
test.z(x ~ group, sigma = 1.2, data = dat1, alternative = "greater")

# Example 2e: Two-sided two-sample z-test
# population standard deviation (SD) = 1.2, equal SD assumption
# print Cohen's d
test.z(x ~ group, sigma = 1.2, data = dat1, effsize = TRUE)

# Example 2f: Two-sided two-sample z-test
# population standard deviation (SD) = 1.2, equal SD assumption
# do not print hypotheses and descriptive statistics,
# print Cohen's d
test.z(x ~ group, sigma = 1.2, data = dat1, descript = FALSE, hypo = FALSE)

# Example 2g: Two-sided two-sample z-test
# population mean = 3, population standard deviation = 1.2
# print descriptive statistics with 3 digits and p-value with 5 digits
test.z(x ~ group, sigma = 1.2, data = dat1, digits = 3, p.digits = 5)

## Not run:
# Example 2h: Two-sided two-sample z-test
# population standard deviation (SD) = 1.2, equal SD assumption
# plot results
test.z(x ~ group, sigma = 1.2, data = dat1, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
ggsave("Two-sample_z-test.png", dpi = 600, width = 4, height = 6)

# Example 2i: Two-sided two-sample z-test
# population standard deviation (SD) = 1.2, equal SD assumption
# extract plot
p <- test.z(x ~ group, sigma = 1.2, data = dat1, output = FALSE)$plot
p

## End(Not run)

#-----

group1 <- c(3, 1, 4, 2, 5, 3, 6, 7)
group2 <- c(5, 2, 4, 3, 1)

# Example 2j: Two-sided two-sample z-test
# population standard deviation (SD) = 1.2, equal SD assumption
test.z(group1, group2, sigma = 1.2)

#-----
# Paired-Sample Design

dat2 <- data.frame(pre = c(1, 3, 2, 5, 7),

```

```

      post = c(2, 2, 1, 6, 8), stringsAsFactors = FALSE)

# Example 3a: Two-sided paired-sample z-test
# population standard deviation of difference score = 1.2
test.z(dat2$pre, dat2$post, sigma = 1.2, paired = TRUE)

# Example 3b: Two-sided paired-sample z-test
# population variance of difference score = 1.44
test.z(dat2$pre, dat2$post, sigma2 = 1.44, paired = TRUE)

# Example 3c: One-sided paired-sample z-test
# population standard deviation of difference score = 1.2
test.z(dat2$pre, dat2$post, sigma = 1.2, paired = TRUE,
      alternative = "greater")

# Example 3d: Two-sided paired-sample z-test
# population standard deviation of difference score = 1.2
# convert value 1 to NA
test.z(dat2$pre, dat2$post, sigma = 1.2, as.na = 1, paired = TRUE)

# Example 3e: Two-sided paired-sample z-test
# population standard deviation of difference score = 1.2
# print Cohen's d
test.z(dat2$pre, dat2$post, sigma = 1.2, paired = TRUE, effsize = TRUE)

# Example 3f: Two-sided paired-sample z-test
# population standard deviation of difference score = 1.2
# do not print hypotheses and descriptive statistics
test.z(dat2$pre, dat2$post, sigma = 1.2, mu = 3, paired = TRUE,
      hypo = FALSE, descript = FALSE)

# Example 3g: Two-sided paired-sample z-test
# population standard deviation of difference score = 1.2
# print descriptive statistics with 3 digits and p-value with 5 digits
test.z(dat2$pre, dat2$post, sigma = 1.2, paired = TRUE,
      digits = 3, p.digits = 5)

## Not run:
# Example 3h: Two-sided paired-sample z-test
# population standard deviation of difference score = 1.2
# plot results
test.z(dat2$pre, dat2$post, sigma = 1.2, paired = TRUE, plot = TRUE)

# Load ggplot2 package
library(ggplot2)

# Save plot, ggsave() from the ggplot2 package
ggsave("Paired-sample_z-test.png", dpi = 600, width = 3, height = 6)

# Example 3i: Two-sided paired-sample z-test
# population standard deviation of difference score = 1.2
# extract plot
p <- test.z(dat2$pre, dat2$post, sigma = 1.2, paired = TRUE, output = FALSE)$plot

```

```

p

# Extract data
plotdat <- data.frame(test.z(dat2$pre, dat2$post, sigma = 1.2, paired = TRUE,
                           output = FALSE)$data)

# Difference score
plotdat$diff <- plotdat$y - plotdat$x

# Extract results
result <- test.z(dat2$pre, dat2$post, sigma = 1.2, paired = TRUE,
                output = FALSE)$result

# Draw plot in line with the default setting of test.t()
ggplot(plotdat, aes(0, diff)) +
  geom_point(data = result, aes(x = 0, m.diff), size = 4) +
  geom_errorbar(data = result,
               aes(x = 0L, y = m.diff, ymin = m.low, ymax = m.upp), width = 0.2) +
  scale_x_continuous(name = NULL, limits = c(-2, 2)) +
  scale_y_continuous(name = "y") +
  geom_hline(yintercept = 0, linetype = 3, linewidth = 0.8) +
  labs(subtitle = "Two-Sided 95")
  theme_bw() + theme(plot.subtitle = element_text(hjust = 0.5),
                    axis.text.x = element_blank(),
                    axis.ticks.x = element_blank())

## End(Not run)

```

write.dta

Write Stata DTA File

Description

This function writes a data frame or matrix into a Stata data file.

Usage

```
write.dta(x, file = "Stata_Data.dta", version = 14, label = NULL,
         str.thres = 2045, adjust.tz = TRUE, check = TRUE)
```

Arguments

x	a matrix or data frame to be written in Stata, vectors are coerced to a data frame.
file	a character string naming a file with or without file extension '.dta', e.g., "Stata_Data.dta" or "Stata_Data".
version	Stats file version to use. Supports versions 8-15.
label	Sataset label to use, or NULL. Defaults to the value stored in the "label" attribute pf data. Must be <= 80 characters.

<code>str.thres</code>	any character vector with a maximum length greater than <code>str.thres</code> bytes will be stored as a long string <code>strL</code> instead of a standard string <code>str</code> variable if <code>version</code> is greater or equal 13.
<code>adjust.tz</code>	this argument controls how the timezone of date-time values is treated when writing, see 'Details' in the in the <code>write_dta</code> function in the <code>haven</code> package.
<code>check</code>	logical: if TRUE (default), variable attributes specified in the argument <code>var.attr</code> is checked.

Note

This function is a modified copy of the `read_dta()` function in the **haven** package by Hadley Wickham, Evan Miller and Danny Smith (2023).

Author(s)

Hadley Wickham, Evan Miller and Danny Smith

References

Wickham H, Miller E, Smith D (2023). *haven: Import and Export 'SPSS', 'Stata' and 'SAS' Files*. R package version 2.5.3. <https://CRAN.R-project.org/package=haven>

See Also

[read.dta](#), [write.sav](#), [write.mplus](#), [write.xlsx](#)

Examples

```
## Not run:

# Example 1: Write data frame 'mtcars' into the State data file 'mtcars.dta'
write_dta(mtcars, "mtcars.dta")

## End(Not run)
```

write.mplus

Write Mplus Data File

Description

This function writes a matrix or data frame to a tab-delimited file without variable names, a Mplus input template, and a text file with variable names. Note that only numeric variables are allowed, i.e., non-numeric variables will be removed from the data set. Missing data will be coded as a single numeric value.

Usage

```
write_mplus(x, file = "Mplus_Data.dat", input = TRUE, n.var = 8,
            var = FALSE, na = -99, check = TRUE)
```

Arguments

x	a matrix or data frame to be written to a tab-delimited file.
file	a character string naming a file with or without the file extension '.dat', e.g., "Mplus_Data.dat" or "Mplus_Data".
input	logical: if TRUE (default), Mplus input template is written in a text file named according to the argumentfile with the extension _INPUT.inp.
n.var	a numeric value indicating the number of variables in each line under NAMES ARE in the the Mplus input template.
var	logical: if TRUE, variable names are written in a text file named according to the argumentfile with the extension _VARNAMES.txt.
na	a numeric value or character string representing missing values (NA) in the data set.
check	logical: if TRUE (default), argument specification is checked.

Value

None.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

Muthen, L. K., & Muthen, B. O. (1998-2017). *Mplus User's Guide* (8th ed.). Muthen & Muthen.

See Also

[read.mplus](#), [run.mplus](#), [write.sav](#), [write.xlsx](#), [write.dta](#)

Examples

```
## Not run:
# Example 1: Write Mplus Data File and a Mplus input template
write.mplus(mtcars)

# Example 2: Write Mplus Data File "mtcars.dat" and a Mplus input template "mtcars_INPUT.inp",
# missing values coded with -999, 4 variables in each line under "NAMES ARE"
# write variable names in a text file called "mtcars_VARNAMES.inp"
write.mplus(mtcars, file = "mtcars.dat", n.var = 4, var = TRUE, na = -999)

## End(Not run)
```

write.result	<i>Write Results of a misty Object into an Excel file</i>
--------------	---

Description

This function writes the results of a misty object (`misty.object`) into a Excel file.

Usage

```
write.result(x, file = "Results.xlsx", tri = x$args$tri,
            digits = x$args$digits, p.digits = x$args$p.digits,
            icc.digits = x$args$icc.digits, check = TRUE)
```

Arguments

<code>x</code>	misty object (<code>misty.object</code>) resulting from a misty function supported by the <code>write.result</code> function (see 'Details').
<code>file</code>	a character string naming a file with or without file extension '.xlsx', e.g., "Results.xlsx" or "Results".
<code>tri</code>	a character string or character vector indicating which triangular of the matrix to show on the console, i.e., both for upper and lower triangular, lower for the lower triangular, and upper for the upper triangular.
<code>digits</code>	an integer value indicating the number of decimal places digits to be used for displaying results.
<code>p.digits</code>	an integer indicating the number of decimal places to be used for displaying <i>p</i> -values.
<code>icc.digits</code>	an integer indicating the number of decimal places to be used for displaying intraclass correlation coefficients.
<code>check</code>	logical: if TRUE (default), argument specification is checked.

Details

Currently the function supports result objects from the function `cor.matrix`, `crosstab`, `descript`, `dominance.manual`, `dominance`, `effsize`, `freq`, `item.alpha`, `item.cfa`, `item.invar`, `item.omega`, `result.lca`, `multilevel.cfa`, `multilevel.cor`, `multilevel.descript`, `multilevel.fit`, `multilevel.invar`, `multilevel.omega`, `na.coverage`, `na.descript`, `na.pattern`, `robust.coef`, and `std.coef`.

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

See Also

[cor.matrix](#), [crosstab](#), [descript](#), [dominance.manual](#), [dominance](#), [effsize](#), [freq](#), [item.alpha](#), [item.cfa](#), [item.invar](#), [item.omega](#), [result.lca](#), [multilevel.cfa](#), [multilevel.cor](#), [multilevel.descript](#), [multilevel.fit](#), [multilevel.invar](#), [multilevel.omega](#), [na.coverage](#), [na.descript](#), [na.pattern](#), [robust.coef](#), [std.coef](#)

Examples

```
## Not run:
#-----
# Example 1: item.cfa() function

# Load data set "HolzingerSwineford1939" in the lavaan package
data("HolzingerSwineford1939", package = "lavaan")

result <- item.cfa(HolzingerSwineford1939[, c("x1", "x2", "x3")], output = FALSE)
write.result(result, "CFA.xlsx")

#-----
# Example 2: multilevel.descript() function

# Load data set "Demo.twolevel" in the lavaan package
data("Demo.twolevel", package = "lavaan")

result <- multilevel.descript(y1:y3, data = Demo.twolevel, cluster = "cluster",
                             output = FALSE)
write.result(result, "Multilevel_Descript.xlsx")

## End(Not run)
```

write.sav

Write SPSS File

Description

This function writes a data frame or matrix into a SPSS file by either using the `write_sav()` function in the **haven** package by Hadley Wickham and Evan Miller (2019) or the free software *PSPP*.

Usage

```
write.sav(x, file = "SPSS_Data.sav", var.attr = NULL, pspp.path = NULL,
         digits = 2, write.csv = FALSE, sep = c(";", ","), na = "",
         write.sps = FALSE, check = TRUE)
```

Arguments

<code>x</code>	a matrix or data frame to be written in SPSS, vectors are coerced to a data frame.
<code>file</code>	a character string naming a file with or without file extension <code>.sav</code> , e.g., <code>"SPSS_Data.sav"</code> or <code>"SPSS_Data"</code> .
<code>var.attr</code>	a matrix or data frame with variable attributes used in the SPSS file, only <code>'variable labels'</code> (column name label), <code>'value labels'</code> column name values, and <code>'user-missing values'</code> column name missing are supported (see <code>'Details'</code>).
<code>pspp.path</code>	a character string indicating the path where the PSPP folder is located on the computer, e.g. <code>C:/Program Files/PSPP/</code> .

digits	an integer value indicating the number of decimal places shown in the SPSS file for non-integer variables.
write.csv	logical: if TRUE, CSV file is written along with the SPSS file.
sep	a character string for specifying the CSV file, either ";" for the separator and "." for the decimal point (default, i.e. equivalent to write.csv2) or "," for the decimal point and ";" for the separator (i.e. equivalent to write.csv), must be one of both ";" (default) or ",".
na	a character string for specifying missing values in the CSV file.
write.sps	logical: if TRUE, SPSS syntax is written along with the SPSS file when using PSPP.
check	logical: if TRUE, variable attributes specified in the argument var.attr is checked.

Details

If arguments `pspp.path` is not specified (i.e., `pspp.path = NULL`), `write_sav()` function in the **haven** is used. Otherwise the object `x` is written as CSV file, which is subsequently imported into SPSS using the free software *PSPP* by executing a SPSS syntax written in R. Note that *PSPP* needs to be installed on your computer when using the `pspp.path` argument.

A SPSS file with 'variable labels', 'value labels', and 'user-missing values' is written by specifying the `var.attr` argument. Note that the number of rows in the matrix or data frame specified in `var.attr` needs to match with the number of columns in the data frame or matrix specified in `x`, i.e., each row in `var.attr` represents the variable attributes of the corresponding variable in `x`. In addition, column names of the matrix or data frame specified in `var.attr` needs to be labeled as label for 'variable labels, values for 'value labels', and missing for 'user-missing values'.

Labels for the values are defined in the column values of the matrix or data frame in `var.attr` using the equal-sign (e.g., `0 = female`) and are separated by a semicolon (e.g., `0 = female; 1 = male`).

User-missing values are defined in the column missing of the matrix or data frame in `var.attr`, either specifying one user-missing value (e.g., `-99`) or more than one but up to three user-missing values separated by a semicolon (e.g., `-77; -99`).

Note

Part of the function using *PSPP* was adapted from the `write.pspp()` function in the **miceadds** package by Alexander Robitzsch, Simon Grund and Thorsten Henke (2019).

Author(s)

Takuya Yanagida <takuya.yanagida@univie.ac.at>

References

GNU Project (2018). *GNU PSPP for GNU/Linux* (Version 1.2.0). Boston, MA: Free Software Foundation. <https://www.gnu.org/software/pspp/>

Wickham H., & Miller, E. (2019). *haven: Import and Export 'SPSS', 'Stata' and 'SAS' Files*. R package version 2.2.0.

Robitzsch, A., Grund, S., & Henke, T. (2019). *miceadds: Some additional multiple imputation functions, especially for mice*. R package version 3.4-17.

See Also

[read.sav](#), [write.xlsx](#), [write.dta](#), [write.mplus](#)

Examples

```
## Not run:
dat <- data.frame(id = 1:5,
                 gender = c(NA, 0, 1, 1, 0),
                 age = c(16, 19, 17, NA, 16),
                 status = c(1, 2, 3, 1, 4),
                 score = c(511, 506, 497, 502, 491))

# Example 1: Write SPSS file using the haven package
write.sav(dat, file = "Dataframe_haven.sav")

# Example 2: Write SPSS file using PSPP,
# write CSV file and SPSS syntax along with the SPSS file
write.sav(dat, file = "Dataframe_PSPP.sav", pspp.path = "C:/Program Files/PSPP",
         write.csv = TRUE, write.sps = TRUE)

# Example 3: Specify variable attributes
# Note that it is recommended to manually specify the variables attributes in a CSV or
# Excel file which is subsequently read into R
attr <- data.frame(# Variable names
                  var = c("id", "gender", "age", "status", "score"),
                  # Variable labels
                  label = c("Identification number", "Gender", "Age in years",
                           "Migration background", "Achievement test score"),
                  # Value labels
                  values = c("", "0 = female; 1 = male", "",
                             "1 = Austria; 2 = former Yugoslavia; 3 = Turkey; 4 = other",
                             ""),
                  # User-missing values
                  missing = c("", "-99", "-99", "-99", "-99"), stringsAsFactors = FALSE)

# Example 4: Write SPSS file with variable attributes using the haven package
write.sav(dat, file = "Dataframe_haven_Attr.sav", var.attr = attr)

# Example 5: Write SPSS with variable attributes using PSPP
write.sav(dat, file = "Dataframe_PSPP_Attr.sav", var.attr = attr,
         pspp.path = "C:/Program Files/PSPP")

## End(Not run)
```

`write.xlsx`*Write Excel File*

Description

This function calls the `write_excel()` function in the **writexl** package by Jeroen Ooms to write an Excel file (.xlsx).

Usage

```
write.xlsx(x, file = "Excel_Data.xlsx", col.names = TRUE, format = FALSE,
           use.zip64 = FALSE, check = TRUE)
```

Arguments

<code>x</code>	a matrix, data frame or (named) list of matrices or data frames that will be written in the Excel file.
<code>file</code>	a character string naming a file with or without file extension '.xlsx', e.g., "My_Excel.xlsx" or "My_Excel".
<code>col.names</code>	logical: if TRUE, column names are written at the top of the Excel sheet.
<code>format</code>	logical: if TRUE, column names in the Excel file are centered and bold.
<code>use.zip64</code>	logical: if TRUE, zip64 to enable support for 4GB+ Excel files is used.
<code>check</code>	logical: if TRUE (default), argument specification is checked.

Details

This function supports strings, numbers, booleans, and dates.

Note

The function was adapted from the `write_excel()` function in the **writexl** package by Jeroen Ooms (2021).

Author(s)

Jeroen Ooms

References

Jeroen O. (2021). *writexl: Export Data Frames to Excel 'xlsx' Format*. R package version 1.4.0. <https://CRAN.R-project.org/package=writexl>

See Also

[read.xlsx](#), [write.sav](#), [write.dta](#), [write.mplus](#)

Examples

```
## Not run:
# Example 1: Write Excel file (.xlsx)
dat <- data.frame(id = 1:5,
                  gender = c(NA, 0, 1, 1, 0),
                  age = c(16, 19, 17, NA, 16),
                  status = c(1, 2, 3, 1, 4),
                  score = c(511, 506, 497, 502, 491))

write.xlsx(dat, file = "Excel.xlsx")

# Example 2: Write Excel file with multiple sheets (.xlsx)
write.xlsx(list(cars = cars, mtcars = mtcars), file = "Excel_Sheets.xlsx")

## End(Not run)
```

Index

- aov.b, [4](#), [11](#), [242](#), [246](#), [253](#), [259](#)
- aov.w, [6](#), [7](#), [44](#), [202](#), [246](#), [259](#)
- as.na, [12](#), [189](#), [191](#), [193](#), [195](#), [197](#), [198](#), [201](#)

- center, [15](#), [133](#)
- check.collin, [20](#), [24](#), [28](#)
- check.outlier, [22](#), [23](#), [28](#)
- check.resid, [25](#)
- chr.gsub, [29](#), [31](#), [32](#)
- chr.omit, [30](#), [30](#), [32](#)
- chr.trim, [30](#), [31](#), [31](#)
- ci.mean, [6](#), [11](#), [33](#), [38](#), [46](#), [49](#), [53](#), [73](#), [246](#), [253](#), [259](#)
- ci.mean.diff, [6](#), [11](#), [35](#), [36](#), [44](#), [46](#), [49](#), [53](#), [73](#), [246](#), [253](#), [259](#)
- ci.mean.w, [41](#)
- ci.median, [38](#), [44](#), [46](#), [49](#), [53](#), [73](#)
- ci.median (ci.mean), [33](#)
- ci.prop, [35](#), [38](#), [44](#), [44](#), [49](#), [53](#), [73](#)
- ci.prop.diff, [46](#), [47](#), [53](#), [73](#)
- ci.sd, [35](#), [38](#), [44](#), [46](#), [49](#), [73](#)
- ci.sd (ci.var), [51](#)
- ci.var, [35](#), [38](#), [44](#), [46](#), [49](#), [51](#), [73](#)
- cluster.scores, [19](#), [54](#), [130](#), [150](#), [224](#)
- coding, [19](#), [56](#), [133](#), [210](#)
- cohens.d, [6](#), [11](#), [59](#), [68](#), [95](#), [244](#), [246](#), [252](#), [253](#), [259](#)
- cor.matrix, [62](#), [65](#), [95](#), [266](#)
- cor.test, [67](#)
- crosstab, [69](#), [73](#), [98](#), [266](#)

- descript, [35](#), [38](#), [44](#), [46](#), [49](#), [53](#), [70](#), [72](#), [98](#), [155](#), [237](#), [266](#)
- df.duplicated, [74](#), [78](#), [80–82](#), [84](#), [86](#)
- df.merge, [75](#), [77](#), [80–82](#), [84](#), [86](#)
- df.move, [75](#), [78](#), [79](#), [81](#), [82](#), [84](#), [86](#)
- df.rbind, [75](#), [78](#), [80](#), [80](#), [82](#), [84](#), [86](#)
- df.rename, [75](#), [78](#), [80](#), [81](#), [82](#), [84](#), [86](#)
- df.sort, [75](#), [78](#), [80–82](#), [83](#), [86](#), [205](#)

- df.subset, [13](#), [16](#), [33](#), [42](#), [44](#), [52](#), [55](#), [66](#), [69](#), [72](#), [75](#), [78–82](#), [84](#), [84](#), [94](#), [97](#), [103](#), [107](#), [116](#), [124](#), [127](#), [129](#), [131](#), [140](#), [147](#), [152](#), [159](#), [167](#), [172](#), [188](#), [190](#), [192](#), [195–197](#), [199](#), [209](#), [222](#)
- df.unique (df.duplicated), [74](#)
- dominance, [87](#), [91](#), [266](#)
- dominance.manual, [89](#), [90](#), [266](#)

- effsize, [62](#), [68](#), [94](#), [266](#)

- format.POSIXct, [225](#)
- freq, [70](#), [73](#), [96](#), [202](#), [266](#)

- indirect, [99](#), [164](#), [166](#)
- item.alpha, [103](#), [113](#), [125](#), [128](#), [130](#), [266](#)
- item.cfa, [105](#), [106](#), [120](#), [125](#), [130](#), [143](#), [266](#)
- item.invar, [115](#), [266](#)
- item.omega, [105](#), [113](#), [123](#), [128](#), [130](#), [174](#), [266](#)
- item.reverse, [19](#), [58](#), [105](#), [125](#), [126](#), [133](#), [210](#)
- item.scores, [19](#), [55](#), [105](#), [113](#), [125](#), [128](#), [128](#)

- kurtosis (skewness), [236](#)

- lagged, [131](#)
- libraries, [134](#)
- library, [134](#)
- lm, [22](#), [24](#)

- mplus.lca, [135](#), [215](#)
- multilevel.cfa, [139](#), [158](#), [162](#), [170](#), [174](#), [266](#)
- multilevel.cor, [143](#), [146](#), [158](#), [162](#), [170](#), [174](#), [182](#), [186](#), [266](#)
- multilevel.descript, [55](#), [70](#), [73](#), [98](#), [143](#), [150](#), [152](#), [158](#), [162](#), [170](#), [174](#), [182](#), [186](#), [266](#)
- multilevel.fit, [143](#), [156](#), [170](#), [174](#), [266](#)
- multilevel.icc, [55](#), [68](#), [150](#), [152–155](#), [159](#), [182](#), [186](#)
- multilevel.indirect, [102](#), [163](#), [182](#), [186](#)

- multilevel.invar, [120](#), [143](#), [158](#), [166](#), [174](#), [266](#)
- multilevel.omega, [143](#), [158](#), [170](#), [172](#), [266](#)
- multilevel.r2, [175](#), [185](#), [186](#)
- multilevel.r2.manual, [184](#)

- na.as, [189](#), [191](#), [193](#), [195](#), [197](#), [198](#), [201](#)
- na.as (as.na), [12](#)
- na.auxiliary, [13](#), [62](#), [68](#), [187](#), [191](#), [193](#), [195](#), [197](#), [198](#), [201](#)
- na.coverage, [13](#), [189](#), [190](#), [193](#), [195](#), [197](#), [198](#), [201](#), [266](#)
- na.descript, [13](#), [70](#), [73](#), [98](#), [189](#), [191](#), [192](#), [195](#), [197](#), [198](#), [201](#), [266](#)
- na.indicator, [13](#), [189](#), [191](#), [193](#), [194](#), [197](#), [198](#), [201](#)
- na.pattern, [13](#), [189](#), [191](#), [193](#), [195](#), [195](#), [198](#), [201](#), [266](#)
- na.prop, [13](#), [189](#), [191](#), [193](#), [195](#), [197](#), [197](#), [201](#)
- na.test, [13](#), [189](#), [191](#), [193](#), [195](#), [197](#), [198](#), [199](#)

- p.adjust, [8](#), [67](#), [148](#)
- print.misty.object, [201](#)

- rbind, [81](#)
- read.dta, [203](#), [205](#), [206](#), [208](#), [264](#)
- read.mplus, [139](#), [204](#), [204](#), [206](#), [208](#), [215](#), [265](#)
- read.sav, [204](#), [205](#), [205](#), [208](#), [269](#)
- read.xlsx, [204–206](#), [207](#), [270](#)
- rec, [19](#), [58](#), [128](#), [133](#), [209](#)
- require, [134](#)
- restart, [212](#)
- result.lca, [139](#), [212](#), [266](#)
- robust.coef, [217](#), [266](#)
- run.mplus, [139](#), [215](#), [220](#), [265](#)
- rwg.lindell, [19](#), [222](#)

- script.close, [225](#), [226](#), [229](#)
- script.close (script.open), [227](#)
- script.copy, [224](#), [226](#), [228](#)
- script.new, [225](#), [226](#), [229](#)
- script.open, [225](#), [226](#), [227](#), [229](#)
- script.save, [225](#), [226](#), [228](#), [229](#)
- script.save (script.open), [227](#)
- setsource, [225](#), [226](#), [228](#), [229](#)
- size.cor, [68](#), [230](#), [233](#), [235](#)
- size.mean, [231](#), [232](#), [235](#)
- size.prop, [231](#), [233](#), [233](#)
- skewness, [236](#)

- std.coef, [89](#), [91](#), [219](#), [237](#), [266](#)

- test.levene, [6](#), [240](#), [246](#), [253](#)
- test.t, [6](#), [11](#), [35](#), [38](#), [44](#), [62](#), [202](#), [242](#), [243](#), [253](#), [259](#)
- test.welch, [6](#), [202](#), [242](#), [246](#), [251](#), [259](#)
- test.z, [6](#), [11](#), [35](#), [38](#), [44](#), [62](#), [202](#), [246](#), [253](#), [256](#)

- write.dta, [205](#), [206](#), [208](#), [263](#), [265](#), [269](#), [270](#)
- write.mplus, [139](#), [204](#), [206](#), [208](#), [215](#), [264](#), [264](#), [269](#), [270](#)
- write.result, [68](#), [70](#), [89](#), [91](#), [98](#), [105](#), [120](#), [125](#), [150](#), [155](#), [191](#), [193](#), [197](#), [219](#), [266](#)
- write.sav, [204](#), [205](#), [208](#), [264](#), [265](#), [267](#), [270](#)
- write.xlsx, [204–206](#), [264](#), [265](#), [269](#), [270](#)
- write_dta, [264](#)